Supplementary material to Simulating Diffusion Processes in Discontinuous Media: Benchmark Tests

Antoine Lejay^{*†‡§} Géraldine Pichot[¶]

June 10, 2014

Abstract

In this short note, we give explicit derivations for the eigenfunctions and eigenvalues in a composite one-dimensional medium with two different diffusivities.

In the article [2], we use the spectral representation of the density p(t, x, y) which solves the parabolic partial differential equation

$$\begin{cases} \frac{\partial p(t, x, y)}{t} = \nabla(D(y)\nabla p(t, x, y)), \ t > 0, \ x, y \in [0, L], \\ p(t, x, y) \xrightarrow[t \to 0]{} \delta_x(y), \\ p(t, x, \cdot) \text{ satisfies prescribed boundary conditions at 0 and } L \end{cases}$$

to get a tractable expression to which we may compare Monte Carlo simulations. Indeed, if the $\{\lambda_k\}_{k\geq 0}$ are the eigenvalues with eigenfunctions ϕ_k defined by

$$\begin{cases} \nabla (D\nabla \phi_k) = -\lambda_k^2 \phi_k, \\ \phi_k \text{ satisfies prescribed boundary conditions at 0 and } L, \\ \int_0^L \phi_k(x)^2 \, \mathrm{d}x = 1 \end{cases}$$

then

$$p(t,x,y) = \sum_{k\geq 0} e^{-\lambda_k^2} \phi_k(x) \phi_k(y).$$

$$\tag{1}$$

*Université de Lorraine, IECL, UMR 7502, Vandœuvre-lès-Nancy, F-54500, France

[†]CNRS, IECL, UMR 7502, Vandœuvre-lès-Nancy, F-54500, France

[‡]Inria, Villers-lès-Nancy, F-54600, France

[§]Contact: IECL, BP 70238, F-54506 Vandœuvre-lès-Nancy CEDEX, France. Email: Antoine.Lejay@univ-lorraine.fr

[¶]Inria, Rennes, France

[∥]Contact: Inria, Campus de Beaulieu, 35042 Rennes Cedex, France. Email: Geraldine.Pichot@inria.fr

Assuming that $\lambda_0 \leq \lambda_1 \leq \cdots$, then truncating (1) up to the first few terms is numerically sufficient.

Here, we consider the case where D takes only two values. This leads to rather simple computations this note aims at keeping track of. A large literature is devoted to deal with more general cases (See *e.g.* [1,3], ...).

1 Computing eigenvalues and eigenfunctions for the bimaterial problem

Consider a diffusivity

$$D(x) = \begin{cases} D^{-} \text{ if } x \in [0, L/2], \\ D^{+} \text{ if } x \in [L/2, L]. \end{cases}$$

We are interested in solving the eigenvalue problem

$$\begin{cases} \nabla(D\nabla\phi(x)) = -\lambda^2\phi(x), \ x \in (0,L),\\ \phi'(L) = \phi'(0) = 0. \end{cases}$$
(2)

Formally, this eigenvalue problem shall be solved in the Sobolev space $H^1([0, L])$. Since the problem is one-dimensional, there exists a continuous version of any eigenvalue, which we consider.

Fix $\lambda > 0$ and write $\alpha^{\pm} = \lambda / \sqrt{D^{\pm}}$.

The (non-normalized) eigenfunctions of (2) have the form

$$\phi(x,\lambda) = \begin{cases} \cos(\alpha^{-}x) & \text{if } x \in [0, L/2], \\ \gamma \cos(\alpha^{+}(L-x)) & \text{if } x \in [L/2, L], \end{cases}$$

with the conditions

$$\phi\left(\frac{L}{2},\lambda\right) = \phi\left(\frac{L}{2},\lambda\right) \text{ and } D^-\phi'\left(\frac{L}{2},\lambda\right) = D^+\phi'\left(\frac{L}{2},\lambda\right).$$

With $\beta = \sqrt{D^+} / \sqrt{D^-}$, the eigenvalues $-\lambda^2$ are given by

$$\lambda^2 = \frac{4z^2 D^+}{L^2} \tag{3}$$

with

$$\beta \tan(z) + \tan(\beta z) = 0. \tag{4}$$

If z is solution to (4), then -z is also solution to (4). Besides, z = 0 is solution to (4). We plot in Figure 2 the map $f : z \mapsto \beta \tan(z) + \tan(\beta z)$. Let $J = \{(2k+1)\frac{\pi}{2}; k \in \mathbb{N}\} \cup \{(2k+1)\frac{\pi}{2\beta}; k \in \mathbb{N}\}$. Write $\mathbb{R}_+ \setminus J = \bigcup_{k \in \mathbb{N}} (\alpha_k, \alpha'_k)$ with $\alpha_0 = 0 < \alpha_0 < \alpha_1 < \alpha'_1 < \dots$



Figure 1: Eigenfunctions solution to (2) with a reflecting boundary conditions at x = 0and x = 2 when $D^-/D^+ = 2.5$ corresponding to the smallest unsigned eigenvalues $0 = \lambda_0^2 < \lambda_1^2 < \lambda_2^2 < \lambda_3^2 < \lambda_4^2$.



Figure 2: Plot of $z \mapsto \beta \tan(z) + \tan(\beta z)$ with $\beta = 1/\sqrt{2.5}$.

Then f restricted to (α_k, α'_k) is continuous and strictly increasing from $-\infty$ to $+\infty$ so that there exists only one root on each of these intervals.

Let z_k , k = 0, 1, 2, ... be the solutions to (4) with $z_0 = 0 < z_1 < z_2 < \cdots$. Let λ_k be the corresponding eigenvalues given by (3).

For an eigenvalue $-\lambda^2$, the eigenfunctions are continuous at L/2 so that

$$\gamma = \frac{\cos(\alpha^- L/2)}{\cos(\alpha^+ L/2)}$$

and

$$D^-\phi'(L/2-,\lambda) = -\lambda\sqrt{D^-}\sin(\alpha^-L/2),$$
$$D^+\phi'(L/2+,\lambda) = \lambda\sqrt{D^+}\sin(\alpha^+L/2)\frac{\cos(\alpha^-L/2)}{\cos(\alpha^+L/2)}$$

Besides,

$$\kappa^{2}(\lambda) = \int_{0}^{L} \phi(x)^{2} dx = \frac{L}{4}(1+\gamma^{2}) + \frac{\sin(\alpha^{-}L/2)\cos(\alpha^{-}L/2)}{2\alpha^{-}} + \gamma^{2} \frac{\sin(\alpha^{+}L/2)\cos(\alpha^{+}L/2)}{2\alpha^{+}}$$

Set $\psi_k = \phi(\cdot, \lambda_k) / \kappa(\lambda_k)$. Hence, $\{\psi_k\}$ is an orthonormal basis with respect to the scalar product $\int_0^L f(x)g(x) \, dx$. The density is the expressed as

$$p(t, x, y) = \frac{1}{L} + \sum_{k \ge 1} e^{-\lambda_k t} \psi_k(x) \psi_k(y).$$

Let X be the stochastic process generated by the operator $\nabla(D\nabla \cdot)$ with reflecting boundary conditions at 0 and L. It follows that

$$\mathbb{P}_{x}[X_{t} \ge L/2] = \int_{L/2}^{L} p(t, x, y) \, \mathrm{d}y = \frac{1}{2} + \sum_{k \ge 1} e^{-\lambda_{k}^{2} t} \psi_{k}(x) \int_{L/2}^{L} \psi_{k}(y) \, \mathrm{d}y$$
$$\mathbb{P}_{x}[X_{t} \le L/2] = \int_{L/2}^{L} p(t, x, y) \, \mathrm{d}y = \frac{1}{2} + \sum_{k \ge 1} e^{-\lambda_{k}^{2} t} \psi_{k}(x) \int_{0}^{L/2} \psi_{k}(y) \, \mathrm{d}y.$$

A simple analytic expression holds for the constants, since

$$\int_0^{L/2} \psi(x) \, \mathrm{d}x = \frac{1}{\kappa} \frac{\sin(\alpha^- L/2)}{\alpha^-},$$

and
$$\int_{L/2}^L \psi(x) \, \mathrm{d}x = \frac{\gamma}{\kappa} \frac{\sin(\alpha^+ L/2)}{\alpha^+}.$$

One could check that

$$\int_{0}^{L} \psi(x) \, \mathrm{d}x = \frac{\sin(\alpha^{-}L/2)}{\alpha^{-}} + \frac{\cos(\alpha^{-}L/2)}{\cos(\alpha^{+}L/2)} \frac{\sin(\alpha^{+}L/2)}{\alpha^{+}}$$
$$= \frac{\cos(\alpha^{-}L/2)}{\alpha^{-}} (\tan(\alpha^{-}L/2) + \frac{\alpha^{-}}{\alpha_{+}} \tan(\alpha^{+}L/2))$$
$$= \frac{\cos(\alpha^{-}L/2)}{\alpha^{-}} (\tan(\beta z) + \beta \tan(z)) = 0$$

with $z = \lambda L/2\sqrt{D^+} = \alpha^+ L/2$.

2 Computing eigenvalues and eigenfunctions for the bimaterial problem with an absorbing condition

Let us consider now the eigenvalue problem with a reflecting condition at 0 and an absorbing condition at L:

$$\begin{cases} \nabla(D\nabla\phi(x)) = -\lambda^2 \phi(x), \ x \in (0, L), \\ \phi(L) = 0, \\ \phi'(0) = 0. \end{cases}$$
(5)

As above, the (non-normalized) eigenfunctions of (5) have the form

$$\phi(x,\lambda) = \begin{cases} \cos(\alpha^{-}x) & \text{if } x \in [0, L/2], \\ \gamma \sin(\alpha^{+}(L-x)) & \text{if } x \in [L/2, L] \end{cases}$$

with the conditions

$$\phi\left(\frac{L}{2},\lambda\right) = \phi\left(\frac{L}{2},\lambda\right) \text{ and } D^{-}\phi'\left(\frac{L}{2},\lambda\right) = D^{+}\phi'\left(\frac{L}{2},\lambda\right).$$

Figure 3: Eigenfunctions solution to (5) with a reflecting boundary conditions at x = 0and an absorbing boundary condition at x = 2 when $D^-/D^+ = 2.5$ corresponding to the smallest unsigned eigenvalues $\lambda_0^2 < \lambda_1^2 < \lambda_2^2 < \lambda_3^2$.

With
$$\beta = \sqrt{D^+} / \sqrt{D^-}$$
 and z given by (3),
 $\cos\left(\frac{\lambda}{\sqrt{D^-}}\frac{L}{2}\right) = \cos\left(\frac{\beta\lambda}{\sqrt{D^+}}\frac{L}{2}\right) = \cos(\beta z) = \gamma \sin\left(\frac{\lambda}{\sqrt{D^+}}\frac{L}{2}\right) = \gamma \sin(z)$ (6)

and

$$\sqrt{D^{-}}\sin(\beta z) = \sqrt{D^{+}}\gamma\cos(z).$$
(7)

Divding (6) by (7) when possible,

$$\frac{1}{\tan(\beta z)} - \frac{\tan(z)}{\beta} = 0.$$
(8)

If z is solution to (8), -z is also solution to (8). However, z is not a solution because $f: z \mapsto 1/\tan(\beta z) - \tan(z)/\beta$ converges to $+\infty$ as $z \to 0$.

Set $J = \bigcup_{k\geq 0} \{k\pi/\beta\} \cup \{(2k+1)\pi/2\}$, then $\mathbb{R}_+ \setminus J = \bigcup_{k\geq 0} (\alpha_k, \alpha'_k)$ with $\alpha_0 < \alpha'_0 < \alpha_1 < \alpha'_1 < \cdots$ and f is defined on each interval (α_k, α'_k) and is strictly decreasing (See Figure 4).

From (6),

$$\gamma = \frac{\cos(\beta z)}{\sin(z)}.$$



Figure 4: Plot of $z \mapsto 1/\tan(\beta z) - \tan(z)/\beta$ with $\beta = 1/\sqrt{2.5}$.

For an eigenvalue $-\lambda^2$,

$$\int_{0}^{L/2} \cos^{2}(\alpha^{-}x) \, \mathrm{d}x = \frac{L}{4} + \frac{\sin(\alpha^{-}L)}{4\alpha^{-}}$$

and
$$\int_{L/2}^{L} \sin^{2}(\alpha^{+}(L-x)) \, \mathrm{d}x = \frac{L}{4} - \frac{\sin(\alpha^{+}L)}{4\alpha^{+}}.$$

Thus,

$$\kappa(\lambda)^2 = \int_0^L \phi(x,\lambda)^2 \, \mathrm{d}x = \frac{L}{4}(1+\gamma^2) + \frac{\sin(\alpha^- L)}{4\alpha^-} - \gamma^2 \frac{\sin(\alpha^+ L)}{4\alpha^+}.$$

Since $z = \alpha^+ L/2$ and $\beta z = \alpha^- L/2$,

$$\kappa(\lambda)^2 = \frac{L}{4}(1+\gamma^2) + \sqrt{D^-}\frac{\sin(2\beta z)}{4\lambda} - \gamma^2\sqrt{D^+}\frac{\sin(2z)}{4\lambda}$$

We have also that

$$\int_0^L \phi(x,\lambda) \,\mathrm{d}x = \frac{\sin(\alpha^- L/2)}{\alpha^-} + \frac{\gamma}{\alpha^+} - \gamma \frac{\cos(\alpha^+ L/2)}{\alpha^+} = \frac{\sin(\beta z)}{2\alpha^-} + \frac{\gamma}{\alpha^+} - \gamma \frac{\cos(z)}{\alpha^+}.$$

Let $z_0 < z_1 < \cdots$ be the solutions to (8) and λ_k^2 , $k \ge 0$ be the corresponding eigenvalues through (3). Let ψ_k be the orthonormal eigenvalues associated with $\psi_k = \phi(\cdot, \lambda_k)/\kappa(\lambda)$.

The density of the process X generated by $\nabla(D\nabla \cdot)$ with a reflecting boundary condition at 0 and an absorbing boundary condition at L is

$$p(t, x, y) = \sum_{k \ge 0} e^{-\lambda_k^2 t} \psi_k(x) \psi_k(y).$$

Let $\tau = \inf\{t > 0; X_t = L\}$. Then

$$\mathbb{P}[t < \tau] = \int_0^L p(t, x, y) \,\mathrm{d}y = \sum_{k \ge 0} e^{-\lambda_k^2 t} \psi_k(x) \int_0^L \psi_k(y) \,\mathrm{d}y.$$

The distribution function G of τ is $G(t) = \mathbb{P}[\tau < t] = 1 - \mathbb{P}[t < \tau]$ so that an analytic expression for G may be given.

Bibliography

- B. Gaveau, M. Okada, and T. Okada, Second order differential operators and Dirichlet integrals with singular coefficients. I. Functional calculus of one-dimensional operators, Tohoku Math. J. (2) 39 (1987), no. 4, 465–504.
- [2] A. Lejay and G. Pichot, Simulating Diffusion Processes in Discontinuous Media: Benchmark Tests (2014).
- [3] J. D. Pryce, Numerical solution of Sturm-Liouville problems, Monographs on Numerical Analysis, The Clarendon Press Oxford University Press, 1993. Oxford Science Publications.