Helmholtz Equation in Highly Heterogeneous Media

Hélène BARUCQ^a, Henri CALANDRA^b, Théophile CHAUMONT FRELET^{a,c}, Christian GOUT^c

^aINRIA MAGIQUE3D ^bTOTAL ^cLMI INSA-ROUEN

September 24, 2014







2 Stability Analysis

3 Numerical Analysis

- Settings
- Homogeneous case
- Heterogeneous case
- 4 Numerical Experiments
 - Two-layer medium
 - Multi-layer medium
 - Marmousi model

Heterogeneous Helmholtz equation

• the pressure *u* satisfies the equation

$$\begin{cases} -\frac{\omega^2}{c^2}u - \Delta u = f & \text{in } \Omega \\ \nabla u \cdot \mathbf{n} - \frac{\mathbf{i}\omega}{c}u = 0 & \text{on } \partial\Omega \end{cases}$$

- where f is a source of excitation
- $\bullet\,$ where $\omega\,$ is the angular frequency
- where c is the wave velocity

Heterogeneous Helmholtz equation

• the pressure *u* satisfies the equation

$$\begin{cases} -\frac{\omega^2}{c^2}u - \Delta u = f & \text{in } \Omega \\ \nabla u \cdot \mathbf{n} - \frac{\mathbf{i}\omega}{c}u = 0 & \text{on } \partial\Omega \end{cases}$$

- where f is a source of excitation
- where ω is the angular frequency
- where c is the wave velocity

Frequency

- ullet the frequency is represented by the parameter $\omega\in\mathbb{R}_+^*$
- solving for high frequencies requires heavy computations
- high order methods may reduce the computational cost
- coarse mesh with high order elements

Heterogeneous Helmholtz equation

• the pressure \boldsymbol{u} satisfies the equation

$$\begin{cases} -\frac{\omega^2}{c^2}u - \Delta u = f & \text{in } \Omega\\ \nabla u \cdot \mathbf{n} - \frac{\mathbf{i}\omega}{c}u = 0 & \text{on } \partial\Omega \end{cases}$$

- where f is a source of excitation
- $\bullet\,$ where ω is the angular frequency
- where c is the wave velocity

Wave velocity

- \bullet the wave velocity is represented as a function ${\it c}:\Omega\to \mathbb{R}^*_+$
- in geophysical applications, c is piecewise constant
- in classical FEM, the mesh has to fit c
- c must be constant in each cell of the mesh
- for highly heterogenous media, we need a fine mesh

Stability Analysis

- Bound the norm of *u*
- Explicitly in terms of f, ω and c

Stability Analysis

- Bound the norm of u
- Explicitly in terms of f, ω and c

Homogeneous case

• In star-shaped domain

$$||u|| \leq C \left(\frac{\omega}{c}\right)^{-1} ||f||, \quad ||\nabla u|| \leq C ||f||, \quad ||\nabla^2 u|| \leq C \frac{\omega}{c} ||f||,$$

with $C := C(\Omega)$

- Proof with $v = \mathbf{x} \cdot \nabla u$
- See Melenk [1995], Hetmaniuk[2007]

One dimentional monotonous case

• If c is non-increasing (and piecewise e.g. C^1)

 $||u|| \leq C_s \omega^{-1} ||f||, \quad ||\nabla u|| \leq C_s ||f||, \quad ||\nabla^2 u|| \leq C_{s,2} \omega ||f||,$

with $C_s = 2Lc_{max}/c_{min}$ and $C_{s,2} = 1 + c_{max}C_s$.

• Proof with $v = \mathbf{x}u'$

One dimentional monotonous case

• If c is non-increasing (and piecewise e.g. C^1)

$$||u|| \leq C_s \omega^{-1} ||f||, \quad ||\nabla u|| \leq C_s ||f||, \quad ||\nabla^2 u|| \leq C_{s,2} \omega ||f||,$$

with $C_s = 2Lc_{max}/c_{min}$ and $C_{s,2} = 1 + c_{max}C_s$. • Proof with $v = \mathbf{x}u'$

One dimentional C^1 case

• If
$$c \in C^1$$

 $||u|| \leq C_{s}\omega^{-1}||f||, \quad ||\nabla u|| \leq C_{s}||f||, \quad ||\nabla^{2}u|| \leq C_{s,2}\omega||f||,$

with $C_s = C \exp((2|c'_{min}|/c_{min} + 1)L)$ and $C_{s,2} = 1 + c_{max}C_s$. • Proof with

$$v(x) = \exp\left\{\left(2\frac{|c'_{min}|}{c_{min}} + 1\right)z\right\} u'(x)$$

Two dimentional piecewise constant case

• If Ω star-shaped w.r.t. $\boldsymbol{x},$ and

$$\frac{1}{c_r^2} \mathbf{x} \cdot \mathbf{n}_r + \frac{1}{c_l^2} \mathbf{x} \cdot \mathbf{n}_l \le 0, \quad \forall x \in \Omega_r \cap \Omega_l, \quad \forall r, l$$

then

$$\begin{aligned} ||u|| &\leq C_s \omega^{-1} ||f||, \quad ||\nabla u|| &\leq C_s ||f||, \quad ||\nabla^2 u|| &\leq C_{s,2} \omega ||f||, \\ \text{with } C_s &:= C(\Omega, c_{max}/c_{min}), \text{ and } C_{s,2} = 1 + c_{max}C_s. \end{aligned}$$
Proof with $v = \mathbf{x} \cdot \nabla u.$















A Salt body



Settings Homogeneous case Heterogeneous case

Finite element space

- \mathcal{T}_H mesh of Ω
- *H* mesh step
- V_H^p discretisation space of order p

$$V_{H}^{p} = \left\{ v \in C^{0}(\bar{\Omega}) \mid v|_{K} \in \mathcal{P}_{p}(K) \quad \forall K \in \mathcal{T}_{H} \right\}$$

Settings Homogeneous case Heterogeneous case

Finite element space

- \mathcal{T}_H mesh of Ω
- H mesh step
- V_H^p discretisation space of order p

$$V_{H}^{p} = \left\{ v \in C^{0}(\bar{\Omega}) \mid v|_{K} \in \mathcal{P}_{p}(K) \quad \forall K \in \mathcal{T}_{H} \right\}$$

Linear mapping

- reference cell \hat{K}
- Linear map $\mathcal{F}_{\mathcal{K}}:\hat{\mathcal{K}}\to\mathcal{K}$
- Constant jacobian $jac(\mathcal{F}_{\mathcal{K}})$

Settings Homogeneous case Heterogeneous case

Basic principle of the FEM

- Transform the PDE in a linear system MU = F
- dim *M* related to *H* and *p*
- The entries involve quantites of the form

$$\int_{\mathcal{K}} \frac{1}{\mathbf{c}^2} \varphi^i \varphi^j,$$

• where
$$K \in \mathcal{T}_H$$
 is a cell,

• where $\varphi^i, \varphi^j \in \mathcal{P}_p(\mathcal{K})$ are polynomials

Settings Homogeneous case Heterogeneous case

Basic principle of the FEM

- Transform the PDE in a linear system MU = F
- dim *M* related to *H* and *p*
- The entries involve quantites of the form

$$\int_{\mathcal{K}} \frac{1}{\mathbf{c}^2} \varphi^i \varphi^j,$$

• where
$$K \in \mathcal{T}_H$$
 is a cell,

• where
$$arphi^i, arphi^j \in \mathcal{P}_{p}(K)$$
 are polynomials

Goals

- Cheap formula for the entries
- Keep dim M as small as possible
- Stability and convergence for small H

Settings Homogeneous case Heterogeneous case

Computations of the entries

• c is constant

$$\int_{\mathcal{K}} \frac{1}{c^2} \varphi^i \varphi^j = \frac{1}{c^2} \int_{\mathcal{K}} \varphi^i \varphi^j$$

• Linear mapping

$$\int_{\mathcal{K}} \varphi^{i} \varphi^{j} = \mathsf{jac}(\mathcal{F}_{\mathcal{K}}) \int_{\hat{\mathcal{K}}} \hat{\varphi}^{j} \hat{\varphi}^{j} = \mathsf{jac}(\mathcal{F}_{\mathcal{K}}) \hat{M}_{ij}$$

Settings Homogeneous case Heterogeneous case

Computations of the entries

• c is constant

$$\int_{\mathcal{K}} \frac{1}{c^2} \varphi^i \varphi^j = \frac{1}{c^2} \int_{\mathcal{K}} \varphi^i \varphi^j$$

• Linear mapping

$$\int_{\mathcal{K}} \varphi^{i} \varphi^{j} = \mathsf{jac}(\mathcal{F}_{\mathcal{K}}) \int_{\hat{\mathcal{K}}} \hat{\varphi}^{j} \hat{\varphi}^{j} = \mathsf{jac}(\mathcal{F}_{\mathcal{K}}) \hat{M}_{ij}$$

Numerical Implementation

• Store once the references values

$$\hat{M}_{ij} = \int_{\hat{K}} \hat{\varphi}^i \hat{\varphi}^j$$

 \bullet Weight the reference value on each cell by the jacobian and c

$$rac{1}{c^2}$$
jac $(\mathcal{F}_K)\hat{M}_{ij}$

Settings Homogeneous case Heterogeneous case

Stability and convergence (Melenk Sauter [2010])

- A (non-optimal) condition for stability $\omega^{p+1}H^p \leq C$
- Convergence $|u u_H|_{1,\Omega} \leq C \omega H$
- Proof based on best-approximation properties

Settings Homogeneous case Heterogeneous case

Stability and convergence (Melenk Sauter [2010])

- A (non-optimal) condition for stability $\omega^{p+1}H^p \leq C$
- Convergence $|u u_H|_{1,\Omega} \leq C \omega H$
- Proof based on best-approximation properties

One dimentional case (Babuska Ihlenburg [1997])

- A (optimal) condition for stability $\omega^{2p+1}H^{2p} \leq C$
- Convergence $|u u_H|_{1,\Omega} \leq C \omega H$
- Proof using the numerical Green function for uniform mesh

Settings Homogeneous case Heterogeneous case

The pollution effect

- Consider p = 1, then $\omega^2 H \leq C$ and $H \leq C \omega^{-2}$
- $2 \times \omega$ implies H/4

Settings Homogeneous case Heterogeneous case

The pollution effect

- Consider p=1, then $\omega^2 H \leq C$ and $H \leq C \omega^{-2}$
- $2 \times \omega$ implies H/4

High order reduce pollution

- Consider p = 5, then $\omega^6 H^5 \leq C$ and $H \leq C \omega^{-5/4}$
- $2 \times \omega$ implies H/2.3

Settings Homogeneous case Heterogeneous case

The pollution effect

- Consider p=1, then $\omega^2 H \leq C$ and $H \leq C \omega^{-2}$
- $2 \times \omega$ implies H/4

High order reduce pollution

- Consider p=5, then $\omega^6 H^5 \leq C$ and $H \leq C \omega^{-5/4}$
- $2 \times \omega$ implies H/2.3

Conclusion concerning pollution

- Coarse cells
- High order elements
- Smaller dim *M* for a given precision

Settings Homogeneous case Heterogeneous case

Computations of the entries on fine meshes

- c is not constant on Ω
- c is constant on each cell K and

$$\int_{\mathcal{K}} \frac{1}{c^2} \varphi^i \varphi^j = \frac{1}{c^2} \int_{\mathcal{K}} \varphi^i \varphi^j$$

- Requires fine cells
- Not adapted to handle pollution

Settings Homogeneous case Heterogeneous case

Coarse meshes

• No analytical expression of

$$\int_{\mathcal{K}} \frac{1}{\mathbf{c}^2} \varphi^i \varphi^j$$

• Idea: replace c by a simpler parameter c_h

Settings Homogeneous case Heterogeneous case

Coarse meshes

• No analytical expression of

$$\int_{\mathcal{K}} \frac{1}{\mathbf{c}^2} \varphi^i \varphi^j$$

• Idea: replace c by a simpler parameter c_h

Construction of c_h

- Consider a submesh $\hat{\mathcal{T}}_h$ of \hat{K}
- On K, map $\hat{\mathcal{T}}_h$ to \mathcal{T}_h^K
- Take c_h to be constant on each subcell of \mathcal{T}_h^K

Settings Homogeneous case Heterogeneous case

Mapping



Settings Homogeneous case Heterogeneous case

Computations of the entries

• c_h is constant on the subcells

$$\int_{K} \frac{1}{c_{h}^{2}} \varphi^{i} \varphi^{j} = \sum_{A \in \mathcal{T}_{h}^{K}} \frac{1}{c_{h}^{2}} \int_{A} \varphi^{i} \varphi^{j} \varphi^{$$

• Linear mapping

$$\sum_{A \in \mathcal{T}_{h}^{\kappa}} \frac{1}{c_{h}^{2}} \int_{A} \varphi^{i} \varphi^{j} = \operatorname{jac}(J_{\kappa}) \sum_{B \in \hat{\mathcal{T}}_{h}} \frac{1}{c_{h}^{2}} \int_{B} \hat{\varphi}^{i} \hat{\varphi}^{j}$$
$$= \operatorname{jac}(J_{\kappa}) \sum_{B \in \hat{\mathcal{T}}_{h}} \frac{1}{c_{h}^{2}} \hat{M}_{ij}^{B}$$

Settings Homogeneous case Heterogeneous case

Numerical Implementation

• Store once the references values

$$\hat{\mathcal{M}}^{\mathcal{B}}_{ij} = \int_{\mathcal{B}} \hat{arphi}^i \hat{arphi}^j \quad orall B \in \hat{\mathcal{T}}_h$$

• Weight the references values with c_h and the jacobian

$$\mathsf{jac}(\mathcal{F}_{\mathcal{K}})\sum_{B\in\hat{\mathcal{T}}_{h}}rac{1}{c_{h}^{2}}\hat{M}_{ij}^{B}$$

Settings Homogeneous case Heterogeneous case

Stability and convergence

- Extension of the homogeneous result for p=1
- A (non-optimal) stability condition: $\omega^2 H + \omega h \leq C$
- Convergence: $|u u_{H,h}|_{1,\Omega} \leq C (\omega H + \omega h)$

Settings Homogeneous case Heterogeneous case

Stability and convergence

- Extension of the homogeneous result for p = 1
- A (non-optimal) stability condition: $\omega^2 H + \omega h \leq C$
- Convergence: $|u u_{H,h}|_{1,\Omega} \leq C (\omega H + \omega h)$

One dimentional case

- Extension of the homogeneous result for p = 1, 2, 3.
- A (non-optimal) stability condition: $\omega^{p+1}H^p < C$
- Convergence: $|u u_{H,h}|_{1,\Omega} \leq C(\omega H + \omega h)$

Two-layer medium Multi-layer medium Marmousi model

Two-layer medium ($\omega = 10\pi$, $c_1 = 1000$, $c_2 = 2000$, \mathcal{P}_4 elements)



Reference cell



Two-layer medium Multi-layer medium Marmousi model

Two-layer medium ($\omega = 10\pi$, $c_1 = 1000$, $c_2 = 2000$, \mathcal{P}_4 elements)





Two-layer medium Multi-layer medium Marmousi model

Two-layer medium ($\omega = 10\pi$, $c_1 = 1000$, $c_2 = 2000$, \mathcal{P}_4 elements)





Two-layer medium Multi-layer medium Marmousi model

Multi-layer test case

- 1000 layers of 3 meters each
- $c_{min} = 500 m.s^{-1}$, $c_{max} = 5500 m.s^{-1}$
- $|c_j c_{j+1}| \ge 1000$
- $\omega = 40\pi$ (f = 20 Hz)
- \mathcal{P}_6 elements

Two-layer medium Multi-layer medium Marmousi model

Multi-layer test case

- 1000 layers of 3 meters each
- $c_{min} = 500 m.s^{-1}$, $c_{max} = 5500 m.s^{-1}$
- $|c_j c_{j+1}| \ge 1000$
- $\omega = 40\pi$ (f = 20 Hz)
- \mathcal{P}_6 elements

Mesh









Two-layer medium Multi-layer medium Marmousi model

Test case

- Marmousi velocity model
- 5 Hz
- 10 shots at 100 m detph

Two-layer medium Multi-layer medium Marmousi model

Test case

- Marmousi velocity model
- 5 Hz
- 10 shots at 100 m detph

Coarse mesh

- 4743 cells
- $\bullet \ \mathcal{P}_6 \ elements$
- without subcells
- 16 subcells

Two-layer medium Multi-layer medium Marmousi model

Test case

- Marmousi velocity model
- 5 Hz
- 10 shots at 100 m detph

Coarse mesh

- 4743 cells
- \mathcal{P}_6 elements
- without subcells
- 16 subcells

Fine mesh

- 47531 cells
- \mathcal{P}_6 elements
- without subcells

Two-layer medium Multi-layer medium Marmousi model

Approximated velocity model c_h



Two-layer medium Multi-layer medium Marmousi model

Approximated velocity model c_h (16 subcells)









Two-layer medium Multi-layer medium Marmousi model

Conclusion

- subquadrature schemes capture fine scale heterogenities
- an arbitrary high order 2D solver has been implemented
- analytical study of the PDE
- theoretical convergence issues have been adressed
- but the estimates are not sharp

Two-layer medium Multi-layer medium Marmousi model

Conclusion

- subquadrature schemes capture fine scale heterogenities
- an arbitrary high order 2D solver has been implemented
- analytical study of the PDE
- theoretical convergence issues have been adressed
- but the estimates are not sharp

Ongoing work

- 3D solver
- sharper estimates
- non-constant density

$$-rac{\omega^2}{\kappa} oldsymbol{u} - {
m div}(rac{1}{
ho}
abla oldsymbol{u}) = f$$

Two-layer medium Multi-layer medium Marmousi model

Thank you for your attention!