

Reordering strategy for blocking optimization in sparse linear solvers

Grégoire Pichon, Mathieu Faverge, Pierre Ramet, Jean Roman

► To cite this version:

Grégoire Pichon, Mathieu Faverge, Pierre Ramet, Jean Roman. Reordering strategy for blocking optimization in sparse linear solvers. [Research Report] RR-8860, Inria Bordeaux Sud-Ouest; LaBRI - Laboratoire Bordelais de Recherche en Informatique; Bordeaux INP; Université de Bordeaux. 2016, pp.26. hal-01276746v2

HAL Id: hal-01276746 https://inria.hal.science/hal-01276746v2

Submitted on 13 Oct 2016 $\,$

HAL is a multi-disciplinary open access archive for the deposit and dissemination of scientific research documents, whether they are published or not. The documents may come from teaching and research institutions in France or abroad, or from public or private research centers. L'archive ouverte pluridisciplinaire **HAL**, est destinée au dépôt et à la diffusion de documents scientifiques de niveau recherche, publiés ou non, émanant des établissements d'enseignement et de recherche français ou étrangers, des laboratoires publics ou privés.



Reordering strategy for blocking optimization in sparse linear solvers

Grégoire Pichon, Mathieu Faverge, Pierre Ramet, Jean Roman

RESEARCH REPORT N° 8860 February 2016 Project-Team HiePACS



Reordering strategy for blocking optimization in sparse linear solvers

Grégoire Pichon^{*†‡§}, Mathieu Faverge^{*†‡§}, Pierre Ramet ^{‡†*§},

Jean Roman $^{\dagger * \ddagger \S}$

Project-Team HiePACS

Research Report n° 8860 — February 2016 — 28 pages

Abstract: Solving sparse linear systems is a problem that arises in many scientific applications, and sparse direct solvers are a time consuming and key kernel for those applications and for more advanced solvers such as hybrid direct-iterative solvers. For this reason, optimizing their performance on modern architectures is critical. The preprocessing steps of sparse direct solvers, ordering and block-symbolic factorization, are two major steps that lead to a reduced amount of computation and memory and to a better task granularity to reach a good level of performance when using BLAS kernels. With the advent of GPUs, the granularity of the block computation became more important than ever. In this paper, we present a reordering strategy that increases this block granularity. This strategy relies on the block-symbolic factorization to refine the ordering produced by tools such as METIS or SCOTCH, but it does not impact the number of operations required to solve the problem. We integrate this algorithm in the PASTIX solver and show an important reduction of the number of off-diagonal blocks on a large spectrum of matrices. This improvement leads to an increase in efficiency of up to 20% on GPUs.

Key-words: Sparse linear solver, nested dissection, sparse matrix ordering, heterogeneous architectures

- [†] Inria Bordeaux Sud-Ouest, Talence, France
- [‡] University of Bordeaux, Talence, France
- § CNRS (Labri UMR 5800), Talence, France
- \P University of Tennesse, ICL, Knoxville, USA

RESEARCH CENTRE BORDEAUX – SUD-OUEST

200 avenue de la Vieille Tour 33405 Talence Cedex

^{*} Bordeaux INP, Talence, France

Stratégie de renumérotation pour optimiser la granularité des calculs dans la résolution des systèmes linéaires creux

Résumé : De nombreuses applications scientifiques recquièrent La résolution de large systèmes linéaires creux qui est généralement l'étape la plus comnsommatrice de ressources, que ce soit en temps de calculs ou mémoire. Il est donc primordial d'optimiser les bibliothèques de résolution de ces problèmes sur les architectures modernes. Nous présentons dans ce documents une technique de renumérotation des inconnues qui permet d'élargir la granularité des calculs afin de mieux exploiter les accélérateurs, comme les GPUs, dans ces bibliothèques. Cet algorithme s'appuie sur les renumérotations calculées par des outils comme METIS ou SCOTCH sans changer le nombre d'opérations de la factorisation numérique. Nous présentons les résultats de l'intégration de cette stratégie dans la bibliothèque PASTIX qui améliore les temps de factorisations jusqu'à 20% sur architectures hétérogènes.

Mots-clés : algèbre linéaire creuse, dissection emboitée, renumérotation, architectures hétérogènes

1 Introduction

Many scientific applications, such as electromagnetism, astrophysics, and computational fluid dynamics, use numerical models that require solving linear systems of the form Ax = b. In those problems, the matrix A can either be considered as dense (almost no zero entries) or sparse (mostly zero entries). Due to multiple structural and numerical differences that appear in those problems, many different solutions exist to solve them. In this paper, we focus on problems leading to sparse systems with a symmetric pattern and more specifically on direct methods which factorize the matrix A in LL^t , LDL^t or LU, with L, D and U respectively unit lower triangular, diagonal, and upper triangular according to the problem numerical properties. Those sparse matrices appear mostly when discretizing Partial Differential Equations (PDEs) on 2D and 3D finite element or finite volume meshes. The main issue with such factorizations is the fill-in – zero entries becoming non-zero – that appears in the factorized form of A during the execution of the algorithm. If not correctly considered, the fill-in can transform the sparse matrix into a dense one which might not fit in memory. In this context, sparse direct solvers rely on two important preprocessing steps to reduce this fill-in and control where it appears.

The first one finds a suitable unknown ordering that aims at minimizing the fill-in to limit the memory overhead and the floating point operations (Flop) required to complete the factorization. The problem is then transformed into $(PAP^t)(Px) = Pb$ where P is an orthogonal permutation matrix. A wide array of literature exists on solutions to graph reordering problems; the most commonly used for sparse direct factorization being the nested dissection recursive algorithm introduced by George [1].

The second preprocessing step of sparse direct solvers is the block-symbolic factorization [2]. This step analytically computes the block-structure of the factorized matrix from the reordering step and from a supernode partition of the unknowns. It allows the solver to create the data structure that will hold the final matrix instead of allocating it at runtime. The goal of this step is also to block the data in order to efficiently apply matrix-matrix operations, also known as BLAS Level 3 [3], on those blocks instead of scalar operations. For this purpose, extra fill-in, and by extent extra computations, might be added in order to reduce the time to solution. However, the size of those blocks might not reach the sufficient size to extract all the performance from the BLAS kernels.

Modern architectures, whether based on CPUs, GPUs, or Intel Xeon Phi may be efficient with a performance close to the theoretical peak. This can be achieved only if the data size is large enough to take advantage of caches, vector units, and provides a larger ratio of computation per byte. Accelerators such as GPUs or Intel Xeon Phi require even larger blocking sizes than the ones for CPUs due to their particular architectural features.

In order to provide more suited block sizes to kernel operations, we propose in this paper an algorithm that reorders the unknowns of the problem to increase the average size of the offdiagonal blocks in block-symbolic factorization structures. The major feature of this solution is that, based on an existing nested dissection ordering for a given problem, our solution will keep constant the amount of fill-in generated during the factorization. So, the amount of memory and computation to store and compute the factorized matrix is invariant. The consequence of this increased average size is that the number of off-diagonal blocks is largely reduced, diminishing the memory overhead of the data structures used by the solver and the number of tasks required to compute the solution in task-based implementations [4, 5], increasing the performance of BLAS kernels.

Section 2 gives a brief background on the block-symbolic factorization for sparse direct solvers and introduces the problem when classical reordering techniques are used. Section 3 states the problem, describes our reordering strategy, and gives an upper bound of its theoretical cost for the class of graphs with bounded degree, that is, graphs from real-life 2D or 3D numerical simulations. The quality of the symbolic structure and its impact on the performance of a sparse direct solver, here PASTIX [6], is studied in section 4. Finally, we conclude and present some future opportunities for this work.

2 Background

This section provides some background on sparse direct solvers and the associated preprocessing steps. A detailed example showing the impact of the ordering on the block-structure for the factorized matrix is also presented.

2.1 Sparse direct solvers

The common approach to sparse direct solvers is composed of four main steps: 1) ordering and computation of a supernodal partition for the unknowns; 2) block-symbolic factorization; 3) numerical block-factorization; and 4) triangular system solve. The first step exploits the property of the Fill-in Characterization theorem (see theorem 2.1) to minimize the fill-in, zeros becoming non-zeros during factorization, and the second one predicts the block-structure that will facilitate efficient numerical factorization and solve. Steps 3) and 4) perform the actual computation.

Theorem 2.1. (Fill-in Characterization Theorem from [7]) Given an $n \times n$ sparse matrix A, and its adjacency graph G = (V, E), any entry $a_{i,j} = 0$ from A will become a non-zero entry in the factorized matrix if and only if there is a path in G from vertex i to vertex j that only goes through vertices with a lower index than i and j.

Among the ordering techniques known to efficiently reduce the matrix fill-in are the Approximate Minimum Degree (AMD) algorithm [8] and the Minimum Local Fill (MF) algorithm [9,10]. However, these orderings fail to expose a lot of parallelism in the block computation during the factorization. In order to both reduce fill-in and exhibit parallelism, an ordering algorithm based on nested dissection [1] has been introduced and is now the most widely used in sparse direct solvers. This class of algorithms works on the symmetric undirected graph associated with the matrix and recursively partitions the graph to expose independent subproblems that can be solved in parallel while reducing the fill-in of the matrix.

The top-left part of figure 1 shows the adjacency graph of a 2D symmetric 5×5 grid with a possible 2-level partitioning of the graph. The goal of the nested dissection method is to recursively partition the graph G = (V, E) into $A \cup B \cup C$ such that no edge directly connects a vertex from A to a vertex of B, and such that C is as small as possible. C is called the separator and corresponds to a supernode. This separation of A and B combined with theorem 2.1 guarantees that if all vertices of C are numbered with larger numbers than those of A and B, no fill-in appears between a vertex from A and a vertex from B. This partitioning and ordering process is then recursively applied on A and B, until a small enough size is reached for the subgraphs. Then, local ordering heuristics like AMD are used on these remaining subgraphs. A global supernode partition of the unknowns is obtained by merging the set of supernodes from the nested dissection process (all the separators) and the set of supernodes achieved from the reordered non-separated subgraphs (by using the algorithm introduced in [11, 12]). This partitioning and ordering operation is usually performed through an external tool such as METIS [13] or SCOTCH [14].



Figure 1: Nested dissection and block-data structure for L.

Given this supernodal partition, one can compute the block-symbolic data structure of the factorized matrix, as presented on the right part of figure 1. The goal is to predict the blockdata structure of the final L matrix for the numerical factorization and to gather information in blocks that will enable the use of efficient kernels as BLAS Level 3 operations [3]. This blockdata structure is composed of N column blocks, one for each supernode of the partition, with a dense diagonal block (in gray in the figure) and with several dense off-diagonal blocks (in green or in red in the figure) corresponding to interactions between supernodes; some additional fill-in is accepted to form dense blocks in order to be more CPU-efficient. The block-symbolic factorization computes this block-data structure with $\Theta(N)$ space and time complexities [2]. From this structure, one can deduce the quotient graph which describes all the interactions between supernodes during the factorization (for example, supernode 1 will contribute to supernodes 3 and 7), and the elimination tree which describes the amount of parallelism in the computations as a supernode will contribute only to supernodes belonging to its ancestors. Finally, before distributing the column blocks on the processors, the biggest column blocks corresponding to the top most supernodes in the tree are split in order to exploit the parallelism inside the dense computations [6].

The first two steps of a direct solver are preprocessing stages, independent from numerical values. Note that those steps can be computed once to solve the same problem several times with different numerical values. Steps 3) and 4) are numerical. Figure 2 presents how the elimination of a column block is divided into three stages:

- 1. <u>Factorization</u> of the dense diagonal block;
- 2. Application of an in place <u>Solve</u> on the off-diagonal blocks;
- 3. Update of the underlying matrix.

Usually, the solve stage (stage 2) is done through one or multiple calls to BLAS kernels according to the data distribution used by the solver. In the PASTIX solver, a 1D distribution is



Figure 2: Steps to factorize the matrix - symmetric positive definite case.

used and all blocks are stored contiguously in dense storage in order to perform the solve stage in only one BLAS call. The update stage (stage 3) can be done in multiple ways. The first option is to do it similarly to dense factorization with one matrix-matrix multiply per couple of off-diagonal blocks (red updates in figure 2). However, the granularity of the tasks in sparse solvers is often so small before reaching the top levels of the elimination tree that it is inefficient. The most adopted solution for supernodal methods is to compute a matrix-matrix multiply for each column block that requires updates, meaning one per blue off-diagonal block (only the first two are represented in figure 2). The temporary result is then scattered and added to the target column block. The last solution, similar to what is done in a multifrontal solver, consists in a single matrix-matrix multiplication that is followed by a 2D scatter of the updates. In the last two options, if the updates are too discontinuous and spread all over the updated submatrix, this can lead to memory bound updates while the operation is originally compute bound. It is then interesting to consider an ordering solution, compatible with the nested dissection method, that will limit the number of off-diagonal blocks to have more compact updates. It will also reduce the memory bound aspect of the update operation, which is the most time consuming for the factorization and solve steps.

2.2 Intra-node reordering

Let us now illustrate the problem of current ordering solutions and how to overcome this problem. For this purpose, we consider a regular 3D cube of n^3 vertices presented in figure 3. We apply the nested dissection process to this cube. Naturally, the first separator, in gray, is a plane of n^2 vertices cutting the cube into two halves of balanced parts. Then, by recursively applying the nested dissection process, we partition the two-halves' subparts with the two red separators, and again dissect the resulting partitions by the four third-level green separators giving us eight final partitions. We know from this process that each separator will be ordered with higher indices than those in lower levels.

Inside each separator, vertices have to be ordered as well, and it is common to use techniques such as the Reverse Cuthill-McKee [15] (RCM) algorithm in order to have an internal separator ordering "as continuous as possible" to limit the number of off-diagonal blocks in the associated column block. This strategy works with only the local graph induced by the separator. It starts from a peripheral vertex and orders, consecutively, vertices at distance 1, then at distance 2, and so on, giving indices in reverse order. It is close to a Breadth-First Search (BFS) algorithm. However, such an algorithm uses only interactions within a supernode, without taking into account contributing supernodes. On the quotient graph of figure 1, it means that this will reorder unknowns inside a node of this graph without considering interactions with other nodes of this graph. However, these interactions are the ones related to off-diagonal blocks in the factorized matrix. Therefore, it is important to note that the ordering inside a supernode can be rearranged to take into account interactions with vertices outside its local graph without changing the final fill-in of the L block-structure used by the solver. Then, we can expect that a complete knowledge of the local graph and of its outer interactions will lead to a better quality in terms of the number of off-diagonal blocks.



Figure 3: Three-levels of nested dissection on a regular cube.



Figure 4: Projection of contributing supernodes and ordering on the first separator (gray in figure 3).

Figure 4 presents the vertices of the gray separator from the 3D cube case with n = 5. The projection of contributing supernodes on this separator is shown. The blue parts are the vertices connected only to the leaves of the elimination tree. Thanks to the nested dissection process, the nodes of the gray separator have the largest numbers and their connections to other supernodes represent the off-diagonal contributions. Based on this, we propose an optimal ordering, in figure 4b, computed by hand, as opposed to an RCM algorithm, in figure 4a. This ordering is considered optimal as it minimizes the number of off-diagonal blocks to one per column. One can note that RCM will not order consecutively vertices that will receive contributions from the same supernodes, leading to a substantially larger number of off-diagonal blocks than the optimal solution. For instance, the four blue vertices in the top right of RCM ordering will

create four different off-diagonal blocks. The general idea is that some projections will be cut by RCM following the neighborhood, while those vertices could have been ordered together to reduce the number of off-diagonal blocks. On the right, the optimal ordering tries to consider this rule by ordering vertices with similar connections in a contiguous manner. This leads to a smaller number of off-diagonal blocks as shown in the block-data structure computed by the block-symbolic factorization for these two orderings in figures 5a and 5b. The ordering proposed in figure 4b is optimal in terms of number of off-diagonal blocks as long as is it impossible to exhibit a block-symbolic structure will less than 14 off-diagonal blocks: there is no more than one off-diagonal block per column block.



(b) With optimal ordering

Figure 5: Off-diagonal blocks contributing to the first separator in figure 3.

We have demonstrated with this simple example that RCM does not fulfill the correct objective in a more global view of the problem. This is especially true in the context of 3D graphs, where the separator is a 2D structure, receiving contributions from 3D structures on both sides. With 2D graphs, the separator is a 1D structure and in such a case, RCM will provide generally a good solution by following the neighborhood in the BFS algorithm. However, it often happens that the separators found by generic tools such as METIS or SCOTCH are disconnected graphs making this previous statement incorrect as long as it is impossible to recover and follow the spatial neighborhood of the vertices (issued from the associated mesh).

Note that if it is quite easy to manually compute the optimal ordering on our example, it is harder in practice. Indeed, given an initial partition $V = A \cup B \cup C$, nothing guarantees that subparts A and B will be partitioned in a similar fashion, and that the resulting projection will match. For instance, figure 6 presents the projection of level-1 (in red) and level-2 (in green) supernodes on the first separator of a $40 \times 40 \times 40$ laplacian partitioned with SCOTCH. One can note that there are crossed contributions, meaning that subparts A and B are partitioned differently.

In the next section, we propose a new reordering strategy that permutes the rows to compact the off-diagonal information. Note that such a reordering strategy will not impact the global fill-in as long as the diagonal blocks are considered as dense blocks. The first solution that appears on figure 6 would be to cluster vertices by common connections to nodes of the quotient graph. However, in most cases, that would result in clusters of O(1) size that would still need to be ordered correctly, taking into account their level in the elimination tree of the connected supernodes. The solution we propose to remedy this problem relies on the computed blockdata structure. Our objective is to express an algorithm providing the optimal solution before proposing a heuristic with a reasonable complexity.



Figure 6: Projection of contributing supernodes on the first separator of a 3D laplacian of size $40 \times 40 \times 40$, using SCOTCH.

2.3 Related Works

Studying the structure of off-diagonal blocks was used in different contexts. In [16], the purpose was to reduce the overhead associated with each single off-diagonal block. The authors proposed a reordering strategy that refines the ordering provided by the minimum degree algorithm. Their experiments have been applied to 2D graphs and successfully reduce the number of off-diagonal blocks. However, the authors did not provide a theoretical study of their reordering algorithm and their solution did not apply in the context of 3D graphs.

In HSL [?, 17], the authors have introduced reordering techniques in the context of both supernodal and multifrontal solvers. The objective is to create larger off-diagonal blocks to enhance data locality and reduce factorization time in the MA87 supernodal solver. Each diagonal block is reordered according to its set of children. Given a child and one of its ancestors, section 2.2 showed that the set of rows from the ancestor connected to the child should be ordered contiguously to create a single off-diagonal block and avoid scattering operations. HSL reordering strategy starts by sorting children accordingly to their contribution size to the studied supernode, in other words with the number of rows that is connects the two nodes. Then, the rows connected to the larger child are numbered continuously to create a single off-diagonal block coming from this child, and the process is repeated on the remaining rows until all of them are reordered. This strategy has led to performance gains in a multi-threaded context [?]. However, from construction, this algorithm gives priority to the largest branch of the elimination tree neglecting the other ones. In practice, we observe that leaves from both sides of the elimination tree might be connected to the same unknowns of their ancestors. Thus, we can expect that an algebraic view of the problem will provide better results by using a global view of the connections of one supernode to all its descendants in the elimination tree.

In [18], a reordering strategy is proposed for the multifrontal solver MUMPS [19]. The objective is to provide a row ordering and the associated mapping on a set of processors to minimize the total volume of communications. The strategy studied minimizes communication between a parent and its set of children. As opposed to HSL and our solutions, this algorithm, designed for multifrontal solver only, dynamically reorders the rows at each level of the elimination tree. It considers only interactions from children to direct parent to minimize scattering operations at each level when updating the frontal matrix. This way, rows from a parent node can have different orderings at each level of the elimination tree, or even between different child branches. Thus, it is out of scope of the global ordering proposed in this paper for a supernodal solver.

3 Improving the blocking size

As presented in section 2.2, the RCM algorithm – widely used to order supernodes – generates many extra off-diagonal blocks by not considering supernode interactions, which leads to an increased number of less efficient block operations. In this section, we present an algorithm that intends to reorder supernodes thanks to a global view of the nested dissection partition. We expect that considering contributing supernodes will lead to a better quality — a smaller number of larger blocks. Our main idea is to consider the set of contributions for each row of a supernode, before using a distance metric to minimize the creation of off-diagonal blocks when permuting rows.

3.1 Problem modeling

The strategy is to rely on the block-symbolic factorization of L instead of the original graph of A. Indeed, it allows us to take into account fill-in elements that were computed thanks to the block-symbolic factorization process instead of re-computing those elements with the matrix graph. Let us consider the ℓ^{th} diagonal block C_{ℓ} of the factorized matrix that corresponds to a supernode, and the set of supernodes C_k with $k < \ell$ corresponding to the supernodes in lower levels of the elimination tree than C_{ℓ} . Note that we refer to N as the total number of diagonal blocks appearing in the structure of the factorized matrix, as opposed to n for the total number of unknowns.

We define for each supernode C_{ℓ} :

$$row_{ik}^{\ell} = \begin{cases} 1 \text{ if vertex } i \text{ from } C_{\ell} \text{ is connected to } C_k \\ 0 \text{ otherwise} \end{cases}, k \in \llbracket 1, \ell - 1 \rrbracket, i \in \llbracket 1, |C_{\ell}| \rrbracket.$$
(1)

 row_{ik}^{ℓ} is then equal to 1 when the vertex i, or row i, of the supernode C_{ℓ} is connected to any vertex of the supernode k belonging to a lower level in the elimination tree. It is equal to 0, if not, meaning that no non-zero element connects the two in the initial matrix, or no fill-in will create that connection. Let's now define for each vertex the binary vector $B_i^{\ell} = (row_{ik}^{\ell})_{k \in [1, \ell-1]}$. We can then define w_i^{ℓ} , the weight of a row i, as in equation (2), that represents the number of supernodes contributing to that row i, and the distance between two rows i and j, $d_{i,j}^{\ell}$, as in equation (3). It is known as the Hamming distance [20] between two binary vectors, and allows for measuring the number of off-diagonal blocks induced by the succession of two rows i and j. Indeed, $d_{i,j}^{\ell}$ represents the number of off-diagonal blocks that belongs to only one of the two rows, which can be seen as the number of blocks that end at row i or start at row j.

$$w_i^{\ell} = \sum_{k=1}^{\ell-1} row_{ik}^{\ell}, \tag{2}$$

$$d_{i,j}^{\ell} = d(B_i^{\ell}, B_j^{\ell}) = \sum_{k=1}^{\ell-1} row_{ik}^{\ell} \oplus row_{jk}^{\ell},$$
(3)

where \oplus is the exclusive **or** operation.

Thus, the total number of off-diagonal blocks, odb^{ℓ} , contributing to the diagonal block C_{ℓ} can be defined as:

$$odb^{\ell} = \frac{1}{2} (w_1^{\ell} + \sum_{i=1}^{|C_{\ell}|-1} d_{i,i+1}^{\ell} + w_{|C_{\ell}|}^{\ell}), \tag{4}$$

Inria

where the Hamming weights of the first and last row of the supernode C_{ℓ} correspond respectively to the number of blocks in the first row and in the last one, and the distances between two consecutive rows gives the evolution in the number of blocks when travelling through them.

Figure 7 illustrates the computation of the number of off-diagonal blocks with the previous equation (4) on an example of four rows. The computation of the distance from the second row to the third one is illustrated on the left: there are two differences making it a distance of 2. Table 7b summarizes the distances between each couple of rows in this example. With those information and the weight of the first and last rows, respectively 3 and 2, one can compute the number of off-diagonal blocks, *odb*, from the formula: $\frac{1}{2}(w_1+d_{1,2}+d_{2,3}+d_{3,4}+w_4) = \frac{1}{2}(3+3+2+2+2) = 6$.



Figure 7: Example of a symbolic structure and its associated distance matrix. Computation of the distance between rows 2 and 3 is illustrated.

Thus, to reduce the total number of off-diagonal blocks in the final structure, the goal is to minimize this metric odb^{ℓ} for each supernode, by computing a minimal path visiting each node, with a constraint on the first and the last node. This problem is known as the Shortest Hamiltonian Path Problem, and is an NP-hard problem.

3.2 Proposed heuristic

We first propose to introduce an extra virtual vertex, S_0 , for which B_0 is the null set. Thus, we have:

$$\forall i \in [\![1, |C_\ell|]\!], \, d_{0,i}^\ell = d_{i,0}^\ell = w_i, \tag{5}$$

The problem can now be transformed in a Travelling Salesman Problem [21] (TSP):

$$\sum_{i=0}^{|C_{\ell}|} d_{i,(i+1)}^{\ell}, \tag{6}$$

which is also an NP-Hard problem, but for which multiple heuristics have been proposed in the literature [22], as opposed to Shortest Hamiltonian Path Problem. Furthermore, our problem presents properties that make it suitable for better heuristics and theoretical models that guarantee the maximum distance to the optimal solution. Firstly, our problem is symmetric as:

$$d_{ij}^{\ell} = d_{ji}^{\ell}, \forall (i,j) \in [\![1, |C_{\ell}|]\!]^2,$$
(7)

and secondly, respects the triangular inequality:

$$d_{ij}^{\ell} \le d_{ik}^{\ell} + d_{kj}^{\ell}, \forall (i, j, k) \in [\![1, |C_{\ell}|]\!]^3.$$
(8)

This sets our problem as an Euclidean TSP, and so heuristics for these specific cases can be used. Different TSP heuristics that can be used to solve this problem, with their respective cost and quality with respect to the optimal, are presented in table 1.

RR n° 8860

To keep a global complexity below that of the numerical factorization, we explain in the following section 3.3 that the complexity of the TSP algorithm has to remain equal or lower to $\Theta(p^2)$, where p is the number of vertices in the cycle. Thus, it prevents advanced algorithms such as the Christofides algorithm [23] from being used. Furthermore, as p might reach several hundred or more, the use of Nearest neighbor or Clarke and Wright heuristics might provide low quality results. From the remaining options, we decided to use the nearest insertion method which is a quadratic algorithm and guaranties a maximal distance to the optimal of 2 [24]. A quality comparison of our algorithm over 3D Laplacian matrices and real matrices against the CONCORDE [25] TSP solver that returns optimal solutions have shown that our nearest insertion algorithm provides results in less than 10% from the optimal.

Algorithm	Complexity for p nodes	Quality (wrt optimal)
Nearest neighbor	$\Theta(p^2)$	$\frac{1}{2}(1 + \log(p))$
Nearest insertion	$\Theta(p^2)$	2
Clarke and Wright	$\Theta(p^2 \ log(p))$	$\Theta(log(p))$
Cheapest insertion	$\Theta(p^2 \ log(p))$	2
Minimum spanning tree	$\Theta(p^2)$	2
Christofides	$\Theta(p^3)$	1.5

Table 1: Complexity and quality of different TSP algorithms.

Our final algorithm is then decomposed in three stages presented in algorithm 1 that are applied to each separator of the nested dissection. Note that it is not applied on the leaves of the elimination tree since they will not receive contributions from other supernodes. The first step is to compute the B_i^{ℓ} vectors for each row *i* of the current separator. Then, it computes the distances matrix of the separator: $D_{\ell} = (d_{i,j})_{(i,j) \in [\![0,|C_{\ell}|]\!]^2}$. Finally, the TSP algorithm is executed using this matrix to produce the local ordering of the supernode that minimizes the equation (6).

Algorithm 1 Reordering algorithm	
for each supernode C_{ℓ} in the elimination tree do	
for each row i in the supernode C_{ℓ} do	
for each contributing node $k \in \llbracket 1, \ell - 1 \rrbracket$ do	
Set row_{ik}^{ℓ} to 1	\triangleright Build the structure B_i^{ℓ}
end for	
end for	
for each row i in the supernode C_{ℓ} do	
for each row j in the supernode C_{ℓ} do	
Compute the distance between rows i and j	\triangleright Compute the distances
end for	
end for	
$Cycle^{\ell} = \{S_0, 1\}$	
for $i \in \llbracket 2, C_\ell rbracket$ do	
Insert row i in $Cycle^{\ell}$ such that (6) is minimized	\triangleright Order rows
end for	
Split $Cycle^{\ell}$ at S_0	
end for	

The first stage of this algorithm builds the vector B_i^{ℓ} for each row *i*. In fact, to minimize the storage, only contributing supernodes $(row_{ik}^{\ell} = 1)$ are stored for B_i^{ℓ} . In order to do so, we rely on the structure of the block-symbolic factorization that provides a compressed storage of the information similar to compressed sparse row (CSR) format. Given a supernode, one can easily access the off-diagonal blocks contributing to this supernode, and due to the sparse property, the number of these blocks is much smaller than $(\ell - 1)$. The accumulated operations for all the supernodes in the matrix is in $\Theta(n)$. Note that we store the contributing supernode numbers in an ordered fashion for faster computation of the distances. Furthermore, the memory overhead of this operation is limited by the fact that each supernode is treated independently.

The second stage computes the distance matrix. When computing the distance d_{ij}^{ℓ} between rows *i* and *j* from C_{ℓ} , we take advantage of the sorted sets B_i^{ℓ} and B_j^{ℓ} to realize this computation in $\Theta(|B_i^{\ell}| + |B_i^{\ell}|)$ operations.

The third stage executes the nearest insertion heuristics to solve the TSP problems on the vertices of the supernode based on the previously computed distance matrix. As stated previously, this step is computed in $\Theta(|C_{\ell}|^2)$ operations. It is known that the solution given is not optimal but will be at a distance 2 of the optimal in the worst case.



Figure 8: Block-symbolic factorization of $8 \times 8 \times 8$ Laplacian initially reordered with SCOTCH.

Figure 8 presents the block-symbolic factorization of a 3D Laplacian of size $8 \times 8 \times 8$ reordered with the SCOTCH nested dissection algorithm. In figure 8a, our reordering algorithm has not been applied, and supernode ordering results only from the local RCM applied by SCOTCH. One can notice that some rows can be easily aggregated to reduce the number of off-diagonal blocks. In figure 8b, our algorithm has to reorder unknowns within each supernode. The final structure exhibits more compact blocks that are larger. Note that the fill-in of the matrix has not changed due to the dense storage of the diagonal blocks. Our algorithm does not impact the fill-in outside those diagonal blocks.

3.3 Complexity study

For this study we consider graphs issued from finite element mesh coming from real-life simulations of 2D or 3D physical problems. From a theoretical point of view, the majority of those graphs have a bounded degree and are specific cases of bounded-density graphs [26]. In this section, we provide a complexity study of our reordering algorithm in the context of a nested dissection partitioning strategy for this class of graphs.

Good separators can be built for bounded-density graphs or more generally for overlap graphs [27]. In *d*-dimension, such *n*-node graphs have separators whose size grows as $\Theta(n^{(d-1)/d})$. In this study, we consider the general framework of separator theorems introduced by Lipton and Tarjan [28] for which we will have $\sigma = \frac{d-1}{d}$.

Definition 3.1. A class φ of graphs satisfies an n^{σ} -separator theorem, $\frac{1}{2} \leq \sigma < 1$, if there are constants $\frac{1}{2} \leq \alpha < 1, \beta > 0$ for which any n-vertex graph in φ has the following property: the vertices of G can be partitioned into three sets A, B, and C such that:

- no vertex in A is adjacent to any vertex in B,
- $|A| \leq \alpha n, |B| \leq \alpha n, and$
- $C \leq \beta n^{\sigma}$ where C is the separator of G.

Theorem 3.2. (From [2]) The number of off-diagonal rows in the block data structure for the factorized matrix L is at most $\Theta(n)$.

This result comes from [2]. In this paper, the authors demonstrated that the number of off-diagonal blocks is at most $\Theta(n)$ and this was achieved by proving that this upper bound is in fact true for the total number of rows inside the off-diagonal blocks, leading to theorem 3.2. Using this theorem, we demonstrate theorem 3.3.

Theorem 3.3. (Reordering Complexity) For a graph of bounded degree satisfying a n^{σ} -separation theorem, the reordering algorithm complexity is bounded by $\Theta(n^{\sigma+1})$.

Proof

The main cost of the reordering algorithm is issued from the distance matrix computation. As presented in section 3.2, we compute a distance matrix for each supernode. This matrix is of size $|C_{\ell}|$, and each element of the matrix, D_{ℓ} , is the distance between two rows of the supernode. The overall complexity is then given by:

$$\mathcal{C} = \sum_{\ell=1}^{N} \sum_{i=1}^{|C_{\ell}|} (row_{ik}^{\ell})_{k \in [\![1,\ell-1]\!]} \times (|C_{\ell}| - 1).$$
(9)

More precisely, for a supernode C_{ℓ} , the complexity is given by the number of off-diagonal rows that contribute to it multiplied by the number of comparisons: $(|C_{\ell}| - 1)$. For instance, given figure 5a, one can note that the complexity will be proportional to the colored surface (blue, green, and red blocks), where $row_{ik}^{\ell} = 1$, as well as in the number of rows. Using the compressed sparse information (colored blocks) only – instead of the dense matrix – is important for reaching a reasonable theoretical complexity, as long as this number of off-diagonal blocks is bounded in the context of finite element graphs.

Given theorem 3.2, we know that the number of off-diagonal contributing rows in the complete matrix L is in $\Theta(n)$. In addition, the largest separator is asymptotically smaller than the maximum size of the first separator that is $\Theta(n^{\sigma})$. The complexity is then bounded by:

$$\mathcal{C} \leq \underbrace{\max_{1 \leq \ell \leq N} (|C_{\ell}| - 1)}_{\Theta(n^{\sigma})} \times \underbrace{\sum_{\ell=1}^{N} (\sum_{i=1}^{|C_{\ell}|} (row_{ik}^{\ell})_{k \in [\![1,\ell-1]\!]})}_{\Theta(n)} = \Theta(n^{\sigma+1}).$$

For graphs of bounded degree, this result leads to:

- for the graph family admitting an $n^{\frac{1}{2}}$ -separation theorem (2D meshes), the reordering cost is bounded by $\Theta(n\sqrt{n})$, and is at worst as costly as the numerical factorization;
- for the graph family admitting an $n^{\frac{2}{3}}$ -separation theorem (3D meshes), the reordering cost is bounded by $\Theta(n^{\frac{5}{3}})$, and is cheaper than the numerical factorization, which grows as $\Theta(n^2)$.

Analysis

Note that this complexity is – as said before – larger than the complexity of the TSP nearest insertion heuristic. For a subgraph of size p respecting the p^{σ} -separation theorem, this heuristic complexity is in $\Theta(p^{2\sigma})$. Using [2], we can compute the overall complexity as a recursive function depending on the complexity on one supernode. It leads to an overall complexity in $\Theta(n \log(n))$ for 2D graphs and $\Theta(n^{\frac{4}{3}})$ for 3D graphs, and is then less expensive than the complexity of computing the distance matrix.

The reordering is as costly as the numerical factorization for 2D meshes, but RCM is usually giving a good ordering on 2D graphs, as long as the separators are contiguous lines. For the 3D cases, the reordering strategy is cheaper than the numerical factorization. Thus, this reordering strategy is interesting for any graph with $\frac{1}{2} < \sigma < 1$, including graphs with a structure between 2D and 3D meshes. This algorithm can easily be parallelized since each supernode is an independent subproblem, and the distance matrix computation can also be computed in parallel. Thus, the sequential cost of this reordering step can be lowered and should be negligible compared to the numerical factorization.

Figure 9 presents the complexity study on 3D Laplacian matrices. We computed the practical complexity of our reordering algorithm with respect to the upper bound we demonstrated. The red curve presents the sequential time taken by our reordering algorithm. It is compared to the theoretical complexity demonstrated previously, but scaled to match on the middle point (size 150^3) to ease the read and check, so we can confirm that the trends of both curves are identical to a constant factor. Finally, in green we also plotted the practical complexity: total number of comparisons performed during our reordering algorithm, to see if the theoretical complexity was of the same order. This curve is also scaled to match on the middle point. One can note that the three curves are quite close, which confirms that we found a good upper bound complexity for a large set of sizes.

Note that this complexity seems to be significant with respect to the factorization complexity. Nevertheless, the nature of operations (simple comparisons between integers) is much cheaper than the numerical factorization operations. In addition, if we use the partitioner to obtain large enough supernodes, it will reduce by a notable factor the complexity of our algorithm, as long as we operate on a column block and not on each element contributing to each row. This parameter can be set in ordering tools as METIS and SCOTCH, and has an impact on the global fill-in of the matrix. As presented before, the reordering stage takes part of preprocessing steps, and can be used for many numerical steps and it enhances both factorization and solve steps.



Figure 9: Comparison of the time of reordering against theoretical and practical complexities on 3D Laplacians.

3.4 Strategies to reduce computational cost

As we have seen, the total complexity of the reordering step can still reach the complexity of the numerical factorization. We now introduce heuristics to reduce the computational cost of our reordering algorithm.

Multi-Level: partial computation based on the elimination tree

As presented in section 2, the obtained partition allows us to decompose contributing supernodes according to the elimination tree. With the characterization theorem, we know that when we consider one row, if this row receives a contribution from a supernode in the lowest levels, then it will receive contributions from all its descendants to this node. This helps us divide our distance computation into a two dimension distance $d_{i,j} = d_{i,j}^{high} + d_{i,j}^{low}$ to reduce its cost. Given a $split_{level}$ parameter, we first compute the high-levels distance, $d_{i,j}^{high}$, by considering only the contributions from the supernodes in the $split_{level}$ levels directly below the studied supernode. This distance gives us a minimum of the distance between two rows. Indeed, if considering all supernodes, the distance will be necessarily equal or larger to the high-levels distance, $d_{i,j}^{low}$, only if the first one is equal to 0.

In practice, we observed that for a graph of bounded degree, not especially regular, a ratio of 3 to 5 between the number of lower and upper supernodes largely reduces the number of complete distances computed while conserving a good quality in the results. The $split_{level}$ parameter is then adjusted to match this ratio according to the part of the elimination tree considered. It is important to notice that it is impossible to consider the distances level by level, since the goal here is to group together the rows which are connected to the same set of leaves in the elimination tree. It means that they will receive contributions from nodes on identical paths in this tree. The partial distances consider only the beginning of those paths and not their potential reconnection

further down the tree. That is why it is important to take multiple levels at once to keep a good quality.

Stopping criteria: partial computation based on distances

The second idea we used to reduce the cost of our reordering techniques is to stop the computation of a distance if it exceeds a threshold parameter. This solution helps to quickly disregard the rows that are "far-away" from each other. This limits the complexity of the distance computation, reducing the overall practical complexity. In most cases, a small value such as 10 can already provide good quality improvement. However, it depends on the graph properties and the average number of differences between rows. Unfortunately, if this heuristic is used alone, this improvement is not always guaranteed and it might lead to a quality worsening. In association with the previous multi-level heuristic, the results are always improved, as we will see in the following section.

4 Experimental study

In this section, we present experiments with our reordering strategy, both in terms of quality (number of off-diagonal blocks) and impact on the performance of numerical factorization. We compare here three different strategies to the original ordering provided by the SCOTCH library. Two are based on our strategy, namely TSP, with the full distance computation or with the multi-level approximation. The last one, namely HSL, is the one implemented in the HSL library for the MA87 supernodal solver (optimize_locality routine from MA87). Note that those three reordering strategies are applied to the partition found by SCOTCH, and they do not modify the fill-in.

4.1 Context

We used a set of large matrices arising from real-life applications originating from the University of Florida's [29] Sparse Matrix Collection. For that experiment, we took all matrices from this collection with a size between 500.000 and 10.000.000. From this large set, we extracted matrices that are applicants for solving linear systems. Thus, we remove matrices originating from the Web and from DNA problems. This final set is composed of 104 matrices, sorted by families. We also conduct some experiments with a matrix of 10⁷ unknowns, taken from a CEA simulation, an industrial partner in the context of the PASTIX project.

We utilized the *Plafrim*¹ supercomputer for our experiments. For the performance experiments on an heterogeneous environment, we used the **mirage** cluster, where nodes are composed of two INTEL Westmere Xeon X5650 hexa-core CPUs running at 2.67 GHz with 36 GB of memory, and enhanced by three NVIDIA GPUs, M2070. We used INTEL MKL 2016.0.0 for the BLAS kernels on the CPUs, and we used the NVIDIA CUDA 7.5 development kit to compile the GPU kernels. For the scalability experiments in a multi-threaded context, we used the **miriel** cluster. Each node is equipped with two INTEL Xeon E5-2680 v3 12-cores running at 2.50 GHz and 128 GB of memory. The same version of the INTEL MKL is used.

The PASTIX version used for our experiments is the one implemented on top of the PARSEC [?] runtime system and presented in [4].

For the initial ordering step, we used SCOTCH 5.1.11 with the configurable strategy string from PASTIX to set the minimal size of non separated sub-graphs, cmin, to be 20 as in [30]. We

¹https://plafrim.bordeaux.inria.fr

also set the *frat* parameter to 0.08, meaning that columns aggregation is allowed by SCOTCH as long as the fill-in introduced does not exceed 8% of the original matrix. It is important to use such parameters to increase the width of the column blocks and reach a good level of performance using accelerators. Even if it increases the fill-in, the final performance gain is usually more important and makes the memory overhead induced by the extra fill-in acceptable.

4.2 Reordering quality and time

First, we study the quality and the computational time of the three reordering algorithms, the two versions of our TSP and HSL, compared to the original ordering computed by SCOTCH that is known to be in $\Theta(n \times log(n))$. Note that sequential implementation is used for all algorithms, except in subsection **Parallelism**.

For the quality criteria, the metric we use is the number of off-diagonal blocks in the matrix. We always use SCOTCH to provide the initial partition and ordering of the matrix, thus the number of off-diagonal blocks only reflects the impact of the reordering strategy. Another related metric we could use is the number of off-diagonal blocks per column block. In ideal cases, it would be, respectively, 4 and 6 for 2D and 3D meshes. However, since the partition computed by scotch is not based on the geometry, this optimum is never reached and varies a lot from one matrix to another, so we stayed with the global number of off-diagonal blocks and its evolution compared to the original solution given by SCOTCH.



Figure 10: Impact of the heuristic used on the ratio of off-diagonal blocks over those produced by the initial SCOTCH ordering on the Florida set of matrices. The lower the better.

Quality

Figure 10 presents the quality of reordering strategies in terms of the number of off-diagonal blocks with respect to the SCOTCH ordering. We recall that SCOTCH uses RCM to order unknowns within each supernode. Three metrics are represented: one with HSL reordering, one for our multi-level heuristic, and finally one for the full distance computation heuristic. We can see that our algorithm reduces the number of off-diagonal blocks on all test cases. On the 3D problems, our reordering strategy improves the metric by 50 to 60%, while on the 2D problems, the improvement is of 20 to 30%. Furthermore, we can observe that the multi-level heuristic does not significantly impact the quality of the ordering. It only reduces it by a few percent in 11 cases over the 104 matrices tested, while giving the same quality in all other cases. The HSL heuristic improves the initial ordering in average by approximately 20%, and up to 40%, but is outperformed by our TSP heuristic regardless of the multi-level distances approximation on all cases.

In addition, we observed that for matrices not issued from meshes with an unbalanced elimination tree, and not presented here, using the multi-level heuristic can deteriorate the solution. Indeed, in this case, the multi-level heuristic is unable to distinguish close interactions from far interactions with only the first levels, leading to incorrect choices.



Figure 11: Time of the sequential reordering step with respect to the initial SCOTCH ordering on the Florida set of matrices. The lower the better.

Time

Figure 11 presents the cost of the three reordering strategies in sequential with respect to the cost of the initial ordering performed by SCOTCH. The reordering is in fact an extra step in the preprocessing stage of sparse direct solvers. One can note that despite the higher theoretical complexity, the reordering step of our TSP heuristic is 2 to 10 times faster than SCOTCH. Thus, adding the reordering step creates an overhead of no more than 10% to 50% in most cases when called in sequential. However, on specific matrix structures, with a lot of connections to the last supernode, the reordering operation can be twice as expensive as SCOTCH. In those cases, the overhead is largely diminished by the multi-level heuristic, which reduces the time of the reordering step to the same order as SCOTCH. We observe that the multi-level heuristic is always beneficial to the computational time. For the second matrix – an optimization problem with a huge density on the left of the figures –, we can observe a quality gain of more than 95%, while the cost is more than 600 times larger than the ordering time. This problem illustrates the limitation of our heuristic using a global view compare to the local heuristic of the HSL algorithm that is still faster than the SCOTCH ordering but gives only 20% improvement. This problem is typically not suited for sparse linear solver, due to its large number of non-zeros as

well as its consequent fill-in.

Strategy	Number	of blocks	Time (s)			
Strategy	Full Multi-level		Full	Multi-level		
No reordering	976	0700	360			
Reordering / $Stop=10$	4100616	4095986	33.2	31.1		
Reordering / $Stop=20$	3896248	3897179	42.6	38.5		
Reordering / $Stop=30$	3891210	3891262	50.7	43.3		
Reordering / $Stop=40$	3891803	3891962	58.1	46.3		
Reordering / Stop= ∞	3891825	3892522	64.8	47.7		

Table 2: Number of off-diagonal blocks and reordering times on the CEA 10 million unknowns matrix.

Stopping criteria

Table 2 shows the impact of the stopping criteria on a large test case issued from a 10 million unknowns matrix from the CEA. The first line presents the results without reordering and the time of the SCOTCH step. We compared this to the number of off-diagonal blocks and the time obtained with our reordering algorithm when using different heuristics. The STOP parameter refers to the criteria introduced in section 3.4 and defines after how many differences a distance computation must be stopped. One can notice that with all configurations the quality is within 39% to 42% of the original, which means that those heuristics have a low impact on the quality of the result. However, this can have a large impact on the time to solution, since a small STOP criterion combined with the multi-level heuristic can divide the computational time by more than 2.

In conclusion, we can say that for a large set of sparse matrices, we obtain a resulting number of off-diagonal blocks between two and three times smaller than the original SCOTCH RCM ordering, while the HSL heuristic reduces them in average only by a fifth. It is interesting as it should reduce by the same factor the overhead associated to the tasks management in runtimes, and should improve the kernel efficiency of the solver. Up to our experiments, we reach a practical complexity close to SCOTCH ordering process, leading to a preprocessing stage that is not too costly compared to the numerical factorization. Furthermore, it should accelerate the numerical factorization and solve steps to hide this extra cost when only one numerical step is made, and give some global improvement when multiple factorizations or solves are performed. While HSL reordering overhead might be much smaller than our heuristic, we hope that the difference in the quality gain, as well as the fact that our strategy improves all children instead of giving advantage to the largest one, will benefit the factorization step by a larger factor.

Parallelism

As previously stated, the reordering algorithm is largely parallel as each supernode can be reordered independently of the others. The first level of parallelism is a dynamic bin-packing that distributes supernodes in reverse order of their sizes. However, some supernodes are too large and take too long to be reordered compared to all others. They represent almost all the computational requirements. We then divided the set of supernodes into two parts. For the smaller set, we just reorder different supernodes in parallel, and for the larger set, we parallelize the distance matrix computation. Figure 12 shows the speedup obtained with 24 threads over the best sequential version on a miriel node. This simple parallelization accelerates the algorithm



Figure 12: Speedup of the reordering step (full distance heuristic) with 24 threads on the full set of matrices.

by 10 on average and helps to totally hide the cost of the reordering step in a multi-threaded context, where ordering tools are hard to parallelize. Note that for many matrices, the parallel implementation of our reordering strategy has an execution time smaller than 1s. In a few cases, the speed-up is still limited to 5 because the TSP problem on the largest supernode remains sequential and may represent a large part of the sequential execution.

4.3 Impact on supernodal method: PASTIX

In this section, we measure the performance gain brought by the reordering strategies. For these experiments, we extracted 6 matrices from the previous collection, and we use the number of operations (Flops) that a scalar algorithm would require to factorize the matrix with the ordering returned by SCOTCH to compute the performance of our solver. We recall that this number is stable with all reordering heuristics.

Figure 13 presents the performance on a single mirage node, for three algorithms based on the original ordering from SCOTCH. The first one leaves the SCOTCH ordering untouched. The HSL heuristic is applied on the second one, and finally the third one includes the TSP heuristic with full distances. For each matrix and each ordering, scalability of the numerical factorization is presented with all the 12 cores of the architecture enhanced by 0 to 3 GPUs. All results are an average performance on five runs.

To explain the different performance gains, we rely on table 3, which presents the average number of rows in the off-diagonal blocks with and without reordering, and not the total number of blocks to give an insight on the size of the updates. The block width is defined by the SCOTCH partition and is the same for all experiments on each matrix. This number is important, as it is especially beneficial to enlarge blocks when the original solution provides small data blocks.

For multi-threaded runs, both reordering strategies give a slight benefit up to 7% on the performance. Indeed, on the selected matrices, the original off-diagonal block height is already large enough to get a good CPU efficiency since the original solver already runs at up to 67% of the theoretical peak of the node (128.16 GFlop/s). It is also true for HSL reordering. In general, when the solver exploits GPUs, the benefit is more important and can reach up to 20%.

In figure 13, we can see that with the afshell10 matrix, extracted from a 2D application, reordering strategies have a low impact on the performance, and the accelerators are also not helpful for this lower computation case. For the Flan1565 matrix, the gain is not important for



Figure 13: Performance impact of the reordering algorithms on the PASTIX solver on top of the PARSEC runtime with 1 node of the hybrid mirage architecture.

Motrix	Avg. numbe	er of rows of of	TSP times		
Matrix	Scotch	HSL TSP		Overhead	Gain
afshell10	46.05	45.52	54.09	$0.133 \mathrm{~s}$	0 s
FilterV2	8.794	11.33	19.91	$0.164 \mathrm{~s}$	$1.23 \mathrm{~s}$
Flan1565	29.13	32.33	62.40	$0.644 \mathrm{\ s}$	$0.52 \ { m s}$
audi	17.94	20.57	41.76	$0.748 \mathrm{\ s}$	$2.08 \mathrm{~s}$
MHD	16.86	17.04	27.64	$1.16 \mathrm{~s}$	$4.42 \mathrm{~s}$
Geo1438	18.79	23.17	49.74	$1.78 \mathrm{~s}$	7.48 s

Table 3: Impact of the reordering strategies on the number of rows per off-diagonal block and on the timings. The timings shows the overhead of the parallel TSP, and the gain it provides on the factorization step using the mirage architecture.

both reordering strategies because the original off-diagonal block height is already large enough for efficiency. On other problems, issued from 3D applications, we observe significant gains from 10 to 20% which reflect the block height increase of 1.5 to 2.5 presented in table 3.

If we compare with HSL reordering strategy, we can see that our reordering is helpful to improve slightly the performance of the solver. Hence, choosing between both strategies depends on the number of factorizations that are performed.

Table 3 also presents our TSP reordering strategy overhead with the parallel implementation and the resulting gain on the numerical factorization time using the mirage architecture with the three GPUs. Those numbers reflect that it is interesting to use our reordering strategy in many cases with a small overhead that is immediately recovered by the performance improvement of the numerical factorization. As long as several problems presenting the same structure are solved, this small overhead is again diminished. Similarly, if GPUs are used, the gain during the factorization is higher, completely hiding the overhead of the reordering. The cost of the HSL strategy being really small with respect to SCOTCH, it is always recommended to apply it for a single factorization or for homogeneous computations. However, if GPUs are involved, HSL reordering impact on the performance of the numerical factorization is really slight and is goes from slight slow down to slight speed up (around 3%). This validates the use of more complex heuristics as the proposed TSP.



Figure 14: Scalability on the CEA 10 million unknowns matrix with 24 threads.

Figure 14 presents a scalability study on one miriel node with 24 threads, with and without our reordering stage on the 10 million unknowns matrix from the CEA. This matrix, despite being a large 3D problem, presents a really small average block size of less than 5 when no reordering is applied. The reordering algorithm raises up to 12.5, explaining the larger average gain of 8 - 10% that is observed. In both cases, we notice that the solver manages to scale correctly over the 24 threads, and even a little better when the reordering is applied. A slight drop in the performance on 14 threads is explained by the overflow on the second socket.

5 Conclusion

We presented a new reordering strategy, that – according to our experiments – succeeds in reducing the number of off-diagonal blocks in the block-symbolic factorization. It allows one to significantly improve the performance of GPU kernels, and the BLAS CPU kernels in smaller

ratios, as well as reduces the number of tasks when using a runtime system. The resulting gain can be up to 20% on heterogeneous architectures enhanced by NVIDIA Fermi architectures. Such an improvement is significant, as long as it is difficult to reach a good level of performance with sparse algebra on accelerators. This gain can be observed on both the factorization and the solve steps. It is particularly well working for graphs issued from finite element meshes of 3D problems. In the context of 2D graphs, partitioner tools can be sufficient, as long as separators are close to 1D structures and can easily be ordered by following the neighborhood. For other problems, the strategy enhances the number of off-diagonal blocks, but might be costly on graphs where vertices have large degrees.

Furthermore, we proposed a parallel implementation of our reordering strategy, leading to a computational cost that is really low with respect to the numerical factorization and that is counterbalanced by the gain on the factorization. In addition, if multiple factorizations are applied on the same structure, this benefits the multiple factorization and solve steps at no extra cost. We proved that such a preprocessing stage is cheap in the context of 3D graphs of bounded degree, and showed that it works well for a large set of matrices. We compared with HSL reordering, which targets the same objective of reducing the overall number of off-diagonal blocks. While the TSP heuristic is often more expensive, the quality is always improved, leading to better performance. In the context of multiple factorizations, or when using GPUs, the TSP overhead is recovered by performance improvement, while it may be better to use HSL for the other cases.

For future work, we plan to study the impact of our reordering strategy in a multifrontal context with the MUMPS [19] solver and compare it with the solution studied in [18] that performs the permutation during the factorization. The main difference with the static ordering heuristics studied in this paper, is that the MUMPS heuristic is applied dynamically at each level of the elimination tree. Such a reordering technique is also important in the objective of integrating variable size batched operations currently under development for the modern GPU architectures. Finally, one of the most important perspectives is to exploit this result to guide matrix compression methods in diagonal blocks for using hierarchical matrices in sparse direct solvers. Indeed, considering the diagonal block by itself for compression without external contributions leads to incorrect compression schemes. Using the reordering algorithms to guide the compression helps to gather contributions corresponding to similar far or close interactions.

Acknowledgments

This material is based upon work supported by Bordeaux INP and the DGA under a DGA/Inria grant. Experiments presented in this paper were carried out using the PLAFRIM experimental platform.

References

- A. George, "Nested dissection of a regular finite element mesh," SIAM Journal on Numerical Analysis, vol. 10, no. 2, pp. 345–363, 1973.
- [2] P. Charrier and J. Roman, "Algorithmic study and complexity bounds for a nested dissection solver," *Numerische Mathematik*, vol. 55, no. 4, pp. 463–476, Jul. 1989.
- [3] J. Dongarra, J. D. Croz, S. Hammarling, and I. S. Duff, "A set of level 3 basic linear algebra subprograms," ACM Trans. Math. Softw., vol. 16, no. 1, pp. 1–17, 1990.

- [4] X. Lacoste, M. Faverge, P. Ramet, S. Thibault, and G. Bosilca, "Taking Advantage of Hybrid Systems for Sparse Direct Solvers via Task-Based Runtimes," in *Parallel Distributed Processing Symposium Workshops (IPDPSW)*, 2014 IEEE International. Phoenix, United States: IEEE, May 2014, pp. 29–38.
- [5] E. Agullo, A. Buttari, A. Guermouche, and F. Lopez, "Multifrontal QR factorization for multicore architectures over runtime systems," in *Euro-Par 2013 Parallel Processing*, ser. Lecture Notes in Computer Science, F. Wolf, B. Mohr, and D. Mey, Eds. Springer Berlin Heidelberg, 2013, vol. 8097, pp. 521–532.
- [6] P. Hénon, P. Ramet, and J. Roman, "PaStiX: A High-Performance Parallel Direct Solver for Sparse Symmetric Definite Systems," *Parallel Computing*, vol. 28, no. 2, pp. 301–321, Jan. 2002.
- [7] D. J. Rose and R. E. Tarjan, "Algorithmic aspects of vertex elimination in directed graphs," SIAM Journal on Applied Mathematics, vol. 34, no. 1, pp. 176–197, 1978.
- [8] P. R. Amestoy, T. A. Davis, and I. S. Duff, "An approximate minimum degree ordering algorithm," SIAM Journal on Matrix Analysis and Applications, vol. 17, no. 4, pp. 886–905, 1996.
- [9] W. F. Tinney and J. W. Walker, "Direct solutions of sparse network equations by optimally ordered triangular factorization," *Proceedings of the IEEE*, vol. 55, no. 11, pp. 1801–1809, Nov. 1967.
- [10] R. Luce and E. G. Ng, "On the minimum flops problem in the sparse cholesky factorization," SIAM Jouranl on Matrix Analysis and Applications, vol. 35, no. 1, pp. 1–21, 2014.
- [11] J. W. H. Liu, E. G. Ng, and B. W. Peyton, "On finding supernodes for sparse matrix computations," SIAM Journal on Matrix Analysis and Applications, vol. 14, no. 1, pp. 242-252, 1993.
- [12] J. W. H. Liu, "The role of elimination trees in sparse factorization," SIAM Journal on Matrix Analysis and Applications, vol. 11, no. 1, pp. 134–172, 1990.
- [13] G. Karypis and V. Kumar, "A fast and high quality multilevel scheme for partitioning irregular graphs," SIAM Journal on scientific Computing, vol. 20, no. 1, pp. 359–392, 1998.
- [14] F. Pellegrini, "Scotch and libScotch 5.1 User's Guide," Aug. 2008, 127 pages.
- [15] A. George and J. W. Liu, Computer Solution of Large Sparse Positive Definite. Prentice Hall Professional Technical Reference, 1981.
- [16] A. George and D. R. McIntyre, "On the application of the minimum degree algorithm to finite element systems," *SIAM Journal on Numerical Analysis*, vol. 15, no. 1, pp. 90–112, 1978.
- [17] STFC, "HSL. A collection of Fortran codes for large scale scientific computation." http: //www.hsl.rl.ac.uk/.
- [18] S. L. M. Wissam, "Scaling the solution of large sparse linear systems using multifrontal methods on hybrid shared-distributed memory architectures," Ph.D. dissertation, Ecole normale supérieure de lyon - ENS LYON, Dec. 2014.

RR n° 8860

- [19] P. R. Amestoy, A. Buttari, I. S. Duff, A. Guermouche, J. L'Excellent, and B. Uçar, "MUMPS," in *Encyclopedia of Parallel Computing*, D. Padua, Ed. Springer, 2011, pp. 1232–1238.
- [20] R. W. Hamming, "Error Detecting and Error Correcting Codes," Bell System Technical Journal, vol. 26, no. 2, pp. 147–160, 1950.
- [21] D. L. Applegate, R. E. Bixby, V. Chvatal, and W. J. Cook, The Traveling Salesman Problem: A Computational Study (Princeton Series in Applied Mathematics). Princeton, NJ, USA: Princeton University Press, 2007.
- [22] D. S. Johnson and L. A. Mcgeoch, The Traveling Salesman Problem: A Case Study in Local Optimization, 1997.
- [23] N. Christofides, "Worst-case analysis of a new heuristic for the travelling salesman problem," DTIC Document, Tech. Rep., 1976.
- [24] D. J. Rosenkrantz, R. E. Stearns, and P. M. L. II, "An analysis of several heuristics for the traveling salesman problem." SIAM J. Comput., vol. 6, no. 3, pp. 563–581, 1977.
- [25] U. of Waterloo, "Concorde TSP solver," http://www.math.uwaterloo.ca/tsp/concorde.html.
- [26] G. L. Miller and S. A. Vavasis, "Density graphs and separators," in Second Annual ACM-SIAM Symposium on Discrete Algorithms, 1991, pp. 331–336.
- [27] G. L. Miller, S.-H. Teng, and S. A. Vavasis, "A unified geometric approach to graph separators," in Proc. 31st Annual Symposium on Foundations of Computer Science, 1991, pp. 538-547.
- [28] R. J. Lipton and R. E. Tarjan, "A separator theorem for planar graphs," SIAM Journal on Applied Mathematics, vol. 36, pp. 177–189, 1979.
- [29] T. A. Davis and Y. Hu, "The university of florida sparse matrix collection," ACM Trans. Math. Softw., vol. 38, no. 1, pp. 1:1–1:25, Dec. 2011.
- [30] X. Lacoste, "Scheduling and memory optimizations for sparse direct solver on multicore/multi-gpu cluster systems," Ph.D. dissertation, Université Bordeaux, Talence, France, Feb. 2015.

MD 63_circuit 188/478 760626 yes no yes no pes Andrimov Jp1 534388 164420 yes no no optimization problem Bodendisk CurlCurl_2 86529 8921789 yes no moder reduction problem Bodendisk CurlCurl_4 238015 2613807 yes no moder reduction problem Bourchtein atmosmodd 1270432 8814880 yes yes no fluid dynamics Bourchtein atmosmod1 1270432 8814880 yes yes no fluid dynamics Bourchtein atmosmod1 1270432 881480 yes yes no fluid dynamics CEN tat_usym 917821 2217266 yes no no odertromagnetics problem D1MAS10 A3365 3799275 22376152 yes no no undirected graph D1MAS10 MAD1vie 4463763 24973952 <	Group	Name	n	nnz_A	real	2D/3D	spd	kind
Andreimov 1p1 534.888 16.4420 yes no no chronizzion problem Bodendiek CurlCurl_3 121974 1354.014 yes no noder reduction problem Bodendiek CurlCurl_3 121974 1354.018 yes yes no moder reduction problem Bourchtein atmosmodi 1270432 881488 yes yes no fluid dynamics Bourchtein atmosmodi 1270432 881488 yes yes no fluid dynamics Bourchtein atmosmodi 148752 10319760 yes yes no fluid dynamics Bourchtein atmosmodi 148752 10319760 yes yes no odertomagnetics problem CENV tat_aym 70713 509061 yes yes no no undirected graph DIMCS10 A3365 779275 2730152 yes no no undirected graph DIMCS10 Badaptive 6810	AMD	G3 circuit	1585478	7660826	ves	no	ves	circuit simulation
ATAnT $p=2$ 65033533-044yesnononorecruit simulationBodendiekCurlCurl_312157413544618yesyesnomodel reduction problemBodendiekCurlCurl_42386152611867yesyesnomodel reduction problemBourchteinatmosmodi12704328814880yesyesnofluid dynamicsBourchteinatmosmodi12704328814880yesyesnofluid dynamicsCEWtmt_unsym9173254584601yesyesnofluid dynamicsCEWtmt_ayn7267135030061yesyesnonodeteromagnetics problemDIMAS103335P37128152271612yesnonoundirected graphDIMAS10MA26001510311836229636yesnonoundirected graphDIMAS10MA260015103118362297392yesnonoundirected graphDIMAS10beigtun_osn1412753039910yesnonoundirected graphDIMAS10beigtun_osn1412752316374yesnonoundirected graphDIMAS10delamay_n221943012217392yesnonoundirected graphDIMAS10delamay_n231943042217392yesnonoundirected graphDIMAS10delamay_n2419430422163732yesnonoundirected graph	Andrianov	lp1	534388	1643420	ves	no	no	optimization problem
Bodendiek CurlQurl_2 896(92) 8921799 yes yes no model reduction problem Bodendiek CurlQurl_4 2380515 2651867 yes yes no model reduction problem Bourchtein atnosmodd 1270432 8814880 yes no fluid dynamics Bourchtein atnosmod1 148772 1031760 yes no fluid dynamics Bourchtein atnosmod1 148772 1031760 yes yes no fluid dynamics CERW ttt,unym 776713 5080961 yes yes no fluid dynamics DIMAGS10 33359 3712815 22217266 yes no no undirected graph DIMAGS10 NACA0015 119183 6229636 yes no no undirected graph DIMAGS10 balpin_eos 1441295 309940 yes no no undirected graph DIMAGS10 delauny_n22 104876 6291372 <td< td=""><td>ATandT</td><td>pre2</td><td>659033</td><td>5834044</td><td>ves</td><td>no</td><td>no</td><td>circuit simulation</td></td<>	ATandT	pre2	659033	5834044	ves	no	no	circuit simulation
BedandiekGurlGurl3121957413544518yesyesnomodel reduction problemBodandiekGurlAurl,4238051526515867yesyesnomodel reduction problemBourchteinatmosmodj12704328814880yesyesnofluid dynamicsBourchteinatmosmodj12704328814880yesyesnofluid dynamicsCEWtmt_unsyn9178254584801yesyesnofluid dynamicsCEWtmt_unsyn977252736122yesnonoother problemDIMACS103335P37128152221726yesnonoundirected graphDIMACS10M635017762100872yesnonoundirected graphDIMACS10MLAC001510318182278640yesnonoundirected graphDIMACS10MLAC01510318162278642yesnonoundirected graphDIMACS10chanel-50010010-050480200085362744yesnonoundirected graphDIMACS10delumay_n195242883145646yesnonoundirected graphDIMACS10delumay_n2120071521258816yesnonoundirected graphDIMACS10delumay_n2241943042566788yesnonoundirected graphDIMACS10delumay_n2210877629881777yesnonoundirected graph <t< td=""><td>Bodendiek</td><td>CurlCurl 2</td><td>806529</td><td>8921789</td><td>ves</td><td>ves</td><td>no</td><td>model reduction problem</td></t<>	Bodendiek	CurlCurl 2	806529	8921789	ves	ves	no	model reduction problem
Bodendiek CurlCurl_4 2380515 20515877 yes yes no model reduction problem Bourchtein atnosmodi 1270432 8814880 yes no fluid dynamics Bourchtein atnosmodi 1489752 10310760 yes yes no fluid dynamics CEW tat.sym 70713 5080061 yes yes no fluid dynamics CEW tat.sym 70713 5080061 yes yes no fluid dynamics CEW tat.sym 70713 5080061 yes no no undirected graph DIMACS10 A3655 3799775 22736152 yes no no undirected graph DIMACS10 MAR 4163763 24975962 yes no no undirected graph DIMACS10 daptire 6515744 27246840 yes no no undirected graph DIMACS10 daptire 61027102 909940 yes	Bodendiek	CurlCurl 3	1219574	13544618	ves	ves	no	model reduction problem
Bourchteinatnosmodd12704328814880yesyesnofluid dynamicsBourchteinatnosmodd12704328814880yesyesnofluid dynamicsBourchteinatnosmodd12704328814880yesyesnofluid dynamicsCEWtmt_unsym975254584801yesyesyesnofluid dynamicsCEWtmt_usym975254584801yesyesyesnon	Bodendiek	CurlCurl 4	2380515	26515867	ves	ves	no	model reduction problem
Bourchtein Bourchteinatmosmodi atmosmodi12704328814880 8814880yes yesyes yesnoHuid dynamics fluid dynamicsBourchtein CERWatmosmodi148975210319760 1489752yes 15808061yes yesyes yesnofluid dynamics fluid dynamicsCERWtmt_sym72671355080961 6376412yes yesyes yesnoelectromagnetics problem undirected graphDIMACS103338F371281522271266 22736152yes yesnonoundirected graphDIMACS10A5365379927622736152 22273612yes yesnonoundirected graphDIMACS10MACA00151039183 0421406229636 2497592yes no nonoundirected graphDIMACS10BLR adaptive6815744 68157442748640 2248640 2497592yes no no nonoundirected graphDIMACS10balgun_osm1441295 2097152309940 2588216yes no no nono undirected graphDIMACS10delaunay_n201018576 6291372yes yes no nono undirected graphDIMACS10delaunay_n21 delaunay_n212097152 2428812582816 19771708yes no no no undirected graphDIMACS10delaunay_n23 delaunay_n23838608 83860850331568 19771708 yes no no no undirected graphno undirected graphDIMACS10getau_ab_veta-colono delaunay_n2312688446 1	Bourchtein	atmosmodd	1270432	8814880	ves	ves	no	fluid dynamics
Bourchrein CRW Linnsung tx, unsym 91782 917823 10319700 4584801 yes yes yes yes no Huid dynamics fluid dynamics CRW tx, unsym 917823 4584801 yes yes yes yes yes no fluid dynamics CRW tx, unsym 917823 4584801 yes yes yes yes yes yes yes yes yes yes yes yes yes yes pel electromagnetics problem other problem DIMAGS10 A5365 3799275 22736152 yes no no undirected graph DIMAGS10 BLA 4103763 24975952 yes no no undirected graph DIMAGS10 BLA 4103763 24975952 yes no no undirected graph DIMAGS10 blgun_om 819040 8506724 yes no no undirected graph DIMAGS10 delaunay_n12 207152 12582816 yes no no undirected graph DIMAGS10 delaunay_n23 189436 6931564 yes no no undirected graph DIMAGS10 d	Bourchtein	atmosmodi	1270432	8814880	ves	ves	no	fluid dynamics
OCIENT Description Description <thdescription< th=""> <thdescription< th=""> <thd< td=""><td>Bourchtein</td><td>atmosmod</td><td>1/89752</td><td>10319760</td><td>ves</td><td>ves</td><td>no</td><td>fluid dynamics</td></thd<></thdescription<></thdescription<>	Bourchtein	atmosmod	1/89752	10319760	ves	ves	no	fluid dynamics
GEN Charlensyn 7273 5080001 yes yes yes lefertromagnetics problem Chevron Chevron4 T11450 6376412 no no no other problem DIMACS10 333SP 371251 222176152 yes no no undirected graph DIMACS10 MSS65 3709275 22736152 yes no no undirected graph DIMACS10 MACA0015 1039183 6229636 yes no no undirected graph DIMACS10 BLR 4163763 24970952 yes no no undirected graph DIMACS10 chaptize 681744 2742640 yes no no undirected graph DIMACS10 delaunay_n19 524288 3145646 yes no no undirected graph DIMACS10 delaunay_n22 1097152 12582816 yes no no undirected graph DIMACS10 gret-britain.osm 7733822	CEMW	tmt unsym	917825	4584801	Ves	ves	no	electromagnetics problem
Chevron Chevron4 71140 600000 yes yes hot no no the undirected graph DIMACS10 3338P 3712815 22217261 yes no no no undirected graph DIMACS10 M6 3501776 227361 yes no no undirected graph DIMACS10 MACA0015 1039183 6229636 yes no no undirected graph DIMACS10 BLR 4163763 247745092 yes no no undirected graph DIMACS10 balgium_osm 1441295 309904 yes no no undirected graph DIMACS10 delaunay_n20 1048576 2921372 yes no no undirected graph DIMACS10 delaunay_n21 2097152 12582816 yes no no undirected graph DIMACS10 great-britain_osm 7733821 1631304 yes no no undirected graph	CEMW	tmt sym	726713	5080961	Ves	ves	Ves	electromagnetics problem
DIMACS10 CARACTORY TITAGO DO DUNCS10 AS365 379275 222736152 yes DO DO Undirected graph DIMACS10 NACA0015 1039183 6229636 yes DO DO Undirected graph DIMACS10 NLR 4163763 24973952 yes DO DO Undirected graph DIMACS10 blgim.om 6815744 2724844 yes DO DO Undirected graph DIMACS10 delaunay_n20 1048576 6291372 yes DO DO Undirected graph DIMACS10 delaunay_n22 4194304 25165738 yes DO DO Undirected graph DIMACS10 grapt-ic-tonoto 524284 1746706 yes DO DO Undirected graph DIMACS	Chowron	Chouron/	711450	6376412	yes no	no	no	other problem
DIMACS10 JSSSF S17837 2221200 yes no no number of the standard stand		22200	2719215	0070412		no	no	undirected graph
DIMACS10 MS 359273 22730122 yes no no no number de graph DIMACS10 NACA0015 1039183 6220636 yes no no undirected graph DIMACS10 MLR 416376 2497592 yes no no undirected graph DIMACS10 belgium_osm 1441295 3099940 yes no no undirected graph DIMACS10 channel-500r100'100'-b050 802000 85362744 yes no no undirected graph DIMACS10 delaunay_n19 524288 3145646 yes no no undirected graph DIMACS10 delaunay_n21 2097152 12582816 yes no no undirected graph DIMACS10 delaunay_n23 838605 56031568 yes no no undirected graph DIMACS10 great-britain_osm 773822 16313034 yes no no undirected graph DIMACS10 huget	DIMACS10	3333F	3712013	22217200	yes	no	no	undirected graph
DIMACS10 NGCA0015 1301776 21003572 yes no no undirected graph DIMACS10 NLR 4163763 24975952 yes no no undirected graph DIMACS10 adaptive 6815744 27248640 yes no no undirected graph DIMACS10 belgium.osm 141295 3099940 yes no no undirected graph DIMACS10 delaunay.nosm 144295 3099940 yes no no undirected graph DIMACS10 delaunay.nosm 144295 304574 yes no no undirected graph DIMACS10 delaunay.n20 1048576 6291372 yes no no undirected graph DIMACS10 delaunay.n23 838608 50331568 yes no no undirected graph DIMACS10 hugetric-00000 5824554 17467046 yes no no undirected graph DIMACS10 hugetric-00010 <td< td=""><td>DIMACS10</td><td>ASSOS</td><td>3799273</td><td>22730132</td><td>yes</td><td>no</td><td>no</td><td>undirected graph</td></td<>	DIMACS10	ASSOS	3799273	22730132	yes	no	no	undirected graph
DIMACS10 NARAO15 103153 0229030 yes no no undirected graph DIMACS10 adaptive 6815744 27248640 yes no no undirected graph DIMACS10 belgium_osm 1441295 3099940 yes no no undirected graph DIMACS10 channel-500x100x100-b050 4802000 85362744 yes no no undirected graph DIMACS10 delaunay_n20 1048576 6291372 yes no no undirected graph DIMACS10 delaunay_n22 4194304 25165738 yes no no undirected graph DIMACS10 grat-britain_osm 7733822 16313034 yes no no undirected graph DIMACS10 hugetric-00000 458444 1375866 yes no no undirected graph DIMACS10 hugetric-00010 6592765 19771708 yes no no undirected graph DIMACS10 neth	DIMACSIO		3001770	21003872	yes	110	no	undirected graph
$ \begin{array}{c c c c c c c c c c c c c c c c c c c $	DIMACSIO	NACAUU15	1039183	0229030	yes	по	no	undirected graph
DIMACS10 adaptive bilorial 27/248040 yes no no undirected graph DIMACS10 channel-500x100x100-b050 4802000 85362744 yes no no undirected graph DIMACS10 delaunay_n19 524288 3145646 yes no no undirected graph DIMACS10 delaunay_n21 2097152 12582816 yes no no undirected graph DIMACS10 delaunay_n22 4194394 25165738 yes no no undirected graph DIMACS10 delaunay_n23 838608 5031568 yes no no undirected graph DIMACS10 hugetric-00000 45844 13758266 yes no no undirected graph DIMACS10 hugetric-00010 6592765 19771708 yes no no undirected graph DIMACS10 nethelands_osm 2216688 4882476 yes no no undirected graph DIMACS10 <td< td=""><td>DIMACS10</td><td>NLR</td><td>4163763</td><td>24975952</td><td>yes</td><td>no</td><td>no</td><td>undirected graph</td></td<>	DIMACS10	NLR	4163763	24975952	yes	no	no	undirected graph
DIMACS10 Delgium.csm 144129 3099940 yes no no undirected graph DIMACS10 channel500x100x100-b050 802000 85362744 yes no no undirected graph DIMACS10 delaunay_n20 1048576 6291372 yes no no undirected graph DIMACS10 delaunay_n21 2097152 12828216 yes no no undirected graph DIMACS10 delaunay_n23 838608 50331568 yes no no undirected graph DIMACS10 grat-britain_osm 773822 16313034 yes no no undirected graph DIMACS10 hugetric-00000 5824554 17467046 yes no no undirected graph DIMACS10 hugetric-00010 6529765 19771708 yes no no undirected graph DIMACS10 netherlands_osm 2216688 482476 yes no no undirected graph DIMACS10	DIMACS10	adaptive	6815744	27248640	yes	no	no	undirected graph
DIAACS10 channel-5007100/100-b050 480/2000 85.362/144 yes no no undirected graph DIMACS10 delaunay_n19 524288 3145646 yes no no undirected graph DIMACS10 delaunay_n21 2097152 12582816 yes no no undirected graph DIMACS10 delaunay_n22 4194304 25165738 yes no no undirected graph DIMACS10 great-britain_osm 7733822 16313034 yes no no undirected graph DIMACS10 hugetrace-00000 458484 13758266 yes no no undirected graph DIMACS10 hugetric-00000 5824554 17467046 yes no no undirected graph DIMACS10 hugetric-00020 7122792 21361554 yes no no undirected graph DIMACS10 packing-500r100x100-b050 2145852 34976486 yes no no undirected graph <t< td=""><td>DIMACS10</td><td>belgium_osm</td><td>1441295</td><td>3099940</td><td>yes</td><td>no</td><td>no</td><td>undirected graph</td></t<>	DIMACS10	belgium_osm	1441295	3099940	yes	no	no	undirected graph
$ \begin{array}{c c c c c c c c c c c c c c c c c c c $	DIMACS 10	channel-500x100x100-6050	4802000	85362744	yes	no	no	undirected graph
DIMACS10 delaunay_n21 2097152 yes no no undirected graph DIMACS10 delaunay_n21 2097152 12582816 yes no no undirected graph DIMACS10 delaunay_n22 4194304 25165738 yes no no undirected graph DIMACS10 great-britain_osm 7733822 16313034 yes no no undirected graph DIMACS10 hugetric-00000 5824554 17467046 yes no no undirected graph DIMACS10 hugetric-00000 5824554 17467046 yes no no undirected graph DIMACS10 hugetric-00020 7122792 21361554 yes no no undirected graph DIMACS10 italy_osm 6686493 14027956 yes no no undirected graph DIMACS10 rgg_n_2_218_0 2145852 34976486 yes no no undirected graph DIMACS10 rgg_n_2_2.19_sO	DIMACS10	delaunay_n19	524288	3145646	yes	no	no	undirected graph
DIMACS10 delaunay_n21 2097152 12582816 yes no no undirected graph DIMACS10 delaunay_n22 4194304 25165738 yes no no undirected graph DIMACS10 grant-britain_osm 7733822 16313034 yes no no undirected graph DIMACS10 hugetrace-00000 458484 13758266 yes no no undirected graph DIMACS10 hugetric-00000 5824554 17467046 yes no no undirected graph DIMACS10 hugetric-00020 7122792 21361554 yes no no undirected graph DIMACS10 netherlands_osm 2216688 4882476 yes no no undirected graph DIMACS10 packing-500x100x100-b050 2145852 34976486 yes no no undirected random graph DIMACS10 rgg_n_2_219_20 524288 639532 yes no no undirected random graph	DIMACS10	delaunay_n20	1048576	6291372	yes	no	no	undirected graph
DIMACS10 delaunay_n22 4194304 25165738 yes no no no number DIMACS10 delaunay_n23 8388608 50331568 yes no no undirected graph DIMACS10 great-britain_osm 7733822 16313034 yes no no undirected graph DIMACS10 hugetric-00000 5824554 17467046 yes no no undirected graph DIMACS10 hugetric-00000 5824554 1747046 yes no no undirected graph DIMACS10 hugetric-00020 7122792 21361554 yes no no undirected graph DIMACS10 italy_osm 6686493 14027956 yes no no undirected graph DIMACS10 recking-500x100x100-b050 2145852 34976486 yes no no undirected graph DIMACS10 rgg_n_2_219_s0 524288 6539532 yes no no undirected random graph <t< td=""><td>DIMACS10</td><td>delaunay_n21</td><td>2097152</td><td>12582816</td><td>yes</td><td>no</td><td>no</td><td>undirected graph</td></t<>	DIMACS10	delaunay_n21	2097152	12582816	yes	no	no	undirected graph
DIMACS10 delauna_n23 838608 50331568 yes no no undirected graph DIMACS10 great-britain_osm 7733822 16313034 yes no no undirected graph DIMACS10 hugetric-00000 4588484 13758266 yes no no undirected graph DIMACS10 hugetric-00010 6592765 19771708 yes no no undirected graph DIMACS10 hugetric-00020 712279 2136154 yes no no undirected graph DIMACS10 italy_osm 6686493 14027956 yes no no undirected graph DIMACS10 reg_n_2_19_so 524288 6393532 yes no no undirected random graph DIMACS10 rgg_n_2_20_so 1048576 13783240 yes no no undirected random graph DIMACS10 rgg_n_2_21_so 2907152 28975990 yes no no undirected random graph DIMACS10	DIMACS10	delaunay_n22	4194304	25165738	yes	no	no	undirected graph
DIMACS10 great-britain_osm 7733822 16313034 yes no no undirected graph DIMACS10 hugetrace-00000 458484 13758266 yes no no undirected graph DIMACS10 hugetric-00010 6592765 19771708 yes no no undirected graph DIMACS10 hugetric-00020 7122792 21361554 yes no no undirected graph DIMACS10 netherlands_osm 2216684 4882476 yes no no undirected graph DIMACS10 retherlands_osm 2216684 4882476 yes no no undirected graph DIMACS10 rgg_n_2_219_s0 524288 6539532 yes no no undirected random graph DIMACS10 rgg_n_2_21_s0 1048576 13783240 yes no no undirected random graph DIMACS10 rgg_n_2_22_s0 4194304 60718396 yes no no undirected random graph	DIMACS10	delaunay_n23	8388608	50331568	yes	no	no	undirected graph
DIMACS10hugetrace-00000458848413758266yesnonoundirected graphDIMACS10hugetric-00000659245517467046yesnonoundirected graphDIMACS10hugetric-00020712279221361554yesnonoundirected graphDIMACS10italy_osm668649314027956yesnonoundirected graphDIMACS10netherlands_osm22166884882476yesnonoundirected graphDIMACS10packing-500x100x100-b050214585234976486yesnonoundirected graphDIMACS10rgg_n_2_10s05242886539532yesnonoundirected random graphDIMACS10rgg_n_2_20_s0104857613783240yesnonoundirected random graphDIMACS10rgg_n_2_21_s0209715228975990yesnonoundirected random graphDIMACS10rgg_n_2_23_s0838868127002786yesnonoundirected graphDIMACS10rgg_n_2_23_s08388081127002786yesnonoundirected graphDIMACS10venturiLevel3402681916108474yesnonoundirected graphDIMACS10venturiLevel3402681916108474yesnonoelectromagnetics problemDizekonskidielFilterV2clx60723225309272noyesnoelectromagnetics problemDziekonskid	DIMACS10	great-britain_osm	7733822	16313034	yes	no	no	undirected graph
DIMACS10 hugetric-00000 5824554 17467046 yes no no undirected graph DIMACS10 hugetric-00010 6592765 19771708 yes no no undirected graph DIMACS10 hugetric-00020 7122792 21361554 yes no no undirected graph DIMACS10 italosm 6686493 14027956 yes no no undirected graph DIMACS10 netherlands_osm 2216688 4882476 yes no no undirected graph DIMACS10 rgg_n_2_19_s0 524288 6539532 yes no no undirected random graph DIMACS10 rgg_n_2_219_s0 1048576 13783240 yes no no undirected random graph DIMACS10 rgg_n_2_2.22_s0 4194304 60718336 yes no no undirected random graph DIMACS10 rgg_n_2_2.23_s0 8388608 127002786 yes no no undirected graph	DIMACS10	hugetrace-00000	4588484	13758266	yes	no	no	undirected graph
DIMACS10hugetric-00010 6592765 19771708 yesnonoundirected graphDIMACS10hugetric-00020 7122792 21361554 yesnonoundirected graphDIMACS10italy_osm 6686493 14027956 yesnonoundirected graphDIMACS10netherlands_osm 2216688 4882476 yesnonoundirected graphDIMACS10packing-500x100x100-b050 2145852 34976486 yesnonoundirected graphDIMACS10rgg_n_2_19_s0 524288 6539532 yesnonoundirected random graphDIMACS10rgg_n_2_20_s0 1048576 13783240 yesnonoundirected random graphDIMACS10rgg_n_2_21_s0 2097152 28975900 yesnonoundirected random graphDIMACS10rgg_n_2_23_s0 8388608 127002786 yesnonoundirected graphDIMACS10venturiLevel3 4026819 16108474 yesnonoundirected graphDIMACS10venturiLevel3 4026819 16108474 yesnonoundirected graphDiskonskidielFilterV2clx 607232 25309272 noyesnoelectromagnetics problemDziekonskidielFilterV2real 1157456 48538952 yesnoelectromagnetics problemDziekonskigsm_106857 589446 21758924 yesnonocircuit	DIMACS10	hugetric-00000	5824554	17467046	yes	no	no	undirected graph
DIMACS10hugetric-00020 7122792 21361554 yesnonoundirected graphDIMACS10italy_osm 6686493 14027956 yesnonoundirected graphDIMACS10netherlands_osm 2216688 4882476 yesnonoundirected graphDIMACS10packing-500x100x100-b050 214552 34976486 yesnonoundirected graphDIMACS10rgg_n_2_19_s0 524288 6539532 yesnonoundirected random graphDIMACS10rgg_n_2_20_s0 1048576 13783240 yesnonoundirected random graphDIMACS10rgg_n_2_21_s0 2097152 28975990 yesnonoundirected random graphDIMACS10rgg_n_2_23_s0 8388608 127002786 yesnonoundirected random graphDIMACS10venturiLevel3 4026819 16108474 yesnonoundirected graphDIMACS10venturiLevel3 4026819 16108474 yesnonoundirected graphDiMACS10venturiLevel3 4026819 16108474 yesnonoundirected graphDiMACS10gsm_106857 589446 21758924 yesyesnoelectromagnetics problemDziekonskidielFilterV2real 1102824 89306020 yesnoelectromagnetics problemDziekonskigsm_106857 589446 21758924 yesyesnofluid	DIMACS10	hugetric-00010	6592765	19771708	yes	no	no	undirected graph
DIMACS10italy_osm668649314027956yesnonoundirected graphDIMACS10netherlands_osm22166884882476yesnonoundirected graphDIMACS10packing-500x100x100-b050214585234976486yesnonoundirected graphDIMACS10rgg_n_2_19_s05242886539532yesnonoundirected random graphDIMACS10rgg_n_2_20_s0104857613783240yesnonoundirected random graphDIMACS10rgg_n_2_21_s0209715228975990yesnonoundirected random graphDIMACS10rgg_n_2_23_s0419430460718396yesnonoundirected random graphDIMACS10rgg_n_2_23_s08388608127002786yesnonoundirected random graphDIMACS10venturileve13402681916108474yesnonoundirected graphDziekonskidielFilterV2clx60723225309272noyesnoelectromagnetics problemDziekonskidielFilterV2clx60723225309272noyesnoelectromagnetics problemDziekonskigsm_10685758944621758924yesyesnoelectromagnetics problemFreescaleFreescale1342875517052626yesnonocircuit simulationFreescaleFreescale1342875517052626yesnonocircuit simulation <td< td=""><td>DIMACS10</td><td>hugetric-00020</td><td>7122792</td><td>21361554</td><td>yes</td><td>no</td><td>no</td><td>undirected graph</td></td<>	DIMACS10	hugetric-00020	7122792	21361554	yes	no	no	undirected graph
DIMACS10netherlands_osm22166884882476yesnonoundirected graphDIMACS10packing-500x100x100-b050214585234976486yesnonoundirected graphDIMACS10rgg_n_2_19_s0524288653952yesnonoundirected random graphDIMACS10rgg_n_2_20_s0104857613783240yesnonoundirected random graphDIMACS10rgg_n_2_21_s0209715228975990yesnonoundirected random graphDIMACS10rgg_n_2_23_s0838808127002786yesnonoundirected random graphDIMACS10rgg_n_2_23_s0838808127002786yesnonoundirected random graphDIMACS10rgg_n_1_2_3_s0838808127002786yesnonoundirected random graphDIMACS10rgg_n_1_2_3_s0838808127002786yesnonoundirected random graphDIMACS10rgg_n_1_2_3_s0838808127002786yesnonoundirected graphDiekonskidielFilterV2clx60723225309272noyesnoelectromagnetics problemDziekonskidielFilterV3real110282489306020yesyesnoelectromagnetics problemDziekonskidielFilterV3real11028248930620yesnonofluid dynamicsFreescaleFreescale1342875517052626yesnonocircuit simulation<	DIMACS10	italy_osm	6686493	14027956	yes	no	no	undirected graph
$ \begin{array}{ c c c c c c c c c c c c c c c c c c c$	DIMACS10	netherlands_osm	2216688	4882476	yes	no	no	undirected graph
DIMACS10 $rgg_n_2_19_s0$ 524288 6539532 yesnonoundirected random graphDIMACS10 $rgg_n_2_20_s0$ 1048576 13783240 yesnonoundirected random graphDIMACS10 $rgg_n_2_21_s0$ 2097152 28975990 yesnonoundirected random graphDIMACS10 $rgg_n_2_22_s0$ 4194304 60718396 yesnonoundirected random graphDIMACS10 $rgg_n_2_23_s0$ 8388608 127002786 yesnonoundirected random graphDIMACS10venturiLevel3 4026819 16108474 yesnonoundirected random graphDziekonskidielFilterV2c1x 607232 25309272 noyesnoelectromagnetics problemDziekonskidielFilterV2real 1157456 48538952 yesyesnoelectromagnetics problemDziekonskidielFilterV3real 1102824 89306020 yesyesnoelectromagnetics problemDziekonskigsm_106857 589446 21758924 yesyesnoelectromagnetics problemFreescaleFreescale1 3428755 17052626 yesnonocircuit simulationFreescaleFreescale2 299349 14313235 yesnonocircuit simulationFreescaleFullChip 2987012 26621983 yesnonocircuit simulationFreescalecircuit5M_dc 3523317 14865	DIMACS10	packing-500x100x100-b050	2145852	34976486	yes	no	no	undirected graph
$\begin{array}{ c c c c c c c c c c c c c c c c c c c$	DIMACS10	rgg_n_2_19_s0	524288	6539532	yes	no	no	undirected random graph
$\begin{array}{ c c c c c c c c c c c c c c c c c c c$	DIMACS10	rgg_n_2_20_s0	1048576	13783240	yes	no	no	undirected random graph
DIMACS10rgg_n_2_22_s0419430460718396yesnonoundirected random graphDIMACS10rgg_n_2_3_s08388608127002786yesnonoundirected random graphDIMACS10venturiLevel3402681916108474yesnonoundirected graphDziekonskidielFilterV2clx60723225309272noyesnoelectromagnetics problemDziekonskidielFilterV2real115745648538952yesyesnoelectromagnetics problemDziekonskidielFilterV3real110282489306020yesyesnoelectromagnetics problemDziekonskigsm_10685758944621758924yesyesnofluid dynamicsFreescaleFreescale1342875517052626yesnonocircuit simulationFreescaleFreescale229934914313235yesnonocircuit simulationFreescaleFullChip298701226621983yesnonocircuit simulationFreescalecircuit5M555832659524291yesnonocircuit simulationFreescalememchip270752413343948yesnonocircuit simulationGHS_psdefapache27151764817870yesyesyesstructural problem	DIMACS10	rgg_n_2_21_s0	2097152	28975990	yes	no	no	undirected random graph
DIMACS10rgg_n_2_23_s08388608127002786yesnonoundirected random graphDIMACS10venturiLevel3402681916108474yesnonoundirected graphDziekonskidielFilterV2clx60723225309272noyesnoelectromagnetics problemDziekonskidielFilterV2real115745648538952yesyesnoelectromagnetics problemDziekonskidielFilterV3real110282489306020yesyesnoelectromagnetics problemDziekonskigsm_10685758944621758924yesyesnoelectromagnetics problemFreescaleFreescale1342875517052626yesnonocircuit simulationFreescaleFreescale229934914313235yesnonocircuit simulationFreescaleFullChip298701226621983yesnonocircuit simulationFreescalecircuit5M555832659524291yesnonocircuit simulationFreescalecircuit5M_dc352331714865409yesnonocircuit simulationFreescalememchip270752413343948yesnonocircuit simulationGHS_psdefapache27151764817870yesyesyesstructural problem	DIMACS10	rgg_n_2_22_s0	4194304	60718396	yes	no	no	undirected random graph
DIMACS10venturiLevel3402681916108474yesnonoundirected graphDziekonskidielFilterV2clx60723225309272noyesnoelectromagnetics problemDziekonskidielFilterV2real115745648538952yesyesnoelectromagnetics problemDziekonskidielFilterV3real110282489306020yesyesnoelectromagnetics problemDziekonskigsm_1068575894621758924yesyesnoelectromagnetics problemFluoremHV15R2017169283073458yesyesnonocircuit simulationFreescaleFreescale1342875517052626yesnonocircuit simulationFreescaleFreescale2299934914313235yesnonocircuit simulationFreescaleFullChip298701226621983yesnonocircuit simulationFreescalecircuit5M555832659524291yesnonocircuit simulationFreescalecircuit5M_dc352331714865409yesnonocircuit simulationFreescalememchip270752413343948yesnonocircuit simulationGHS_psdefapache27151764817870yesyesyesyesstructural problem	DIMACS10	rgg_n_2_23_s0	8388608	127002786	yes	no	no	undirected random graph
DziekonskidielFilterV2clx60723225309272noyesnoelectromagnetics problemDziekonskidielFilterV2real115745648538952yesyesnoelectromagnetics problemDziekonskidielFilterV3real110282489306020yesyesnoelectromagnetics problemDziekonskigsm_10685758944621758924yesyesnoelectromagnetics problemFluoremHV15R2017169283073458yesyesnofluid dynamicsFreescaleFreescale1342875517052626yesnonocircuit simulationFreescaleFreescale2299934914313235yesnonocircuit simulationFreescaleFullChip298701226621983yesnonocircuit simulationFreescalecircuit5M555832659524291yesnonocircuit simulationFreescalecircuit5M_dc35231714865409yesnonocircuit simulationFreescalememchip270752413343948yesnonocircuit simulationGHS_psdefapache27151764817870yesyesyesyesstructural problem	DIMACS10	venturiLevel3	4026819	16108474	yes	no	no	${\it undirected \ graph}$
DziekonskidielFilterV2real115745648538952yesyesnoelectromagnetics problemDziekonskidielFilterV3real110282489306020yesyesnoelectromagnetics problemDziekonskigsm_10685758944621758924yesyesnoelectromagnetics problemFluoremHV15R2017169283073458yesyesnofluid dynamicsFreescaleFreescale1342875517052626yesnonocircuit simulationFreescaleFreescale2299934914313235yesnonocircuit simulationFreescaleFullChip298701226621983yesnonocircuit simulationFreescalecircuit5M555832659524291yesnonocircuit simulationFreescalecircuit5M_dc35231714865409yesnonocircuit simulationFreescalememchip270752413343948yesnonocircuit simulationGHS_psdefapache27151764817870yesyesyesstructural problem	Dziekonski	dielFilterV2clx	607232	25309272	no	yes	no	electromagnetics problem
DziekonskidielFilterV3real110282489306020yesyesnoelectromagnetics problemDziekonskigsm_10685758944621758924yesyesnoelectromagnetics problemFluoremHV15R2017169283073458yesyesnofluid dynamicsFreescaleFreescale1342875517052626yesnonocircuit simulationFreescaleFreescale2299934914313235yesnonocircuit simulation matrixFreescaleFullChip298701226621983yesnonocircuit simulationFreescalecircuit5M55832659524291yesnonocircuit simulationFreescalecircuit5M_dc352331714865409yesnonocircuit simulationFreescalememchip270752413343948yesnonocircuit simulationGHS_psdefapache27151764817870yesyesyesyesstructural problem	Dziekonski	dielFilterV2real	1157456	48538952	yes	yes	no	electromagnetics problem
Dziekonskigsm_10685758944621758924yesyesnoelectromagnetics problemFluoremHV15R2017169283073458yesyesnonofluid dynamicsFreescaleFreescale1342875517052626yesnonocircuit simulationFreescaleFreescale2299934914313235yesnonocircuit simulation matrixFreescaleFullChip298701226621983yesnonocircuit simulationFreescalecircuit5M555832659524291yesnonocircuit simulationFreescalecircuit5M_dc352331714865409yesnonocircuit simulationFreescalememchip270752413343948yesnonocircuit simulationGHS_psdefapache27151764817870yesyesyesyesstructural problem	Dziekonski	dielFilterV3real	1102824	89306020	yes	yes	no	electromagnetics problem
FluoremHV15R2017169283073458yesyesnonofluid dynamicsFreescaleFreescale1342875517052626yesnonocircuit simulationFreescaleFreescale2299934914313235yesnonocircuit simulation matrixFreescaleFullChip298701226621983yesnonocircuit simulationFreescalecircuit5M555832659524291yesnonocircuit simulationFreescalecircuit5M_dc352331714865409yesnonocircuit simulationFreescalememchip270752413343948yesnonocircuit simulationGHS_psdefapache27151764817870yesyesyesyesstructural problem	Dziekonski	gsm_106857	589446	21758924	yes	yes	no	electromagnetics problem
FreescaleFreescale1342875517052626yesnonocircuit simulationFreescaleFreescale2299934914313235yesnonocircuit simulation matrixFreescaleFullChip298701226621983yesnonocircuit simulationFreescalecircuit5M555832659524291yesnonocircuit simulationFreescalecircuit5M_dc352331714865409yesnonocircuit simulationFreescalememchip270752413343948yesnonocircuit simulationGHS_psdefapache27151764817870yesyesyesyesstructural problem	Fluorem	HV15R	2017169	283073458	yes	yes	no	fluid dynamics
FreescaleFreescale2299934914313235yesnonocircuit simulation matrixFreescaleFullChip298701226621983yesnonocircuit simulationFreescalecircuit5M555832659524291yesnonocircuit simulationFreescalecircuit5M_dc352331714865409yesnonocircuit simulationFreescalememchip270752413343948yesnonocircuit simulationGHS_psdefapache27151764817870yesyesyesyesstructural problemGHS_psdefaudikw_194369577651847yesyesyesyesstructural problem	Freescale	Freescale1	3428755	17052626	yes	no	no	circuit simulation
FreescaleFullChip298701226621983yesnonocircuit simulationFreescalecircuit5M555832659524291yesnonocircuit simulationFreescalecircuit5M_dc352331714865409yesnonocircuit simulationFreescalememchip270752413343948yesnonocircuit simulationGHS_psdefapache27151764817870yesyesyesstructural problemGHS_psdefaudikw_194369577651847yesyesyesstructural problem	Freescale	Freescale2	2999349	14313235	yes	no	no	circuit simulation matrix
Freescalecircuit5M555832659524291yesnonocircuit simulationFreescalecircuit5M_dc352331714865409yesnonocircuit simulationFreescalememchip270752413343948yesnonocircuit simulationGHS_psdefapache27151764817870yesyesyesyesstructural problemGHS_psdefaudikw_194369577651847yesyesyesyesstructural problem	Freescale	FullChip	2987012	26621983	yes	no	no	circuit simulation
Freescalecircuit5M_dc352331714865409yesnonocircuit simulationFreescalememchip270752413343948yesnonocircuit simulationGHS_psdefapache27151764817870yesyesyesstructural problemGHS_psdefaudikw_194369577651847yesyesyesyesstructural problem	Freescale	circuit5M	5558326	59524291	yes	no	no	circuit simulation
Freescalememchip270752413343948yesnonocircuit simulationGHS_psdefapache27151764817870yesyesyesstructural problemGHS_psdefaudikw_194369577651847yesyesyesstructural problem	Freescale	circuit5M_dc	3523317	14865409	yes	no	no	circuit simulation
GHS_psdefapache27151764817870yesyesyesstructural problemGHS_psdefaudikw_194369577651847yesyesyesstructural problem	Freescale	memchip	2707524	13343948	yes	no	no	circuit simulation
GHS_psdef audikw_1 943695 77651847 yes yes yes structural problem	GHS_psdef	apache2	715176	4817870	ves	yes	yes	structural problem
	GHS_psdef	audikw_1	943695	77651847	yes	yes	yes	structural problem

GHS_psdef	inline_1	503712	36816170	yes	yes	yes	structural problem
GHS_psdef	ldoor	952203	42493817	yes	yes	yes	structural problem
Janna	Bump_2911	2911419	127729899	yes	yes	yes	$2\mathrm{D}/3\mathrm{D}~\mathrm{problem}$
Janna	Cube_Coup_dt0	2164760	124406070	yes	yes	no	structural problem
Janna	Cube_Coup_dt6	2164760	124406070	yes	yes	no	structural problem
Janna	Emilia_923	923136	40373538	yes	yes	yes	structural problem
Janna	Fault_639	638802	27245944	yes	yes	yes	structural problem
Janna	Flan_1565	1564794	114165372	yes	yes	yes	structural problem
Janna	Geo_1438	1437960	60236322	yes	yes	yes	structural problem
Janna	Hook_1498	1498023	59374451	yes	yes	yes	structural problem
Janna	Long_Coup_dt0	1470152	84422970	ves	ves	no	structural problem
Janna	Long_Coup_dt6	1470152	84422970	ves	ves	no	structural problem
Janna	ML_Geer	1504002	110686677	ves	ves	no	structural problem
Janna	PFlow 742	742793	37138461	ves	ves	ves	2D/3D problem
Janna	Queen 4147	4147110	316548962	ves	ves	ves	2D/3D problem
Janna	Serena	1391349	64131971	ves	ves	ves	structural problem
Janna	StocF-1465	1465137	21005389	ves	ves	ves	fluid dynamics
Janna	Transport	1602111	23487281	ves	ves	no	structural problem
Mazaheri	bundle adi	513351	20207907	ves	ves	ves	computer vision proble
McRae	ecology1	1000000	4996000	ves	ves	no	2D/3D problem
McBae	ecology2	999999	4995991	ves	ves	ves	2D/3D problem
Oberwolfach	bone010	986703	47851783	ves	ves	ves	model reduction proble
Oberwolfach	bone S10	914898	40878708	ves	ves	ves	model reduction proble
Rajat	rajat29	643994	3760246	ves	no	no	circuit simulation
Rajat	rajat30	6/309/	6175244	ves	no	no	circuit simulation
Rajat	rajatov	4690002	20316253	ves	no	no	circuit simulation
Sandia		682862	2638997	ves	no	no	circuit simulation
Sandia	ASIC 680kg	682712	1693767	ves	no	no	circuit simulation
Schenk	$n \ln k + 120$	3542400	95117792	ves	no	no	optimization problem
Schenk	nlpkkt160	8345600	995499119	ves	no	no	optimization problem
Schonk	nlpkkt100	1062400	220422112	yes voe	no	no	optimization problem
Schenk AFF	af 0 k101	503625	17550675	ves	ves	Ves	structural problem
Schonk AFE	$af_0 ki0i$	503625	17550675	yes ves	yes	y CS	structural problem
Schenk_AFE	$ai_1 ki0i$	503625	17550675	yes voe	yes ves	yes voe	structural problem
Schenk_AFE	$ai_2 KIOI$	503625	17550675	yes voe	yes ves	yes voe	structural problem
Schenk_AFE	ai_5_ki0i	503625	17550675	yes voe	yes ves	yes voe	structural problem
Schenk_AFE	ai_{-}	503625	17550675	yes vos	yes vos	yes	structural problem
Schenk_AFE	ai_5_kiUi	504855	17562051	yes	yes	yes no	structural problem segu
Schenk_AFE	ai_sheili	1508065	52250885	yes	yes	no	structural problem seque
Schenk_AFE	af shell?	504855	17562051	yes	yes	no	structural problem
Schenk_AFE	ai_sheiiz	504855	17562051	yes vos	yes vos	THO THOSE	structural problem
Schenk_AFE	ai_shell3	504855	17562051	yes	yes	yes	structural problem
Schenk_AFE	al_shell4	504855	17502051	yes	yes	yes	structural problem
Schenk_AFE	al_shell5	504855	17579155	yes	yes	no	structural problem
Schenk_AFE	al_shello	504855	17579155	yes	yes		structural problem
Schenk_AFE		504855	17579155	yes	yes	yes	structural problem
Schenk_AFE	ai_snello	004800 504855	17500045	yes	yes .	yes	structural problem
Schenk_AFE	ai_snelly	004800	11000040	yes	yes .		thermal problem
Schmid	thermal2	620042	0000010	yes .	yes .	yes	meterials problem
Sincialr	SUSpectralwave	100005	30290827		yes		materials problem
Williams	webbase-1M	1000005	3105536	yes	no	no	weighted directed grap
Wissgott	parabolic_tem	525825	30/4025	yes	yes	yes	nuid dynamics
Zaoui	kkt_power	2063494	12771361	yes	no	no	optimization problem

Table 4: Matrices from Florida collection with $500000 \leq n \leq 10000000$

28



RESEARCH CENTRE BORDEAUX – SUD-OUEST

200 avenue de la Vieille Tour 33405 Talence Cedex Publisher Inria Domaine de Voluceau - Rocquencourt BP 105 - 78153 Le Chesnay Cedex inria.fr

ISSN 0249-6399