

Decomposition of complete graphs into isomorphic subgraphs with five vertices

Jean-Claude Bermond, Charlotte Huang, Alexander Rosa, Dominique Sotteau

▶ To cite this version:

Jean-Claude Bermond, Charlotte Huang, Alexander Rosa, Dominique Sotteau. Decomposition of complete graphs into isomorphic subgraphs with five vertices. Ars Combinatoria, 1980, 10, pp.211-254. hal-02333419

HAL Id: hal-02333419 https://inria.hal.science/hal-02333419

Submitted on 25 Oct 2019

HAL is a multi-disciplinary open access archive for the deposit and dissemination of scientific research documents, whether they are published or not. The documents may come from teaching and research institutions in France or abroad, or from public or private research centers. L'archive ouverte pluridisciplinaire **HAL**, est destinée au dépôt et à la diffusion de documents scientifiques de niveau recherche, publiés ou non, émanant des établissements d'enseignement et de recherche français ou étrangers, des laboratoires publics ou privés.

DECOMPOSITION OF COMPLETE GRAPHS INTO ISOMORPHIC SUBGRAPHS WITH FIVE VERTICES

J.-C. Bermond, C. Huang, A. Rosa and D. Sotteau

Abstract

A graph H is said to be G-decomposable if the edges of H can be partitioned into subgraphs isomorphic to G; this is denoted by H \rightarrow G. When H is the complete graph on n vertices, K_n , the decomposition is called a G-design. This paper deals with necessary and sufficient conditions for $K \rightarrow G$, where G is a graph on five vertices, none of which is isolated.

I. Introduction.

A graph H is said to be G-decomposable if the edges of H can be partitioned into subgraphs isomorphic to G. This situation is denoted by $H \rightarrow G$; H is also said to admit a G-decomposition. A G-design is a G-decomposition of K_n , the complete graph on n vertices. The existence of a G-design for various graphs G has been studied in literature (for reference see [1]); in particular, the case where G is a graph with at most four vertices has been solved completely [2]. In this paper, we consider the case where G is a graph with five vertices, none of which is isolated.

It is easy to see the following:

PROPOSITION 1.1: Let G be a graph with k vertices and e edges. If $K_n \to G$ then

- (i) $n \ge k$
- (ii) $n(n-1) \equiv 0 \pmod{2e}$
- (iii) $n-1 \equiv 0 \pmod{f}$

where f is the greatest common divisor of the degrees of the vertices of G.

In [15], it was proved that these necessary conditions are asymptotically sufficient, that is, there exists an integer n(G) such that $K_n \to G$ for $n \ge n(G)$, and n satisfying the necessary conditions of Proposition 1.1. Our objective is to prove that these necessary conditions are always sufficient except possibly in some cases to be specified below (usually for certain small vaules of n).

ARS COMBINATORIA, Vol. 10 (1980), pp. 211 - 254

Table 1 exhibits all graphs on five vertices (none of them isolated). Necessary conditions for $K_n \to G$ are listed as well, and the last column describes the results obtained in each case. In Section II, some general methods for proving $K_n \to G$ are given while in Section III, each graph G is considered individually.

In the remainder of the paper, $\, \, n \,$ is assumed to be greater than or equal to five.

II. General Construction Methods.

The necessary and sufficient conditions for $K_n \to G$ have already been obtained for some graphs G with five vertices. The graphs and the respective references are:

 ${\rm G}_3$, a path of length four and ${\rm G}_4$ [8], ${\rm G}_5$, a star of four edges [12,16], ${\rm G}_{10}$, a cycle of length five [3,11] and ${\rm G}_{23}$, the complete graph on five vertices [5].

We will not duplicate the constructions here but we will point out that the methods used in this paper are as a rule simpler.

Generally, two methods are used in construction: the method of differences and the composition method. The first method is well-known (see for example [4] or [1]), hence we will discuss just the second method.

Given a graph G, the necessary conditions for $K_n \to G$ follow immediately from Proposition 1.1. Notice that the maximum degree of a vertex in a graph with five vertices is four and that there are no 3-regular graphs on five vertices, hence condition (iii) in the Proposition 1.1 applies only to those graphs whose vertex-degrees are multiples of 2, namely G_{10} , G_{15} , G_{17} and G_{23} . We then proceed to investigate whether a necessary condition is also sufficient.

To prove $K_n \to G$, we will instead show that $K_n \to G$ and $K_{n_1,n_2,\ldots,n_h} \to G$ for some values of i, on account of the following two lemmas (for whose proofs see [1]):

LEMMA A. If
$$K_{n_i} o G$$
 for $1 \le i \le h$ and $K_{n_1, n_2, \dots, n_h} o G$, then $K_n o G$ where $n = \sum_{i=1}^h n_i$.

LEMMA B. If
$$K_{n_i+1} \to G$$
 for $1 \le i \le h$ and $K_{n_1,n_2,\ldots,n_h} \to G$, then $K_n \to G$ where $n = \sum_{i=1}^{n} n_i + 1$.

The graph K_{n_1,n_2,\ldots,n_h} is the complete multipartite graph on h vertices $X = \bigcup_{i=1}^{N} X_i$ where $|X_i| = n_i$ with edges joining each pair of vertices from different sets X_i , X_j , $i \neq j$.

In this paper, the value of h is 2, 3, 4, or 5. Unless otherwise stated, the vertices of K , that is, the elements of X will be the elements of a group Γ , which is isomorphic to Z , the group of residues modulo n, or Z \times Z where \times y = n; the elements of K will be $\Gamma \cup \{\infty\}$. If $n = \sum_{i=1}^{n} n_i$ (or $n = \sum_{i=1}^{n} n_i + 1$), the elements of K will be $\bigcup_{i=1}^{n} X_i$ (or $\bigcup_{i=1}^{n} X_i \cup \{\infty\}$ respectively).

We now have two different types of constructions to consider:

TYPE I:
$$K_{n_1, n_2, \dots, n_h} \rightarrow G$$
.

Furthermore, since Lemmas A and B can be applied inductively, only some small values of $\,n_{_{\mbox{\scriptsize i}}}\,$'s need be considered.

In Type I construction, we use usually the method of differences and we will give only the *base graphs* of the decomposition since the rest of the graphs can be obtained by applying an automorphism of the group Γ on the vertices of the base graph, as illustrated in the following example.

EXAMPLE 1. Let G be the graph $G_1 = \frac{x}{0} \quad \frac{y}{0} \quad \frac{z}{0} \quad \frac{u}{0} \quad y$, which is denoted by $[(x,y,z) \ (u,v)]$. The proof of $K_6 \rightarrow G_1$ is simply: $V(K_6) = Z_5 \cup \{\infty\}, \ [(0,1,3) \ (\infty,2)] \mod 5.$ The statement indicates the vertices of K_6 and a base graph of the decomposition. Hence the graphs of the decomposition are the graphs $[(i,1+1,3+i)(\infty,2+i)]$ for $i \in Z_5$.

Similarly for the cases n = 7, 9 and 10:

For $K_7 \to G_1$, we have $V(K_7) = Z_7$, and the base graph is $[(0,1,4) \ (3,5)] \mod 7$, which means that the graphs of the decomposition are $[(i,1+i,4+i) \ (3+i,5+i)]$ for $i \in Z_7$.

For $K_9 \rightarrow G_1$, $V(K_9) = Z_3 \times Z_3$ and the base graphs are $[((0,0),(0,1),(1,0)) \ ((1,1),(2,2))]$ mod (3,3) and $[((0,0),(1,0),(2,0)) \ ((0,1),(2,1))]$ mod (-,3). Hence the graphs of the decomposition are the graphs $[((i,j),(i,1+j),(1+i,j)) \ ((1+i,1+j),(2+i,2+j))]$ for all $i,j \in Z_3$ and the graphs $[((0,i),(1,i),(2,i)) \ ((0,i+1),(2,i+1))]$ for $i \in Z_3$.

Finally, for $K_{10} \rightarrow G_1$, $V(K_{10}) = Z_2 \times Z_5$ and the base graphs are $[((0,1),(0,0),(1,1)) \ ((1,2),(1,3))] \cup [((1,0),(0,1),(0,3)) \ ((1,2),(1,4))] \cup [((0,0),(1,0),(0,2)) \ ((0,1),(1,3))] \ \text{mod} \ (-,5)$. Hence the graphs of the decomposition are the graphs $[((0,1+i),(0,i),(1,1+i)) \ ((1,2+i),(1,3+i))]$, $[((1,i),(0,1+i),(0,3+i)) \ ((1,2+i),(1,4+i))]$ and $[((0,i),(1,i),(0,2+i)) \ ((0,1+i),(1,3+i))]$ for $i \in Z_5$.

Type II construction is similar and as a rule we indicate only the base graphs of a decomposition; only occasionally do we exhibit all the graphs of a decomposition. Take the case of K n_1, n_2, \dots, n_h G with

 $\mathbf{n}_{\mathbf{i}}$ = r for all i; the construction is again illustrated by an example.

EXAMPLE 2. Let G be
$$G_{13} = \bigcup_{z=0}^{u} 0v$$
 and denoted by $[x,y,z,u,v]$.

The proof of $K_{4,4,4} \rightarrow G_{13}$ is simply $[0_1, 2_{33}, 2_2, 3_3, 0_2] \cup [0_1, 0_3, 3_1, 2_2, 1_2]$ mod 4. It is understood that $V(K_{4,4,4}) = \bigcup_{i=1}^{U} X_i$ where $X_i = \{0, 1, 2, 3\}$ and that the graphs of the decomposition are $V(X_{4,4,4}) = V(X_{4,4,4}) = V(X_{4,4,4})$

 $\{0_{\underline{1}}, 1_{\underline{1}}, 2_{\underline{1}}, 3_{\underline{1}}\}$ and that the graphs of the decomposition are $[i_{\underline{1}}, (2+i)_{\underline{3}}, (2+i)_{\underline{2}}, (3+i)_{\underline{3}}, i_{\underline{2}}]$ and $[i_{\underline{1}}, i_{\underline{3}}, (i+3)_{\underline{1}}, (2+i)_{\underline{2}}, (1+i)_{\underline{2}}]$ for $i \in Z_{\underline{4}}$.

In the case where n_i = r for $1 \le i \le h-1$ and n_h = r' > r, the vertices of X_h are g_h for $g \in Z_r$ and ∞ , ∞' , ∞'' , \ldots , $\infty^{(r'-r-1)}$.

EXAMPLE 3. The base graphs of $K_{4,4,7} \rightarrow G_{13}$ are $[0_1,1_2,0_3,0_2,^{\infty}]_3 \cup [2_2,3_3,3_1,^{\infty'},0_1] \cup [3_2,1_3,3_1,^{\infty''},0_1] \mod 4$. Hence $V(K_{4,4,7}) = \bigcup_{i=1}^{U} X_i$ with $X_i = \{0_i,1_i,2_i,3_i\}$ for i=1 or 2 and $X_3 = \{0_3,1_3,2_3,3_3, \infty,\infty',\infty''\}$; the graphs of the decomposition are $[i_1,(1+i)_2,i_3,i_2,\infty]$, $[(2+i)_2,(3+i)_3,(3+i)_1,\infty'',i_1]$ and $[(3+i)_2,(1+i)_3,(3+i)_1,\infty'',i_1]$ for $i \in Z_4$.

Sometimes a different method is used in proving $K_{r,r,r,\ldots,r} \to G$: we let $X_i = \{i-1,i-1+h,\ldots,i-1+(r-1)h\}$ for $i=1,2,\ldots,h$. Hence $V(K_{r,r,\ldots,r}) = Z_{rh}$ and base graphs of the decomposition will be taken modulo rh, as seen in:

EXAMPLE 4. The proof of $K_{4,4,4,4} \rightarrow G_{13}$ is : $V(K_{4,4,4,4}) = Z_{16}$ and the base graph is [0,10,9,14,7] mod 16, which means that the graphs of the decomposition are [i,10+i,9+i,14+i,7+i] for $i \in Z_{16}$.

To prove that $K_{n_1,n_2,\ldots,n_h} \rightarrow G$, Lemmas C,D,E, and F below are also useful.

LEMMA C. If $K_{r_1, r_2} \rightarrow G$ and $K_{r_1, r_2} \rightarrow G$, then $K_{ar_1, br_2 + cr_2} \rightarrow G$ for integers $a \ge 1$ and b or $c \ge 1$.

LEMMA D. If $K_{r_1,r_2,r_3} \rightarrow G$ and $K_{r_1,r_2,r_3} \rightarrow G$, then $K_{ar_1,ar_2},(a-b)r_3+br_3'$ $\rightarrow G$ for integers a,b with $0 \le b \le a$.

LEMMA E. If $K_{r,r,r} \rightarrow G$ and $K_{r,r,r,r} \rightarrow G$ then $K_{pr,pr,qr} \rightarrow G$ for $p \neq 2,6, 0 \leq q \leq p$.

LEMMA F. If $K_{r,r,r,r} \rightarrow G$ and $K_{r,r,r,r,r} \rightarrow G$ then $K_{pr,pr,pr,pr,qr} \rightarrow G$ for $p \neq 2,3,6,10,14$ and $0 \leq q \leq p$.

Let us remark that in Lemma E, the condition $K_{r,r,r,r} \to G$ is unnecessary if q=0 and the lemma is true for all $p\geq 1$; the condition $K_{r,r,r} \to G$ is unnecessary if q=p. Similar interpretation can be used in other lemmas, and in the case of Lemma F when q=0, the condition $K_{r,r,r,r,r} \to G$ is unnecessary and the lemma is true for all $p\neq 2,6$.

The proofs of Lemmas C and D can be found in [1]. Before we prove Lemmas E and F we need two auxiliary results.

PROPOSITION 2.1. If $p \neq 2,6$ and $0 \leq q \leq p$ then $K_{p,p,p,q} \rightarrow \{K_4,K_3\}$.

Proof. The existence of a decomposition of K_p, p, p, p into K_4 is equivalent to that of a pair of orthogonal Latin squares of order p; the latter is known to exist for $p \neq 2$ or 6 [14]. If we delete the vertices of K_p, p, p, p that are not in K_p, p, p, p, q from the K_4 's which contain them, we get K_3 's. Hence it is possible to partition the edges of K_p, p, p, q with $p \neq 2, 6$ into subgraphs isomorphic to K_4 or K_3 .

PROPOSITION 2.2. For $p \neq 2,3,6,10,14$ and $0 \leq q \leq p$, $K_{p,p,p,p,q} \rightarrow \{K_5,K_4\}$.

The proof is similar to the proof of Proposition 2.1: $\begin{array}{c} K \\ p,p,p,p,q \end{array} \rightarrow K_5 \quad \text{is equivalent to the existence of three pairwise orthogonal Latin squares of order } p; \quad \text{these are known to exist for } p \neq 2,3, \\ 6,10,14 \ [13].$

Now let G be a graph with vertex set $\{1,2,\ldots,k\}$ and let $G \otimes S_n$ be the lexicographic product of G by an independent set of n elements, that is, a graph with vertex set the disjoint union of k independent sets X_i , where $|X_i| = n$ such that two vertices are joined by an edge if and only if they belong to two different sets X_i , X_j and $\{i,j\}$ is an edge in G.

It is easy to see that $K_{pr,pr,qr} = K_{p,p,p,q} \otimes S_r$, which, by Proposition 2.1, is decomposable into subgraphs isomorphic to $K_4 \otimes S_r$ or $K_3 \otimes S_r$ for $p \neq 2,6$. Since $K_4 \otimes S_r = K_{r,r,r,r}$ and $K_3 \otimes S_r = K_{r,r,r,r}$ both of which by the hypothesis are decomposable into subgraphs isomorphic to G, Lemma E is proved.

The proof of Lemma F is quite similar (except that one uses Proposition 2.2).

III. Constructions for particular graphs.

In this section, we prove the results given in Table 1 namely, we find necessary and sufficient conditions for $K_n \to G$, where G is any graph on five vertices, none of which is isolated. Most of the constructions will be based on the composition method and the lay-out for each graph G will be:

- (a) the graph G, its labels and notation
- (b) necessary conditions for $K_n \rightarrow G$;
- (c) constructions showing $K \to G$ or $K \to G$ for n_1, n_2, \dots, n_h some small values of n_i in order to start the composition;
- (d) compositions, with lemmas and parameters used indicated;
- (e) conclusions.

Explanations will be given in the first few cases but after that, only the information is given.

- (1) (a) G_1 : $0 \longrightarrow 0 \longrightarrow 0$ $0 \longrightarrow 0$, denoted by [(x,y,z)(u,v)]
 - (b) Necessary conditions for $K_n \rightarrow G_1$: $n \equiv 0$ or 1 (mod 3)
 - (c) $-K_{2,3} \rightarrow G_1$: the subgraphs of the decomposition are $[(0_2,1_1,2_2) \ (0_1,1_2)]$ and $[(0_2,0_1,2_2) \ (1_1,1_2)]$ $-K_n \rightarrow G_1$ for n=6,7,9 or 10: see Example 1 in Section II.

n $K_n \to G_1 \text{ (with h=3)}$ m_1 m_2 $K_n \to G \text{ by Lemma C}$ m_1, m_2 with $m_1 = 2, m_2 = 3, m_2 = 0, a = 3$ $m_1 = 3$ $m_2 = 3$ $m_1 = 2, m_2 = 3, m_2 = 3, m_2 = 0, a = 3$ $m_1 = 2, m_2 = 3, m_2 = 3, m_2 = 0, a = 3$ $m_1 = 2, m_2 = 3, m_2 = 3, m_2 = 0, a = 3$ $m_1 = 2, m_2 = 3, m_2 = 3, m_2 = 0, a = 3$ $m_1 = 2, m_2 = 3, m_2$

(e) Theorem: $K_n \to G_1$ if and only if $n \equiv 0$ or 1 (mod 3), $n \geq 5$.

Explanation: $K_{3t} \rightarrow G_1$ is proved by using Lemma A, which states that if $K_6 \rightarrow G_1$, $K_{3t-6} \rightarrow G_1$ and $K_{6,3t-6} \rightarrow G_1$, then $K_{3t} \rightarrow G_1$. The case $K_6 \rightarrow G_1$ was proved in part (c); $K_{3t-6} \rightarrow G_1$ is true for $t \ge 4$ by induction, and finally $K_{6,3t-6} \rightarrow G_1$ is proved by using Lemma C, which in this case states that if $K_{2,3} \rightarrow G$ then $K_{6,3(t-2)} \rightarrow G_1$ (since C = 0). The case $K_{2,3} \rightarrow G$ is proved in (c).

The second line in the array can be interpreted similarly.

(2) (a)
$$G_2$$
: $\begin{matrix} x & u & v \\ 0 & 0 & 0 \\ y & 0 & z \end{matrix}$, denoted by $[(x,y,z) (u,v)]$

(b) Necessary conditions for $K_n \rightarrow G_2$: $n \equiv 0$ or 1 (mod 8)

(c)
$$-K_{2,2,2} \rightarrow G_2$$
: the base graph is
$$[(0_1,0_2,1_3)(1_1,1_2)] \mod (-,3)$$

$$-K_8 \rightarrow G_2$$
: $V(K_8) = Z_7 \cup \{\infty\}, [(0,1,3)(\infty,2)] \mod 7.$

$$-K_9 \rightarrow G_2$$
: $V(K_9) = Z_9$, [(0,1,3)(2,6)] mod 9.

$$- K_{16} \rightarrow G_2: V(K_{16}) = Z_{15} \cup \{\infty\},$$

$$[(0,1,7)(\infty,2)] \cup [(3,5,8)(2,6)] \mod 15.$$

$$- K_{17} \rightarrow G_2: V(K_{17}) = Z_{17},$$

$$[(0,1,7)(2,6)] \cup [(3,5,8)(2,10)] \mod 17.$$

- $K_{41} \rightarrow G_2$: $V(K_{41}) = Z_{41}$, the first base graph is [(0,18,19)(1,21)] the other 4 are just the last four base graphs for the case $K_{40} \rightarrow G_2$, except that the elements are taken modulo 41.

(d)

	K→G ₂ (with h=4) by Lemma			$\begin{bmatrix} K & \rightarrow G_2 \\ {}^{n}1, {}^{n}2, {}^{n}3, {}^{n}4 \end{bmatrix}$ by Lemma E with
n		n ₁ =n ₂ =n ₃	n ₄	r=2,p=4t and q
24t, t≥1	A	8t	0	0
24t+1, t≥1	В	8t	0	0
24t+8, t≥1	A	8t	8	4
24t+9, t≥1	В	8t	8	4
24t+16, t≥2	A	8t	16	8
24t+17, t≥2	В	8t	16	8
•				

(e) Conclusion: $K_n \to G_2$ if and only if $n \equiv 0$ or 1 (mod 8).

Explanation: The fourth row of the array means that $K_{24t+9} \rightarrow G_2$ can be proved to be true by Lemma B if $K_{8t+1} \rightarrow G_2$, $K_9 \rightarrow G_2$ and $K_{8t,8t,8t,8} \rightarrow G_2$.

 $K_{8t+1} \rightarrow G_2$ can be proved by induction, $K_9 \rightarrow G_2$ is in part (c) and $K_{8t,8t,8t,8} \rightarrow G_2$ is proved by Lemma E, which states that $K_{8t,8t,8t,8} \rightarrow G_2$ if $K_{2,2,2} \rightarrow G_2$ and $K_{2,2,2,2} \rightarrow G_2$, which have been proved in part (c).

The other rows can be interpreted similarly.

As we mentioned in section II, the necessary and sufficient condition for $K_n \to G$, $G = G_3, G_4$ or G_5 has already been found to be $n \equiv 0$ or 1 (mod 8).

(4)
$$G = G_6, G_7, G_8 \text{ or } G_9$$

and
$$G_9$$
:
 $0 0 v$
and are all denoted by $[x,y,z,u,v]$.

These four cases are considered together because the necessary conditions for $K_n \to G$ for each G are the same: $n \equiv 0$ or $1 \pmod 5$; also, they belong to a class of graphs called dragons [11]. It was shown in the same paper [11] that the condition $n \equiv 0$ or $1 \pmod {10}$ is also sufficient for $K_n \to G$. In a different paper [7] the case $n \equiv 1$ or $5 \pmod {10}$ was considered; it was shown that $K_n \to G$ exists for $n \geq 5$ when $G = G_6$ and for n > 5 when $G = G_7, G_8$ or G_9 . The construction used in [7] is based on the method of differences and an additional condition was also satisfied, namely, that each vertex of K_n occurs in the same number of graphs — such decomposition is usually called a balanced graph design.

We will consider the only unsolved case, $n \equiv 6 \pmod{10}$; we will deal with G_6, G_7 and G_8 jointly, and with G_9 separately. We will use the composition method (which, of course, could be used to deal with the case $n \equiv 0$ or 1 or $5 \pmod{10}$ as well).

(A)
$$G = G_6, G_7$$
 or G_8 3
(c) $-K_5, 5, 5 \rightarrow G$: $\{ \bigcup_{j=1}^{g} [0_j, 0_{j+1}, 1_{j+2}, 2_{j+1}, a] \} \mod 5 \}$

where $a = 3_{j+2}, 3_{j+1}$ or $0_{j+2}, 3_{j+1}$ or $0_{j+2}, 3_{j+1}$ or $0_{j+2}, 3_{j+1}$ or $0_{j+2}, 3_{j+1}, 3_{j+1}$ or $0_{j+2}, 3_{j+1}, 3_$

$$\begin{array}{l} - \ \, \mathrm{K}_6 \rightarrow \mathrm{G}_6 \colon & [1,5,0,2,4], [4,0,3,1,2], [2,3,5,4,1] \\ - \ \, \mathrm{K}_6 \rightarrow \mathrm{G}_7 \colon & [1,5,0,2,3], [4,0,3,1,5], [2,3,5,4,0] \\ - \ \, \mathrm{K}_6 \rightarrow \mathrm{G}_8 \colon & [1,5,0,2,3], [4,1,3,0,2], [5,2,4,3,0] \\ - \ \, \mathrm{K}_{26} \rightarrow \mathrm{G} \colon & \mathrm{V}(\mathrm{K}_{26}) = \mathrm{Z}_2 \times \mathrm{Z}_{13} \ , \\ & [(0,0),(0,1),(1,0),(0,4),a] \cup [(0,0),(0,2),(1,3),(0,5),b] \\ \cup & [(0,0),(0,3),(1,5),(1,4),c] \cup [(1,0),(1,1),(0,3),(1,3),d] \\ \cup & [(1,0),(1,2),(0,6),(1,4),e] \bmod (-,13). \\ \end{array}$$
 where $a = (0,7),(0,6) \text{ or } (0,10)$ $b = (1,8),(1,6) \text{ or } (1,11)$ $c = (1,11),(1,8) \text{ or } (0,9)$ $d = (1,6),(1,5) \text{ or } (1,8)$ $e = (1,8),(1,6) \text{ or } (1,10)$ for $G = \mathrm{G}_6,\mathrm{G}_7$ or G_8 respectively. $- \mathrm{K}_{36} \rightarrow \mathrm{G} \colon \mathrm{V}(\mathrm{K}_{36}) = \mathrm{Z}_5 \times \mathrm{Z}_7 \cup \{\infty\}, \\ 3 \{ \cup \{0,0\},(0,j),(2,q_j),(1,j),a\} \} \bmod (5,7) \\ j = 1 \end{array}$ where $q_1 = 3, q_2 = 6$ and $q_3 = 1$ and $a = (1,3+2j),(1,3+j) \text{ or } (0,4) \text{ for } \\ \mathrm{G} = \mathrm{G}_6, \mathrm{G}_7 \text{ or } \mathrm{G}_8; \\ \text{the remaining three base graphs are obtained from } \mathrm{K}_6 \rightarrow \mathrm{G}_7$

with ∞ replacing the element 0 and (i,0) replacing i, i = 1,2,...,5. For instance, in the case G = G_6 , the three graphs are

For instance, in the case $G = G_6$, the three graphs are $[(1,0),(5,0),\infty,(2,0),(4,0)] \cup [(4,0),\infty,(3,0),(1,0),(2,0)] \cup [(2,0),(3,0),(5,0),(4,0),(1,0)] \mod (-,7).$

(d) $K_{n_1,n_2,n_3,n_4} \rightarrow G$ by Lemma E with r=5, n p and q 30t+6, t=2, $t\ge 4$ 2t 10t 30t+16, t≥0 10t+5 0 2t+1 30t+26, t≥1 10t+5 2t+1 В 10

(B) $G = G_0$

(c) $-K_6 + G_9$: Assume that $K_6 + G_9$, that means we have 3 graphs in the decomposition, and hence a total of three vertices of degree 3, nine vertices of degree 2 and three vertices of degree 1. However, since a vertex of K_6 has degree 5, three vertices in K_6 must each occur as a vertex of degree 3 in one graph and a vertex of degree 2 in another, while the remaining three must each occur as a vertex of degree 2 in two graphs and vertex of degree 1 in the other. One could, with a bit of effort, show that such a decomposition is impossible.

(d)

	K _n → G ₉ by Lemma	n ₁	n ₂	K n_1, n_2 $r_1=r_2=5$, $a=2t-1$, $b=2$, c
10t+6, t≥2	В	(2t-1)5	10	0

(e) $K_n \rightarrow G_6$ if and only if $n \equiv 0$ or 1 (mod 5) $K_n \rightarrow G_7$ or G_8 if and only if $n \equiv 0$ or 1 (mod 5), $n \ge 6$ $K_n \rightarrow G_9$ if and only if $n \equiv 0$ or 1 (mod 5), n > 6.

This case was dealt with already in Section II. Conclusion: $K_n \to G_{10}$ if and only if $n \equiv 1$ or 5 (mod 10).

(6) (a)
$$G_{11}$$
: $y \bigcirc_{z}^{u} \bigcirc_{v}^{u}$, $[x,y,z,u,v]$.

- (b) $n \equiv 0,1,4$ or 9 (mod 12).
- (c) $-\kappa_{4,4,4} + G_{11}$: $[2_2,0_3,1_1,0_1,0_2]$, $[3_2,1_3,0_1,1_1,1_2]$, $[2_2,2_3,2_1,3_1,1_2]$, $[3_2,3_3,3_1,2_1,0_2]$, $[2_1,0_2,0_3,1_3,3_2]$ $[3_1,1_2,1_3,0_3,2_2]$, $[0_1,0_2,2_3,3_3,3_2]$ and $[1_1,1_2,3_3,2_3,2_3]$.
 - $K_{4,4,4,4} \rightarrow G_{11}$: $V(K_{4,4,4,4}) = Z_{16}$, [0,7,5,6,2] mod 16

 - $K_{4,4,7} \rightarrow G_{11}$: $[i_1, i_3, (1+i)_2, i_2, \infty^*]$, $[i_1, (2+i)_2, (3+i)_3, \infty^*, (1+i)_1]$ and $[i_1, (3+i)_2, \infty^*, (1+i)_3, (2+i)_1]$ for $i \in Z_4$ with $\infty^* = \infty$ when i = 0 or 1 ∞^* when i = 2 or 3.
 - $K_9 \rightarrow G_{11}: V(K_9) = Z_3 \times Z_3, [(0,0),(0,1),(1,0), (2,0),(0,2)] \cup [(1,0),(2,0),(2,1),(1,1),(0,0)] \text{ mod } (-,3).$
 - $K_{12} \rightarrow G_{11}: V(K_{12}) = Z_{11} \cup \{\infty\}, [1,0,5,3,\infty] \text{ mod } 1\dot{1}.$
 - $K_{13} \rightarrow G_{11}$: $V(K_{13}) = Z_{13}$, [1,0,5,3,11] mod 13.
 - $K_{16} \rightarrow G_{11}: V(K_{16}) = Z_3 \times Z_5 \cup \{\infty\},$ $[(0,0),(0,1),(1,0),(2,0),(1,1)] \cup$ $[(0,0),(1,3),(0,2),\infty,(1,4)] \cup$

 - $[(1,0),(2,0),(2,1),(1,2),\infty] \cup$
 - $[(2,0),(2,2),(0,4),(1,3),(2,1)] \mod (-,5).$

-
$$K_{21} \rightarrow G_{11}$$
; $V(K_{21}) = Z_3 \times Z_7$, $[(0,1),(0,0),(1,3),(1,1),(1,6)] \cup [(1,6),(0,2),(0,0),(1,0),(0,3)] \cup [(2,2),(2,0),(1,3),(0,2),(2,1)] \cup [(2,1),(2,0),(0,6),(0,4),(2,5)] \cup [(1,2),(1,0),(2,3),(2,2),(2,6)] \mod (-,7)$.

- $K_{24} \rightarrow G_{11}$: $V(K_{24}) = Z_{23} \cup \{\infty\}$, $[0,11,4,5,\infty] \cup [0,10,2,1,5] \mod 23$.

- $K_{52} \rightarrow G_{11}$: $V(K_{52}) = Z_3 \times Z_{17} \cup \{\infty\}$, $[(0,0),(0,7),(1,7),(1,9),\infty] \cup [(3,1),(0,0),(1,13),(0,5),(0,10)] \cup [(0,2),(0,0),(1,6),(0,8),(0,1)] \cup [(1,1),(0,0),(1,8),(0,3),(2,0)] \cup [(1,5),(1,0),(2,13),(0,6),(2,3)] \cup [(1,4),(1,0),(2,6),(0,7),(2,14)] \cup [(2,0),(1,0),(1,2),(2,7),(1,10)] \cup [(2,3),(1,0),(1,2),(2,7),(1,10)] \cup [(2,1),(2,0),(0,16),(0,14),(2,4)] \cup [(2,2),(2,0),(0,10),(0,9),(2,16)] \cup [(2,2),(2,0),(0,10),(0,9),(2,16)] \cup [(2,0),(2,3),(0,4),(0,5),\infty] \cup [(2,0),(2,6),(0,6),(1,13),(2,3)] \mod (-,17)$.

(d) We have two arrays:

n	$ \begin{array}{c} K_{n} \rightarrow G_{11} \\ \text{by Lemma} \end{array} $	n ₁ =n ₂ =n ₃	n ₄	K n1,n2,n3,n4 Lemma E with	→ r	G 11 p	bу q	
		1 2 3	4					
33	В	8	8		2	4	4	
36t+13, t=1	В	12	12		4	3	3	
36t+33, t=1	В	20	8		4	5	2	

Note: It is not true that $K_{2,2,2} \to G_{11}$, however, (see remark after Lemma F), the condition $K_{r,r,r} \to G$ is not necessary for Lemma E when p = q.

	$ \begin{array}{c c} K_n \to G_{11} \\ \text{by Lemma} \end{array} $			$K_{n_1,n_2,n_3} \xrightarrow{G_{11}} \text{by Lemma D}$ with $r_1 = r_2 = r_3 = 4$, $r_3' = 7$,
n		ⁿ 1 ⁼ⁿ 2	n ₃	a b
36t, t≥1	A	12t	12t	3t 0 3t 0
36t+1, t≥1 36t+4, t≥1	B B	12t 12t	12t 12t+3	3t 1
36t+9, t≥1	A	12t	12t+9	3t 3
36t+12, t≥1	A	12t+4	12t+4	3t+1 0
36t+13, t≥2	В	12t	12t+12	3t 4
36t+16, t≥2	В	12t	12t+15	3t 5
36t+21, t≥1	A	12t+4	12t+13	3t+1 3
36t+24, t≥1	A	12t+4	12t+16	3t+1 4
36t+25, t≥0	В	12t+8	12t+8	3t+2 0
36t+28, t≥0	В	12t+8	12t+11	3t+2 1
36t+33, t≥2	A	12t+4	12t+25	3t+1 7

(e) $K_n \rightarrow G_{11}$ if and only if $n \equiv 0,1,4$ or 9 (mod 12).

The next case \mbox{G}_{12} is similar to the case of $\mbox{G}_{11},$ hence some proofs are omitted. $\mbox{O}^{\rm u}$

(7) (a)
$$G_{12}$$
: $y0 = 0$ $x = 0$ $y0$, $[x,y,z,u,v]$.

- (b) $n \equiv 0,1,4$ or $9 \pmod{12}$.
- (c) $-K_{4,4,4} o G_{12}$: If $K_{2,2,2} o G_{12}$, then $K_{4,4,4} o G_{12}$ by Lemma D with $r_1 = r_2 = r_3 = 2$, a = 2 and b = 0; $K_{2,2,2} o G_{12}$ is easy to prove, for example, $[0_3,0_1,0_2,1_2,1_1]$ and $[1_3,1_1,1_2,0_2,0_1]$ are two graphs partitioning the edges of $K_{2,2,2}$.

- $-K_{4,4,4,4} \rightarrow G_{12}$: $V(K_{4,4,4,4}) = Z_{16}$, [0,7,5,6,3] mod 16,

- $K_{9} \rightarrow G_{12}: V(K_{9}) = Z_{3} \times Z_{3},$ $[(0,1),(0,0),(1,0),(2,0),(1,2)] \cup$ $[(2,0),(1,0),(2,1),(1,1),(0,2)] \mod (-,3).$
- $-K_{12} \rightarrow G_{12}$: $V(K_{12}) = Z_{11} \cup {\infty}, [1,0,5,3,\infty] \mod 11.$
- $K_{13} \rightarrow G_{12}$: $V(K_{13}) = Z_{13}$, [1,0,5,3,7] mod 13.
- $K_{16} + G_{12}: V(K_{16}) = Z_3 \times Z_5 \cup \{\infty\},$ $[(0,1),(0,0),(1,0),(2,0),(1,3)] \cup$ $[(1,3),(0,0),(0,2),\infty,(1,4)] \cup$ $[(2,0),(1,0),(2,1),(1,2),\infty] \cup$ $[(2,0),(2,2),(0,4),(1,3),(0,3)] \mod (-,5).$
- $K_{21} \rightarrow G_{12}$: The base graphs are the same as in $K_{21} \rightarrow G_{11}$ with the last elements of each graph replaced by (0,4),(1,2),(2,5),(0,2) and (2,0), in the order given.
- $K_{24} \rightarrow G_{12}$: $V(K_{24}) = Z_{23} \cup {\infty}, [0,11,4,5,\infty] \cup [0,10,2,1,3] \mod 23$.
- $K_{52} \rightarrow G_{12}$: The base graphs are the same as those of $K_{52} \rightarrow G_{11}$ with the last elements in each graph replaced by ∞ , (1,4),(1,7),(2,10),(1,11),(1,12),(2,7),(2,11), ∞ , (0,13),(0,13), ∞ and (0,3), in the order given.
- (d) see the case G_{11} .

(e) The conclusion is the same as the case G_{11} as well: $K_n \to G_{12}$ if and only if $n \equiv 0,1,4$ or 9 (mod 12).

The case $K_n \to G_{13}$ can be solved similarly to the last two cases, i.e. when $G = G_{11}$ or G_{12} , hence a part of the proof is omitted; however, due to the fact that we do not know whether $K_{24} \to G_{13}$ some variations have to be made.

(8) (a)
$$G_{13}$$
: $v = 0v, [x,y,z,u,v].$

- (b) $n \equiv 0,1,4$ or $9 \pmod{12}$.
- (c) $-K_{4,4,4} \rightarrow G_{13}$: see Example 2 of Section II.
 - $K_{4,4,4,4} \rightarrow G_{13}$: see Example 4 of Section II.
 - $K_{2,2,2,2}$ + G_{13} : $V(K_{2,2,2,2})$ = Z_{8} , [0,2,5,3,1], [0,6,1,7,5], [2,4,1,3,7] and [6,4,5,7,3].
 - $K_{4,4,7} \rightarrow G_{13}$: see Example 3 of Section II.
 - $K_{9} \rightarrow G_{13}: \quad V(K_{9}) = Z_{3} \times Z_{3},$ $[(1,0),(1,1),(0,0),(0,1),(2,2)] \cup$ $[(2,0),(2,1),(0,0),(1,0),(0,1)] \mod (-,3).$
 - $K_{12} \rightarrow G_{13}$: $V(K_{12} = Z_{12}, [3,7,8,2,10], [6,4,3,11,9], [4,8,11,0,5], [10,11,5,6,4], [0,1,8,6,5], [0,2,9,8,7], [0,3,8,10,9], [1,3,5,7,6], [1,9,7,11,10], [2,4,7,6,1] and [2,5,9,11,10].$
 - $-K_{13} \rightarrow G_{13}$: $V(K_{13}) = Z_{13}$, [5,0,3,1,6] mod 13.
 - $K_{16} \rightarrow G_{13}: V(K_{16}) = Z_3 \times Z_5 \cup \{\infty\},$ $[\infty, (1,2), (0,3), (2,0), (0,0)] \cup$ $[(0,1), (1,2), (1,0), (0,0), (0,4)] \cup$ $[(2,2), (2,0), (1,0), (1,1), (0,1)] \cup$

$$[(2,1),(1,2),(2,4),(0,1),(2,0)] \bmod (-,5).$$

$$- K_{21} \rightarrow G_{13} \colon V(K_{21}) = Z_3 \times Z_7, \\ [(0,0),(0,1),(1,1),(1,4),(0,3)] \cup \\ [(0,1),(1,6),(0,0),(1,2),(1,4)] \cup \\ [(2,1),(2,4),(1,0),(1,1),(0,4)] \cup \\ [(1,1),(2,6),(1,0),(2,2),(2,4)] \cup \\ [(0,6),(2,1),(0,2),(2,0),(2,2)] \bmod (-,7).$$

$$- K_{24} \rightarrow G_{13} \colon \text{ we have no proof for this case, but we conjecture that it is true.}$$

$$- K_{52} \rightarrow G_{13} \colon V(K_{52}) = Z_3 \times Z_{17} \cup \{\infty\},$$

-
$$^{K}52 + ^{G}13$$
: $^{V(K}52) = ^{Z}3 \times ^{Z}17 \cup ^{\{\omega\}},$
 $[\infty, (1,16), (0,8), (2,8), (0,0)] \cup$
 $[(0,0), (0,1), (1,4), (1,1), (0,8)] \cup$
 $[(0,0), (0,2), (1,8), (1,2), (0,6)] \cup$
 $[(0,1), (1,11), (0,0), (1,5), (0,4)] \cup$
 $[(0,1), (1,15), (0,0), (1,13), (0,6)] \cup$
 $[(1,0), (1,1), (2,4), (2,1), (1,5)] \cup$
 $[(1,0), (1,2), (2,8), (2,2), (1,9)] \cup$
 $[(1,1), (2,5), (1,0), (2,13), (2,12)] \cup$
 $[(1,0), (2,8), (1,1), (2,15), (2,16)] \cup$
 $[(0,15), (2,10), (1,0), (2,9), (2,11)] \cup$
 $[(2,0), (2,2), (1,2), (0,2), (0,3)] \cup$
 $[(0,14), (2,1), (0,8), (2,0), (2,5)] \cup$
 $[(0,16), (2,1), (0,12), (2,0), (2,6)] \mod (-,17).$
In addition, we have

 $[0,3,64,31,1] \cup [0,9,67,35,4] \cup [0,20,1,22,7] \cup$

 $[0,23,57,10,8] \cup [0,55,71,44,29] \mod 72.$

(d) The two arrays are the same as those in the case of $G=G_{11}$ with the following exception: since we do not know whether $K_{24} \rightarrow G_{13}$ is true, the statements in the longer array for the cases n=36t and n=36t+9 are true only when $t\geq 1$ and $t\neq 2$. The cases thus not included in the array, namely n=36t and n=36t+9 for t=2 can be proved as follows:

n n	Kn → G 13 by Lemma	n _i , i=1,2,,h	n_1, n_2, \dots, n_h by Lemma E with r=4,p=q
36t, t=2	A	n _i =12, i=1,2,,6	- (proved in part (c)
36t+9, t=2	B	n _i =20, i=1,2,3,4	

(e) $K_n \rightarrow G_{13}$ if and only if $n \equiv 0,1,4$ or 9 (mod 12), except possibly when n = 24.

(9) (a)
$$G_{14}$$
: $\sum_{z}^{x_{0}} O_{y}^{v}$, [x,y,z,u,v]. $(G_{14} \simeq K_{2,3})$

- (b) $n \equiv 0,1,4$ or $9 \pmod{12}$.
- (c) $-K_9 + G_{14}$: The degrees of vertices of G_{14} are 2 and 3, since a vertex of K_9 has degree 8, it must appear either in two subgraphs with degree 3 and in one subgraph with degree 2 (in which case, the vertex is said to be type 1), or in four subgraphs with degree 2 (type 2). Suppose that there are a vertices in K_9 which are type 1 and b vertices which are type 2, then obviously a + b = 9. As there are 6 subgraphs isomorphic to G_{14} in the decompositions, by counting in two ways the number of vertices with degree 3 (or 2), we have

$$2a = 12$$

 $a + 4b = 18$.

Solving the equations, we have a=6, b=3. Now, in a G_{14} , the vertices of degree 2 are adjacent

only to vertices of degree 3, the three vertices of type 2 can never be joined to each other, a contradiction to $K_9 \rightarrow G_{14}$.

- $K_{12} + G_{14}$: the proof is similar, though longer than the one above, and is hence omitted.
- $K_{13} \rightarrow G_{14}$: $V(K_{13}) = Z_{13}$, [0,1,2,4,6] mod 13.
- $K_{16} \rightarrow G_{14}: V(K_{16}) = Z_3 \times Z_5 \cup \{\infty\},$

$$[(1,0),(1,2),(0,0),(2,0),(2,1)]$$
 \cup

$$[\infty, (0,4), (0,0), (1,0), (2,0)]$$
 U

$$[(0,0),(2,2),(0,2),(2,3),(2,4)] \cup$$

$$[(0,0),(1,0),(1,3),(1,4),(2,2)] \mod (-,5).$$

$$- K_{21} \rightarrow G_{14}$$
: $V(K_{21}) = Z_3 \times Z_7$,

$$[(0,0),(1,1),(0,1),(0,3),(1,3)]$$
 U

$$[(0,0),(2,2),(0,2),(1,2),(1,4)]$$
 \cup

$$[(1,0),(1,2),(0,1),(1,3),(2,6)]$$
 \cup

$$[(1,0),(2,0),(2,1),(2,2),(2,3)] \cup$$

$$[(2,0),(2,1),(0,2),(0,4),(0,6)] \mod (-,7).$$

$$-K_{24} \rightarrow G_{14}: V(K_{24}) = \{\infty, 0, 1, ..., 6\} \cup \bigcup_{i=1}^{2} X_{i}$$
 where

 $X_i = \{0_i, 1_i, \dots, 7_i\}$. Since $K_{16} \rightarrow G_{14}$, we can construct 20 subgraphs from the vertices of $X_1 \cup X_2$.

The remaining 26 subgraphs are:

$$[1,2,4,5_1,5_2], [1_1,1_2,0,2,3]$$

$$[2,3,5,4,4_2], [2,2,0,1,3]$$

$$[3,4,6,5_1,5_2], [3_1,3_2,0,1,2]$$

$$[4,5,0,7_1,7_2], [6_1,6_2,0,1,2]$$

$$[6,0,2,5_1,5_2], [7_1,7_2,0,1,2]$$

$$[7_1, 7_2, 3, 6, \infty]$$

and
$$[\infty,i,i+1,i_1,i_2]$$
 for $i = 0,1,...,6$, $[j_1,j_2,4,5,6]$ for $j = 0,1,2,3$.

(e)
$$K_n \rightarrow G_{14}$$
 iff $n \equiv 0,1,4,9 \pmod{12}$, $n \ge 13$.

(10) (a)
$$G_{15}$$
: 0

- (b) $n \equiv 1$ or $9 \pmod{12}$.
- (c) The case $n \equiv 1 \pmod{12}$ was solved in [7]. Let n = 12t+9.

It is well-known that a resolvable decomposition into triangles exists [12], that is $K_n \to 0$ and furthermore, the triangles of the decomposition can be partitioned into 6t + 4 resolution classes, each containing 4t + 3 disjoint triangles (and thus covering all the vertices of K_n).

Partition the resolution classes into pairs (there is an even number of them) and consider a particular pair of resolution classes. By the theorem on simultaneous representatives [4,pg.51] applied to the two classes, we get common representatives of the triangles in them. Joining the two triangles which contain the common representative x at x yields a $^{\rm G}_{15}$. Hence we have $^{\rm K}_{12t+9} \stackrel{\rightarrow}{}^{\rm G}_{15}$.

(d) $K_n \rightarrow G_{15}$ if and only if $n \equiv 1$ or 9 (mod 12).

(11) (a)
$$G_{16}$$
: $\sum_{z=0}^{y} (x,y,z,u,y)$

- (b) $n \equiv 0$ or $1 \pmod{7}$.
- (c) $-K_7 + G_{16}$: use degree argument, similar to the case $K_9 + G_{14}$.
 - $K_8 + G_{16}$: use degree argument.

- $K_{14} \rightarrow G_{16}$: $V(K_{14}) = Z_{13} \cup \{\infty\}, [0,1,4,6,\infty] \mod 13.$
- $-K_{15} \rightarrow G_{16}: V(K_{15}) = Z_{15}, [0,1,4,6,7] \mod 15.$
- $K_{21} \rightarrow G_{16}: V(K_{21}) = Z_4 \times Z_5 \cup \{\infty\},$
 - [(0,0),(0,1),(1,3),(2,0),(1,1)] \cup
 - [(1,0),(0,0),(2,1),(2,3),(3,2)] U
 - [(0,0),(0,2),(3,2),(3,3),(2,2)] U
 - [(3,1),(3,3),(2,0),(2,1),(1,0)] U
 - [(1,0),(1,1),(2,0),(3,4),(1,2)] \cup
 - $[\infty, (0,0), (1,4), (3,4), (2,0)] \mod (-,5).$

$$-K_{28} \rightarrow G_{16}: V(K_{28}) = Z_{27} \cup {\infty}, [0,3,4,14,\infty] \cup$$

 $[0,6,8,15,5] \mod 27$.

$$- K_{29} \rightarrow G_{16}$$
: $V(K_{29}) = Z_{29}$, [0,1,3,11,6] \cup [0,4,9,16,14] mod 29.

$$- K_{35} \rightarrow G_{16}: V(K_{35}) = Z_2 \times Z_{17} \cup \{\infty\},$$

$$[(0,0),(0,6),(0,7),(1,8),(0,4)] \cup$$

$$[(0,0),(0,3),(0,5),(1,9),(1,13)] \cup$$

$$[(0,0),(1,5),(1,11),(1,14),\infty] \cup$$

$$[(1,0),(0,0),(1,10),(1,15),(1,1)] \cup$$

$$[(1,0),(1,4),(0,5),(0,14),\infty] \mod (-,17).$$

-
$$K_{36} o G_{16}$$
: $V(K_{36}) = Z_4 imes Z_9$,
 $[(0,0),(0,2),(1,8),(2,4),(0,1)] o$
 $[(0,0),(0,4),(1,7),(2,0),(0,3)] o$
 $[(1,0),(1,1),(2,0),(3,6),(1,2)] o$
 $[(1,0),(1,3),(2,4),(3,3),(1,4)] o$
 $[(0,3),(2,0),(2,4),(3,5),(1,4)] o$
 $[(0,5),(1,5),(3,0),(3,4),(1,7)] o$
 $[(2,0),(2,1),(2,3),(3,3),(0,1)] o$
 $[(0,0),(3,0),(3,1),(3,3),(3,6)] o$
 $[(1,5),(0,0),(2,3),(3,7),(2,2)] o$
 $[(1,4),(0,0),(2,7),(3,5),(3,2)] o$
 $[(1,4),(0,0),(2,7),(3,5),(3,2)] o$

-
$$K_{42} \rightarrow G_{16}$$
: $V(K_{42}) = Z_{41} \cup {\infty}, [0,3,4,20,15] \cup [0,8,10,19,14] \cup [0,5,12,18,\infty] \mod 41$.

-
$$K_{43} \rightarrow G_{16}$$
: $V(K_{43}) = Z_{43}$, [0,8,9,19,6] \cup [0,5,7,20,12] \cup [0,3,17,21,16] mod 43.

-
$$K_{49} \rightarrow G_{16}$$
: $V(K_{49}) = Z_7 \times Z_7$,
[(i,0),(i,1),(i+1,5),(i+3,3),(i+2,j)]
with $j = \begin{cases} 4 & \text{for } i = 0,1,2,3,4. \\ 0 & \text{for } i = 5,6. \end{cases}$
 $\cup [(i,0),(i+1,1),(i+1,3),(i+3,4),(i+3,j)]$

 $- K_{63} \rightarrow G_{16}: V(K_{63}) = Z_2 \times Z_{31} \cup \{\infty\},$

[(0,0),(0,1),(0,13),(1,0),(1,11)] \cup

[(0,0),(0,2),(0,6),(1,8),(1,12)] \cup

[(0,0),(0,3),(0,10),(1,13),(1,16)] \cup

 $[(0,0),(0,5),(0,16),(1,20),(1,19)] \cup$

 $[(0,0),(0,8),(0,17),(1,22),\infty]$ U

```
[(1,0),(1,1),(1,4),(1,10),(0,8)] \nu
  [(1,0),(1,2),(1,13),(0,4),(0,6)] \cup
  [(1,0),(1,7),(1,15),(0,14),(0,3)] \cup
  [(1,0),(1,5),(1,17),(1,10),\infty] \mod (-,31).
-K_{64} + G_{16}: V(K_{64}) = Z_7 \times Z_9 \cup \{\infty\},
  [(i,0),(i,1),(i+1,1),(i+3,1),(i+2,6)] i = 0,1,...,6
  \cup [(i,0),(i,4),(i+1,7),(i+3,2),(i+2,j)]
  with \begin{cases} j = 1 & \text{for } i = 0,1,2,3,4,5 \\ j = 3 & \text{for } i = 6 \end{cases}
  \cup [(i,0),(i+1,6),(i+1,8),(i+3,4),(k,j)]
  with k = 2, j = 3, for i = 0
         k = i+1, j = 5 for i = 1,2
         k = i+1, j = 2 for i = 3,4,5,6
  \cup [(i,0),(i+1,4),(i+3,3),(i+3,6),(k,j)]
  with k = 3, j = 8 for i = 0
         k = 5, j = 4 for i = 1
         k = 6, j = 4 for i = 2
         k = 6, j = 5 for i = 3
         k = 0, j = 5 for i = 4
         k = 0, j = 3 for i = 5
         k = 2, j = 8 for i = 6
  \cup [(4,1),(0,0),(1,2),(3,5),\infty]
  \cup [(4,5),(1,0),(2,2),(5,1),(6,8)]
  \cup [(5,5),(2,0),(3,2),\infty,(6,1)]
  \cup [(6,4),(0,0),(1,5),\infty,(3,5)] mod (-,9).
-K_{70} \rightarrow G_{16}: V(K_{70}) = Z_{69} \cup {\infty}, [0,11,13,25,1]
  \cup [0,3,29,34,20] \cup [0,10,28,32,30]
  \cup [0,17,23,50,21] \cup [0,8,15,24,\infty] mod 69.
-K_{71} \rightarrow G_{16}: V(K_{71}) = Z_{71}, [0,11,13,25,1]
  \cup [0,3,29,34,20] \cup ]0,10,28,32,30]
  \cup [0,17,23,50,19] \cup [0,8,15,24,35] mod 71.
```

$$- K_{77} + G_{16} : V(K_{77}) = Z_4 \times Z_{19} \cup \{\infty\}, \\ [(0,0),(1,0),(2,0),(3,0),\infty] \\ \cup [(0,\alpha),(1,2\alpha),(2,3\alpha),(3,4\alpha),(0,2\alpha)] \\ \text{with } \alpha = 1,2,3,4,5,6,7,8,9 \\ \cup [(1,2\alpha),(0,\alpha),(2,3\alpha),(3,4\alpha),(1,3\alpha-3)] \\ \text{with } \alpha = 10,11,12 \\ \cup [(2,3\alpha),(0,\alpha),(1,2\alpha),(3,4\alpha),(2,4\alpha-6)] \\ \text{with } \alpha = 13,14,15 \\ \cup [(3,4\alpha),(0,\alpha),(1,2\alpha),(2,3\alpha),(3,5\alpha-9)] \\ \text{with } \alpha = 16,17,18 \\ \cup [(4,0),(1,1),(1,4),(1,6),\infty] \\ \text{for } i = 1,2,3 \text{ mod } (-,19). \\ - K_{78} + G_{16} : V(K_{78}) = Z_2 \times Z_{39}, \\ [(0,0),(0,16),(0,18),(0,19),(1,4)] \\ \cup [(0,0),(0,4),(0,13),(1,26),(1,7)] \\ \cup [(0,0),(0,4),(0,13),(1,26),(1,7)] \\ \cup [(0,0),(0,6),(0,11),(1,3),(1,11)] \\ \cup [(1,0),(1,16),(1,18),(1,19),(0,24)] \\ \cup [(1,0),(1,4),(1,14),(0,34),(0,15)] \\ \cup [(1,0),(1,6),(1,11),(0,16),(0,11)] \\ \cup [(1,0),(1,9),(1,22),(0,1),(0,7)] \\ \cup [(0,0),(0,14),(1,0),(1,12),(1,33)] \text{ mod } (-,39). \\ - K_{91} + G_{16} : V(K_{91}) = Z_2 \times Z_{45} \cup \{\infty\}, \\ [(0,0),(0,1),(0,4),(0,20),\infty] \\ \cup [(0,0),(0,5),(0,15),(1,40),(1,11)] \\ \cup [(0,0),(0,5),(0,15),(1,40),(1,11)] \\ \end{array}$$

```
\cup [(0,0),(0,8),(0,22),(1,44),(1,17)]
  \cup [(0,0),(0,11),(0,24),(1,27),(1,19)]
  \cup [(1,0),(1,1),(1,4),(1,20),\infty]
  \cup [(1,0),(1,2),(1,8),(0,4),(0,21)]
  \cup [(1,0),(1,5),(1,15),(0,27),(0,15)]
  \cup [(0,0),(0,6),(0,18),(1,20),(1,13)]
  \cup [(0,0),(0,17),(1,0),(1,9),(1,42)]
  \cup [(1,0),(1,7),(1,24),(0,40),(0,14)]
   \cup [(1,0),(1,11),(1,23),(0,30),(0,13)]
   \cup [(1,0),(1,13),(1,27),(0,6),(0,11)] \mod (-,45).
-K_{92} \rightarrow G_{16}: V(K_{92}) = Z_4 \times Z_{23},
   [(0,\alpha),(1,2\alpha),(2,3\alpha),(3,4\alpha),(0,2\alpha+1)]
  with \alpha = 0, 1, ..., 10
   \cup [(1,2\alpha),(0,\alpha),(2,3\alpha),(3,4\alpha),(1,3\alpha-4)]
  with \alpha = 11, 12, 13, 14
   \cup [(2,3\alpha),(0,\alpha),(1,2\alpha),(3,4\alpha),(2,4\alpha-8)]
   with \alpha = 15, 16, 17, 18
   \cup [(3,4\alpha),(0,\alpha),(1,2\alpha),(2,3\alpha),(3,5\alpha-12)]
   with \alpha = 19, 20, 21, 22
   \cup [(i,0),(i,1),(i,4),(i,6),(i,11)]
   for i = 1, 2, 3 \mod (-, 23).
-K_{148} + G_{16}: V(K_{148}) = Z_4 \times Z_{37}
   [(0,\alpha),(1,2\alpha),(2,3\alpha),(3,4\alpha),(0,2\alpha+1)]
   with \alpha = 0, 1, 2, ..., 17
   \cup [(1,2\alpha),(0,\alpha),(2,3\alpha),(3,4\alpha),(1,3\alpha-10)]
   with \alpha = 18, 19, ..., 28
   \cup [(2,3\alpha),(0,\alpha),(1,2\alpha),(3,4\alpha),(2,4\alpha-14)]
   with \alpha = 29,30,31,32
```

$$\cup [(3,4\alpha),(0,\alpha),(1,2\alpha),(2,3\alpha),(3,5\alpha-18)]$$
 with $\alpha = 33,34,35,36$
$$\cup [(1,0),(1,1),(1,4),(1,6),(1,7)]$$

$$\cup [(i,0),(i,1),(i,7),(i,11),(i,8)]$$

$$\cup [(i,0),(i,2),(i,5),(i,14),(i,13)]$$

 $i = 2,3 \mod (-,37)$.

(d)

	Kn→G16 by Lemma			$\begin{cases} K & n_1, n_2, r \\ by & Lemma \end{cases}$	n ₃ ,n ₄ ,n ₅ →G16 n F with
n .		n ₁ =n ₂ =n ₃ =n ₄	n ₅	p=	q=
28t, t≥3, t≠6,17,21,29	A	7t	0	t	0
28t+1, t≥3, t≠6,17,29	В	7t	0	t	0
28t+7, t≥6 t≠7,11,15,18,22,30	A	7t-7	35	t-1	5
28t+8, t≥6, t≠7,11,15,18,30	В	7t-7	35	t-1	5
28t+14, t≥4, t≠6,10,14,17,21,29	A	7t	14	t	2
28t+15, t≥4, t≠6,10,14,17,29	В	7t	14	t	2
28t+21, t≥4, t≠6,10,14,17,21,29	A	7t	21	t	3
28t+22, t≥4, t≠6,10,14,17,29	В	7t	21	t	3
28t, t=6,17,21,29	A	7t-7	28	t-1	4
28t+1, t=6,17,29	В	7t-7	28	t-1	4
28t+7, t=11,15,18,22,30	A	7t-14	63	t-2	9 ·

				1	
28t+8, t=11,15,18,30	В	7t-14	63	t-2	9
28t+14, t=10,14,17,21,29	A	7t-7	42	t-1	6
28t+15, t=10,14,17,29	В	7t-7	42	t-1	6
28t+21, t=10,14,17,21,29	A	7t-7	49	t-1	7
28t+22, t=10,14,17,29	В	7t-7	49	t-1	7
		'			

The array is not complete and the missing cases are considered below.

- (i) Whether $K_n \to G_{16}$ for n=28t+7 and t=4,5, or 7, and n=28t+8 for t=4 or 7 is still undecided.
- (ii) n = 28t+14 or 28t+15 for t = 3: if we have $K_{2,2,2,2,2,2,2,2,2,2}$ K₄ then it can easily be seen that $K_{14,14,14,14,14,14,14,14} \rightarrow K_{7,7,7,7}$ G₁₆, and, by Lemma A and B, respectively, we get $K_{98} \rightarrow K_{16}$ and $K_{99} \rightarrow K_{16}$. The decomposition of $K_{2,2,2,2,2,2,2,2} \rightarrow K_{16}$ is

13 {
$$0 \in [0, 0] = 0$$
 $0 \in [0, 0] = 0$ $0 \in [0, 0] = 0$

(iv) n = 28t+21 or 28t+22 for t = 3: if we have $K_{3,3,3,3,3} \rightarrow K_4$, then $K_{21,21,21,21,21} \rightarrow K_{7,7,7,7} \rightarrow G_{16}$ and by Lemma A and B, respectively, we have $K_{105} \rightarrow G_{16}$ and $K_{106} \rightarrow G_{16}$. The case $K_{3,3,3,3,3} \rightarrow K_4$ is proved by letting $V(K_{3,3,3,3,3}) = Z_{15}$ and the base graph [0,1,3,7] mod 15.

- - (e) $K_n \rightarrow G_{16}$ if and only if $n \equiv 0$ or 1 (mod 7), $n \neq 7,8$ except possibly when n = 119,120,147,203,204.
 - (12) (a) G_{17} : $v_0 u_0 z_0 v_0$, [x,y,z,u,v] $(G_{17} \simeq K_{1,1,3})$.
 - (b) $n \equiv 1$ or $7 \pmod{14}$.
 - (c) $-K_{7,7,7} \rightarrow G_{17}$: $[0_2,0_3,1_1,2_1,3_1]$ $\cup [0_3,0_1,1_2,2_2,3_2] \cup [0_1,0_2,1_3,2_3,3_3] \mod 7$.
 - $K_{7,7,21} \rightarrow G_{17}$: since $G_{17} = K_{1,1,3}$, the decomposition can be obtained by applying Lemma D with $r_1 = r_2 = 1$, $r_3 = 3$, a = 7 and b = 0.

 - $K_{15} \rightarrow G_{17}$: $V(K_{15}) = Z_{15}$, [0,1,3,5,7] mod 15.
 - $-K_{29} \rightarrow G_{17}: V(K_{29}) = Z_{29}, [0,1,4,6,8]$ $\cup [0,2,11,12,15] \mod 29.$
 - $K_{49} \rightarrow G_{17}$: since $K_7 \rightarrow K_3$ (equivalent to a Steiner triple system of order 7) then $K_7,7,7,7,7,7,7,7$ $K_7,7,7 \rightarrow G_{17}$ and, since it has been proved that $K_7 \rightarrow G_{17}$, we have $K_{49} \rightarrow G_{17}$ by Lemma A.

(d)

	Kn ^{→G} 17 by Lemma			Kn1,n2,n3 +G1 with r1=r2=1		
n		n ₁ =n ₂	n ₃	a a	ъ ъ	· ·
42t+1, t≥1	В	14t	14t	2t	0	
42t+7, t≥2	A	14t-7	14t+21	2t-1	2	
42t+15, t≥1	В	14t	14t+14	2t	1	
42t+21, t≥0	A	14t+7	14t+7	2t+1	0	
42t+29, t≥1	В	14t	14t+28	2t	2	
42t+35, t≥0	A	14t+7	14t+21	2t+1	1	
	1		i	ł .		

(e) $K_n \rightarrow G_{17}$ if and only if $n \equiv 1$ or 7 (mod 14).

Remark: The case $K_n \to G_{17}$ for $n \equiv 1 \pmod{14}$ has already been solved, using a different method, in [6], furthermore, the decomposition satisfies an extra condition and is called a balanced G-design for $G = G_{17}$.

- (b) $n \equiv 0$ or $1 \pmod{7}$.
- (c) $-K_8 + G_{18}$: We use degree argument again. The degree of a vertex in K_8 is 7 and since the degrees of vertices in G_{18} are 2 or 3, any vertex of K_8 must appear in one graph of the decomposition with degree 3 and in two others with degree 2. However, this contradicts the fact that in the four graphs of the decomposition, there are altogether 4×4 vertices of degree 3 and 4×1 vertices of degree 2.
 - $K_{14} + G_{18}$: use similar argument as above.
 - $K_{7,7,7} \rightarrow G_{18}$: $[0_1, 0_2, 0_3, 1_3, 2_2]$ $\cup [0_1, 4_3, 1_2, 2_2, 5_1] \cup [5_2, 2_3, 0_1, 6_1, 5_3] \mod 7$.

- $K_{7,7,14} \rightarrow G_{18}$: A slightly different notation is used here, namely, though the elements of the first two sets of elements X_1 , X_2 are still g_i , $g \in Z_7$, i = 1,2 the third set is now assumed to be a union of two sets X_3 and X_3' with elements g_3 and g_3' respectively, $g \in Z_7$. The base graphs are

$$[0_{1}, 0_{2}, 0_{3}, 1_{3}, 2_{2}] \cup [0_{1}, 2_{2}, 4_{3}, 0_{3}', 1_{2}]$$

$$\cup [0_{1}, 1_{2}, 1_{3}', 4_{3}', 0_{2}] \cup [5_{2}, 2_{3}, 0_{1}, 6_{1}, 5_{3}]$$

$$\cup [3_{2}, 5_{3}', 0_{1}, 6_{1}, 2_{3}'] \mod 7.$$

-
$$K_{7,7,7,7} \rightarrow G_{18}$$
: $[0_{1},0_{3},0_{2},1_{2},1_{4}]$
 $\cup [0_{1},2_{2},3_{3},4_{3},4_{4}] \cup [1_{3},3_{4},0_{1},6_{1},5_{2}]$
 $\cup [0_{3},2_{1},3_{4},4_{4},5_{2}] \cup [3_{2},6_{4},0_{1},1_{3},4_{2}]$
 $\cup [3_{4},4_{3},5_{1},1_{2},5_{4}] \mod 7$.

$$- K_7 \rightarrow G_{18}: \quad V(K_7) = Z_2 \times Z_3 \cup \{\infty\}:$$

$$[(0,0),(1,0),(0,1),(1,1),\infty] \mod (-,3).$$

$$-K_{15} \rightarrow G_{18}$$
: $V(K_{15}) = Z_{15}$, [0,1,3,6,10] mod 15.

$$- K_{22} \rightarrow G_{18}: V(K_{22}) = Z_2 \times Z_{11},$$

$$[(0,0),(1,6),(1,3),(1,10),(1,5)]$$

$$\cup [(0,0),(0,1),(0,3),(1,1),(1,0)]$$

$$\cup [(1,2),(0,4),(0,0),(0,9),(1,5)] \mod (-,11).$$

-
$$K_{29} \rightarrow G_{18}$$
: $V(K_{29}) = Z_{29}$, [0,1,10,13,24]
 \cup [0,2,8,5,12] mod 29.

$$\begin{array}{lll} - \ \, \mathrm{K}_{35} \rightarrow \ \, \mathrm{G}_{18} \colon & \ \, \mathrm{V}(\mathrm{K}_{35}) = \ \, \mathrm{Z}_{2} \times \ \, \mathrm{Z}_{17} \cup \{\infty\}, \\ & \ \, [(0,9),(1,9),(0,0),(1,2),\infty] \\ & \ \, \cup \ \, [(1,2),(1,8),(0,0),(0,1),(0,7)] \\ & \ \, \cup \ \, [(1,4),(1,12),(0,0),(0,1),(1,14)] \\ & \ \, \cup \ \, [(0,2),(0,5),(0,1),(0,0),(1,16)] \\ & \ \, \cup \ \, [(1,5),(1,2),(1,1),(1,0),(0,12)] \ \, \mathrm{mod} \ \, (-,17). \end{array}$$

(d)

	$K_n \rightarrow G_{18}$			$K_{n_1,n_2,n_3} \rightarrow G_{18}$ by Lemma
	by Lemma			D with $r_1 = r_2 = r_3 = 7$;
n		$n_1 = n_2$	n ₃	$r_3'=14$, a b
(PART A)		<u>anna ann an Taoinn</u>	garanten eringa kelikula keli	
42t, t≥2, t≠3,4,7	A	14t	14t	2t 0
42t+1, t≥1	В	14t	14t	2t 0
42t+7, t≥2, t≠3,4,7	A	14t	14t+7	2t 1
42t+8, t≥1, t≠2,6,8	В	14t	14t+7	2t 1
42t+14, t≥5, t≠6,7	A	14t	14t+14	2t 2
42t+15, t≥1	В	14t	14t+14	2t 2
42t+21, t≥0	A	14t+7	14t+7	2t+1 0
42t+22, t≥1, t≠2,6,8	В	14t+7	14t+7	2t+1 0
42t+28, t≥1, t≠2,3,6	A	14t+7	14t+14	2t+1 1
42t+29, t≥1, t≠2,6,8	В	14t+7	14t+14	2t+1 1
42t+35, t≥1	A	14t+7	14t+21	2t+1 2
42t+36, t≥3, t≠5,6,7,8	В	14t+7	14t+21	2t+1 2
(PART B)				
42t, t=4,7	A	14t-7	14t+14	2t-1 3
42t+7, t=3,4,7	A	14t-7	14t+21	2t-1 4
42t+8, t=6,8	В	14t-7	14t+21	2t-1 4
42t+14, t=3,4,6,7	A	14t-7	14t+28	2t-1 5
42t+22, t=2,6,8	В	14t	14t+21	2t 3

42t+28, t=6	A	14t	14t+28		2t	4
42t+29, t=2,6,8	В	14t	14t+28	And the control of th	2t	4
42t+36, t=5,7,8	В	14t	14t+35	The state of the s	2t	5
42t+36, t=6	В	14t-7	14t+49		2t-1	8
(PART C)						
42×3=126	A	35	21		5	3
28	A	7	7		1	1
2+42+28=112	A	35	7		5	1
3×42+28=154	A	49	7		7	1
42+36=78	В	21	14		3	2

(e) $K_n \rightarrow G_{18}$ if and only if $n \equiv 0$ or 1 (mod 7), $n \geq 7$, $n \neq 8,14$ except possibly when n = 36,42,56,92,98,120.

Remark: if we had been able to show that $K_n \to G_{18}$ for n=36,42 and 56, then the existence of $K_n \to G_{18}$ for n=92,98 or 120 would be implied and Parts (B) and (C) of the array in (d) could have been incorporated into Part (A).

(14) (a)
$$G_{19}$$
: y y y , $[x,y,z,u,v]$.

- (b) $n \equiv 0$ or $1 \pmod{7}$.
- (c) $-K_8 + G_{19}$: again by degree argument. $-K_{7,7,7} + G_{19}$: $V(K_{7,7,7}) = Z_{21}$, [5,7,0,1,15] mod 21.

-
$$K_{7,7,7,7}$$
 - G_{19} : $[5_{2},0_{1},1_{3},2_{1},0_{3}]$
 \cup $[2_{3},4_{1},0_{4},0_{1},3_{4}]$ \cup $[1_{2},1_{4},6_{1},3_{4},0_{1}]$

$$\begin{smallmatrix} 0 & [4_2, 0_1, 3_3, 3_4, 5_4] \end{smallmatrix} \cup \begin{smallmatrix} [0_2, 1_3, 3_4, 0_3, 5_4] \end{smallmatrix}$$

$$\cup [0_3, 2_2, 3_1, 3_2, 6_4] \mod 7$$

$$- K_{14,14,14,14} \rightarrow G_{19}: V(K_{14,14,14,14}) = Z_{56},$$

$$[0,13,27,10,18] \cup [0,15,26,19,9]$$

$$- K_7 \rightarrow G_{19}: V(K_7) = Z_2 \times Z_3 \cup \{\infty\},$$

$$[(0,0),(1,0),(1,2),(0,1),\infty] \mod (-,3).$$

-
$$K_{14} \rightarrow G_{19}$$
: $V(K_{14}) = Z_{14}$, [8,9,0,7,10],
[0,3,2,1,12], [0,6,5,4,13], [11,2,10,0,4],
[8,4,3,1,6], [5,13,8,2,11], [11,1,12,8,6],
[5,9,12,7,1], [3,7,10,5,13], [9,3,11,7,6],
[1,4,10,13,7], [6,12,2,7,10] and [13,4,9,2,12].

$$-K_{15} \rightarrow G_{19}$$
: $V(K_{15}) = Z_{15}$, [0,5,7,4,6] mod 15.

$$- K_{22} \rightarrow G_{19}: V(K_{22}) = Z_2 \times Z_{11},$$

$$[(0,0),(0,1),(1,10),(1,0),(0,3)]$$

$$\cup [(1,7),(0,4),(0,0),(1,4),(1,9)]$$

$$\cup [(0,0),(1,2),(1,6),(0,5),(1,8)] \mod (-,11).$$

$$-K_{29} \rightarrow G_{19}: V(K_{29}) = Z_{29}, [1,0,5,8,10]$$

 $\cup [2,0,8,19,15] \mod 29.$

-
$$K_{36} \rightarrow G_{19}$$
: $V(K_{36}) = Z_4 \times Z_9$,
[(0,0),(0,2),(1,5),(1,8),(1,0)]
 \cup [(1,2),(0,0),(0,1),(2,8),(3,5)] mod (4,9) and
[(0,0),(0,4),(2,5),(2,0),(2,8)]
 \cup [(1,0),(1,4),(3,5),(3,0),(3,8)] mod (-,9).

$$- K_{50} \rightarrow G_{19}: V(K_{50}) = Z_2 \times Z_{25},$$

$$[(0,0),(1,13),(1,12),(0,12),(1,2)]$$

$$\cup$$
 [(1,16),(1,14),(0,0),(0,11),(1,24)]

$$\cup$$
 [(0,0),(1,22),(1,18),(0,8),(0,15)]

$$\cup$$
 [(0,0),(1,21),(1,15),(0,6),(0,18)]

$$\cup$$
 [(0,0),(1,4),(1,11),(0,3),(0,23)] mod (-,25).

$$-K_{71} \rightarrow G_{19}: V(K_{71}) = Z_{71}: [0,17,35,10,2]$$

$$\cup$$
 [3,7,0,29,30] \cup [0,14,30,31,38]

$$\cup$$
 [21,9,0,34,41] \cup [11,5,0,19,33] mod 71.

$$-K_{92} \rightarrow G_{19}: V(K_{92}) = \bigcup_{i=1}^{13} V_i \cup \{\infty\} \text{ with } |V_i| = 7$$

for
$$i = 1, 2, ..., 13$$
.

$$K_{92}$$
 is the edge-disjoint union of

(i)
$$K_{29}$$
 on the elements of $\bigcup_{i=1}^{7} \bigvee_{i} \bigcup_{i} \{\infty\}$

(ii) three
$$K_{22}$$
's on the elements of $V_{5+i} \cup V_{6+i} \cup V_{7+i} \cup {\infty}$ for $i=0,3,$ or 6.

(iii) the graph
$$K_{3,3,3,4} \otimes S_7$$
.

If we can prove that $K_{3,3,4} \rightarrow \{K_3,K_4\}$ then $K_{3,3,3,4} \otimes S_7 \rightarrow \{K_7,7,7,K_7,7,7,7\}$ and since $K_{7,7,7} \rightarrow G_{19}$, $K_{7,7,7,7} \rightarrow G_{19}$, we have $K_{92} \rightarrow G_{19}$. Now $K_{3,3,3,4} \rightarrow \{K_3,K_4\}$ with base graphs $[0_4,2_1,1_2] \cup [0_4,2_2,1_3] \cup [0_4,2_3,1_1] \cup [0_4,0_1,0_2,0_3] \cup [\infty,0_1,1_2,2_3] \mod 3$.

(d)							
	$ \begin{array}{ccc} K_n & \xrightarrow{G} & 19 \\ by & \text{Lemma} \end{array} $				ⁿ 2', ⁿ 3', ⁿ a E, wi	→G ₁₉ b th	ý
n		n ₁ =n ₂ =n ₃	n ₄	r	P	q	
21t, t≥1	A	7t ·	0	7	t	0	
21t+1, t≥2	В	.7t	0	7	t	0	
21t+7, t≥1, t≠2,6	A	7t	7	7	t	1	
21t+8, t≥5, t≠7	В	7(t-1)	28	7	t-1	4	
21t+14, t≥2, t≠2,6	A	7t	14	7	t	2	
21t+15, t≥2, t≠2,6	В	7t	14	7	t	2	
21t+8, t=7	В	14×3	14×2	14	3	2	
21t+14, t=2	A	14	14	14	1	1	
21t+14, t=6	A	14×3	14	14	3	1	
21t+15, t=2	В	14	14	14	1	1	
21t+15, t=6	В	14×3	14	14	3	1	

Some cases are missing from the array and are considered here.

 $K_{21t+7}
ightharpoonup G_{19}$ for t = 2 and 6. The proofs of both cases are similar, hence only one is mentioned here: as $K_7
ightharpoonup K_3$, we have $K_{7.7}
ightharpoonup \{K_7,K_7,K_7,7\}$, both of which are decomposable into G_1 , hence $K_{49}
ightharpoonup G_{19}$; for $K_{133}
ightharpoonup G_{19}$, the only difference in the proof is the fact that $K_{19}
ightharpoonup K_3$.

 $K_{14,14,14} \rightarrow K_{7,7,7} \rightarrow G_{19}$, hence $K_{14,14,14} \rightarrow G_{19}$.

 $K_{35} \rightarrow G_{19}$ if $K_{7,7,7,7,7} \rightarrow G_{19}$, but the latter can be proved: let $V(K_{7,7,7,7,7}) = Z_{35}$ then $[0,1,4,13,8] \cup [2,0,19,8,14] \mod 35$ are the base graphs.

- (e) $K_n \rightarrow G_{19}$ if and only if $n \equiv 0$ or 1 (mod 7), $n \neq 8$.
- (15) (a) G_{20} : v = v = 0 v = [x,y,z,u,v].
 - (b) $n \equiv 0$ or $1 \pmod{16}$.
 - (c) $-K_{4,4,4,4,4} \rightarrow G_{20}$: $V(K_{4,4,4,4,4}) = Z_{20}$, [0,1,7,3,9] mod 20.
 - $K_{16,16,16,16} \rightarrow G_{20}: V(K_{16,16,16,16}) = Z_{64},$ $[0,1,15,6,34] \cup [13,2,23,0,40]$
 - υ [3,45,28,10,0] mod 64.
 - $-K_{17} \rightarrow G_{20}$: $V(K_{17}) = Z_{17}$, [0,5,7,1,8] mod 17.
 - $K_{33} \rightarrow 20$: $V(K_{33}) = Z_{33}$, [0,16,14,1,22] \cup [0,3,8,12,10] mod 33.
 - $K_{49} \rightarrow G_{20}$: $V(K_{49}) = Z_{49}$, [0,1,20,24,12] \cup [0,8,17,2,22] \cup [0,3,16,21,10] mod 49.
 - $-K_{97} \rightarrow G_{20}$: $V(K_{97}) = Z_{97}$, [1,21,36,0,39]
 - \cup [0,2,42,72,33] \cup [0,4,47,84,28]
 - \cup [71,94,0,8,80] \cup [16,45,91,0,26]
 - \cup [0,90,85,32,49] mod 97.
 - $K_{113} \rightarrow G_{20}$: $V(K_{113}) = Z_{113}$, [0,1,36,43,56]
 - \cup [0,3,16,108,14] \cup [0,9,48,98,49]
 - \cup [27,31,68,0,65] \cup [81,91,93,0,109]
 - \cup [47,53,0,30,99] \cup [29,54,0,80,73] mod 113.
 - $-K_{177} \rightarrow G_{20}: V(K_{177}) = Z_{177}, [0,5,3,26,55]$
 - \cup [0,6,10,52,67] \cup [12,20,104,0,63]
 - U [0,31,24,40,58] U [48,62,80,0,87]
 - \cup [0,124,160,96,102] \cup [0,15,71,143,69]
 - \cup [109,142,0,30,9] \cup [41,60,107,0,119]

∪ [0,120,82,37,29] ∪ [74,164,0,63,75] mod 177.

(e)
$$K_n \rightarrow G_{20}$$
 for $n = 17,33,49,97,113$ and 177.

Remark: We can prove $K_n \rightarrow G_{20}$ for n = 16t or 16t+1 if $K_n \rightarrow G_{20}$ for t = 1,2,3,6,7,8,9,11,26 or 27. We have been able to solve only six of the twenty cases.

(16) (a)
$$G_{21}$$
: $u = x_{1,2,2}$, $[x,y,z,u,v]$. $(G_{21} \simeq K_{1,2,2})$

- (b) $n \equiv 0$ or $1 \pmod{16}$.
- (c) $-K_{16} + G_{21}$: by degree argument.

$$-K_{8,8,8} \rightarrow G_{21}$$
: $V(K_{8,8,8}) = Z_{24}$, [0,1,5,22,14] mod 24.

$$-K_{16,16,16} \rightarrow G_{21}: K_{16,16,16} \rightarrow K_{8,8,8} \rightarrow G_{21}.$$

$$-K_{17} \rightarrow G_{21}: V(K_{17}) = Z_{17}, [0,1,4,9,7] \mod 17.$$

-
$$K_{33} \rightarrow G_{21}$$
: $V(K_{33}) = Z_{33}$, [0,2,19,32,24]
 \cup [0,5,23,29,26] mod 33.

$$- K_{65} \rightarrow G_{21}: V(K_{65}) = Z_{65}, [0,8,35,64,52]$$

$$\cup [0,7,24,63,16] \cup [0,6,40,62,51]$$

$$\cup [0,5,28,61,15] \text{ mod } 65.$$

(d) Proof of $K_{16+1} \rightarrow G_{21}$, $t \ge 1$.

	$ \begin{array}{c} K_n \to G_{21} \\ \text{by Lemma} \end{array} $			$\begin{bmatrix} K & & & & & & & & & & & & & & & & & & $	21 by Lemma D 3=16,r'=8
n		$n_1 = n_2$	n ₃	а	Ъ
48t+1, t≥1	В	16t	16t	t	0
48t+17, t≥3	В	16t+16	16t-16	t+1	4
48t+33, t≥1	В	16t+16	16t	t+1	2

We need the following decompositions for the induction used in the array.

-
$$K_{16,16,8} \rightarrow G_{21}$$
: by Lemma D with $r_1 = r_2 = 2$, $r_3 = r_3' = 1$, $a = 8$ and $b = 0$.

$$K_{113} \rightarrow G_{21}: V(K_{113}) = {7 \atop i=1} Z_{16}^{i} \cup \{\infty\}$$

- K_{113} \rightarrow $\{K_{17}, K_{16,16,16,16,16,16,16}\}$. It has been shown that K_{17} \rightarrow G_{21} and also $K_{16,16,16}$ \rightarrow G_{21} , the last decomposition with K_{7} \rightarrow K_{3} implies that $K_{16,16,16,16,16,16,16,16}$ \rightarrow G_{21} .

As for the other infinite family, $n \equiv 0 \pmod{16}$, if we can prove that $K_n \to G_{21}$ for n = 16t, t = 2,3,4,5 or 7, then we would have $K_n \to G_{21}$ for the whole family by applying Lemma A and using the same method as displayed in the array. However, of the five values, a decomposition has been obtained only for one, namely when t = 4.

$$- K_{64} \rightarrow G_{21}; \quad V(K_{64}) = \bigcup_{i=1}^{3} V_{i} \cup \{\infty\},$$

$$V_i = \{0_i, 1_i, \dots, 20_i\}, [10_1, 0_1, 2_1, 7_1, 15_2]$$

$$\begin{smallmatrix} 0 & [20_2, 1_1, 0_1, 4_1, 19_3] \\ 0 & [9_1, 0_1, 9_2, 2_1, 6_2] \end{smallmatrix}$$

$$\begin{smallmatrix} \cup & [19_3, 0_1, 6_1, 8_2, 14_2] & \cup & [1_2, \infty, 0_1, 11_2, 14_3] \end{smallmatrix}$$

$$\begin{smallmatrix} 0 & [8_2, 0_2, 1_2, 3_2, 10_3] \end{smallmatrix} \cup \begin{smallmatrix} [0_2, 3_2, 4_3, 9_2, 18_3] \\ \end{smallmatrix}$$

$$\begin{smallmatrix} \cup & [13_2, 0_1, 0_3, 13_3, 17_2] & \cup & [12_3, 0_1, 6_3, 7_3, 16_3] \end{smallmatrix}$$

$$\begin{smallmatrix} 0 & [7_3, 0_1, 5_3, 3_1, 14_3] \end{smallmatrix} \cup [12_2, 0_1, 3_3, 2_1, 10_3]$$

$$\cup [0_1, 3_2, 9_3, 20_3, 17_3] \mod 21.$$

(e)
$$K_n \rightarrow G_{21}$$
 if $n \equiv 1 \pmod{16}$ and $n = 64$, $K_{16} \rightarrow G_{21}$.

(17) (a)
$$G_{22}$$
: $x0 \xrightarrow{u} 0z$, $[x,y,z,u,v]$. $(G_{22} \simeq K_{1,1,1,2})$.

(b) $n \equiv 0$ or $1 \pmod{9}$.

(c)
$$-K_n + G_{22}$$
 for $n = 9,10,18$; by degree argument.

$$-K_{19} \rightarrow G_{22}$$
: $V(K_{19}) = Z_{19}$, [0,1,3,9,15] mod 19.

$$-K_{6,6,6,6} + G_{22}$$
: $V(K_{6,6,6,6}) = Z_{24}$, [0,3,18,1,13] mod 24.

(e) $K_n + G_{22}$ for n = 9,10,18; however, $K_{19} + G_{22}$.

(18) (a)
$$G_{23}$$
: 0

 G_{23} is the complete graph with five vertices and, as mentioned in Section II, $K_n \rightarrow G_{23}$ has already been shown to hold [5]; that is,

 $K_n \to G_{23}$ if and only if $n \equiv 1$ or 5 (mod 20).

(Equivalently, a balanced incomplete block design, BIBD (n,5,1) exists if and only if $n \equiv 1$ or 5 (mod 20).)

REFERENCES

- [1] J.-C. Bermond, D. Sotteau: Graph decompositions and G-designs,
 Proc. 5th British Combinatorial Conf. 1975, Congressus Numerantium XV, Utilitas Math., Winnipeg 1976, pp.53-72.
- [2] J.-C. Bermond, J. Schönheim: G-decomposition of K_n , where G has four vertices or less, Discrete Math. 19 (1977), 113-120.
- [3] J.-C. Bermond, D. Sotteau: Cycle and circuit designs, odd case, Graphentheorie und deren Anwendungen, Proc. Internat. Colloq. Oberhof, DDR, Ilmenau 1977.
- [4] M. Hall Jr.: Combinatorial Theory, Blaisdell, Waltham, Mass. 1967.
- [5] H. Hanani: Balanced incomplete block designs and related designs, Discrete Math. 11 (1975), 255-369.
- [6] C. Huang: On some classes of balanced graph designs, Ph.D. Thesis, McMaster University, Hamilton 1974.
- [7] C. Huang: Balanced graph designs on small graphs, Utilitas Math. 10 (1976), 77-108.
- [8] C. Huang, A. Rosa: Decomposition of complete graphs into trees, Ars Combinatoria 5 (1978), 23-63.
- [9] C. Huang, J. Schönheim: Decomposition of K_n into dragons, Canad. Math. Bull. (to appear).

- [10] D.K. Ray-Chaudhuri, R.M. Wilson: The existence of resolvable designs, A Survey of Combinatorial Theory (Ed. J.N. Srivastava et al.), North-Holland, Amsterdam 1973, pp. 361-376.
- [11] A. Rosa, C. Huang: Another class of balanced graph designs: balanced circuit designs, Discrete Math. 12 (1975), 269-293.
- [12] M. Tarsi: Decomposition of complete multigraphs into stars, Discrete Math. 26 (1979), 273-278.
- [13] S.N.P. Wang, R.M. Wilson: A few more squares II, Proc. 9th S.-E. Conf. Combinatorics, Graph Theory and Computing, Boca Raton 1978, Congressus Numerantium XXI, Utilitas Math., Winnipeg 1978, p. 688.
- [14] R.M. Wilson: Concerning the number of mutually orthogonal latin squares, Discrete Math. 9 (1974), 181-198.
- [15] R.M. Wilson: Decompositions of complete graphs into subgraphs isomorphic to a given graph, Proc. 5th British Combinatorical Conf. 1975, Congressus Numerantium XV, Utilitas Math, Winnipeg 1976, pp. 647-659.
- [16] S. Yamamoto, H. Ikeda, S. Shige-eda, K. Ushio, N. Hamada: On clawdecomposition of complete graphs and complete bigraphs, Hiroshima Math. 5 (1975), 33-42.

Graph	Necessary Condition	Result on Sufficient Condition
G ₁ ; 0—0 0—0—0	n ≡ 0 or 1 (mod 3)	same*
G ₂ : 0—0 0		same
G ₃ : 0-0-0-0-0		same
G ₄ : 0-0-0	n = 0 or 1 (mod 8)	same
G ₅ : 000		same
G ₆ : 0 0	n ≅ 0 or 1 (mod 5)	same
G ₇ : 0 0		$n \equiv 0 \text{ or } 1 \pmod{5}, n \ge 6^+$
G ₈ :	n = 0 or 1 (mod 5)	$n \equiv 0 \text{ or } 1 \pmod{5}, n \ge 6^+$
G ₉ :		$n \equiv 0 \text{ or } 1 \pmod{5}, n > 6^{+}$
G ₁₀ ; 000	n ≡ 1 or 5 (mod 10)	same
G ₁₁ :		same
G ₁₂ : 5 0		same
G ₁₃ :	n = 0,1,4 or 9 (mod 12)	$n \equiv 0,1,4$ or 9 (mod 12), except possibly when $n = 24^{x}$
G ₁₄ :		$n \equiv 0,1,4 \text{ or } 9 \pmod{12}, n \ge 13$

Graph	Necessary Condition	Result on Sufficient Condition
G ₁₅ :	n ≡ 1 or 9 (mod 12)	same
G ₁₆ :	n = 0 or 1 (mod 7)	$n \equiv 0 \text{ or } 1 \pmod{7}, n \neq 7, 8$ except possibly when $n = 119, 120, 147, 203, 204^x$
G ₁₇ :	n = 1 or 7 (mod 14)	same
G ₁₈ ;	n = 0 or 1 (mod 7)	$n \equiv 0 \text{ or } 1 \pmod{7}, n \neq 8, 14$ except possibly when $n = 36,$ 92, 56, 92, 98, 120 ^x
G ₁₉ :	J	$n \equiv 0 \text{ or } 1 \pmod{7}, n \neq 8^{+}$
G ₂₀ :	n ≡ 0 or 1 (mod 16)	n = 17,33,49,97,113 and 117 ^x
_{G21} :		$n \equiv 1 \pmod{16}, n \neq 16, n = 64^{x}$
G ₂₂ :	n ≡ 0 or 1 (mod 9)	n ‡ 9,10,18, n = 19 ^X
G ₂₃ :	n ≡ 1 or 5 (mod 20)	same

*same: The necessary conditions are also sufficient.

+ : The necessary conditions are not always sufficient.

x : Complete solution has not been obtained.