

# Unranked Tree Rewriting and Effective Closures of Languages

Florent Jacquemard, Michaël Rusinowitch

#### ▶ To cite this version:

Florent Jacquemard, Michaël Rusinowitch. Unranked Tree Rewriting and Effective Closures of Languages. Meeting of the IFIP WG 1.6 on Term Rewriting, Jun 2013, Eindhoven, Netherlands. hal-00852379

### HAL Id: hal-00852379 https://inria.hal.science/hal-00852379

Submitted on 20 Aug 2013

**HAL** is a multi-disciplinary open access archive for the deposit and dissemination of scientific research documents, whether they are published or not. The documents may come from teaching and research institutions in France or abroad, or from public or private research centers. L'archive ouverte pluridisciplinaire **HAL**, est destinée au dépôt et à la diffusion de documents scientifiques de niveau recherche, publiés ou non, émanant des établissements d'enseignement et de recherche français ou étrangers, des laboratoires publics ou privés.

# Unranked Tree Rewriting and Effective Closures of Languages

## Meeting of the IFIP WG 1.6 on Term Rewriting – Eindhoven

Florent Jacquemard M INRIA Paris-Rocquencourt, Ircam LO

Michael Rusinowitch LORIA, INRIA Nancy

June 27, 2013

We consider rewriting systems for unranked ordered trees, where the number of children of a node is not determined by its label, and is not a priori bounded. The rewriting systems are defined such that variables in the rewrite rules can be substituted by hedges (sequences of trees) instead of just trees. Consequently, this notion of rewriting subsumes both standard term rewriting and word rewriting.

We present some properties of preservation for classes of unranked tree languages, including hedge automata languages and various context-free extensions. Finally, applications to static type checking for XML transformations and to the verification of read/write access control policies for XML updates are mentioned.