

RFID Based Grain and Oil Products Traceability and Its Computer Implementation

Haiyan Hu, Yunpeng Cui

▶ To cite this version:

Haiyan Hu, Yunpeng Cui. RFID Based Grain and Oil Products Traceability and Its Computer Implementation. Third IFIP TC 12 International Conference on Computer and Computing Technologies in Agriculture III (CCTA), Oct 2009, Beijing, China. pp.400-406, 10.1007/978-3-642-12220-0_59. hal-01060512

HAL Id: hal-01060512 https://inria.hal.science/hal-01060512v1

Submitted on 4 Sep 2014

HAL is a multi-disciplinary open access archive for the deposit and dissemination of scientific research documents, whether they are published or not. The documents may come from teaching and research institutions in France or abroad, or from public or private research centers. L'archive ouverte pluridisciplinaire **HAL**, est destinée au dépôt et à la diffusion de documents scientifiques de niveau recherche, publiés ou non, émanant des établissements d'enseignement et de recherche français ou étrangers, des laboratoires publics ou privés.



Distributed under a Creative Commons Attribution 4.0 International License

RFID BASED GRAIN AND OIL PRODUCTS TRACEABILITY¹ AND ITS COMPUTER IMPLEMENTATION

Haiyan Hu^{1,2,*}, Yunpeng Cui^{1,2}

1.Key Laboratory of Digital Agricultural Early-warning Technology, Ministry of Agriculture, The People's Republic of China 100081

2. Agricultural Information Institute of Chinese Academy of Agriculture Science, Beijing 100081, P.R. China

*.Corresponding author, Address:Agricultural Information Institute of Chinese Academy of Agriculture Science, Beijing 100081, P.R.China, Tel: +86-10-82106263, Fax: +86-10-82106263, Email:huhaiyan@mail.caas.net.cn

Abstract: Food safety is a widely concerned problem in current world. Traceability technology is an effective measure to solve the problem. This paper describes the study of the traceability of grain and oil products. Include the study contents, and a system we developed for traceability of grain and oil products, and the demonstration of the study. The system we developed was used in Luhua group and some supermarkets and get good feedbacks.

Key words: RFID, traceability, grain and oil products

1. INTRODUCTION

China is a type of plant based country. The major grain and oil products like wheat, rice, soybean and peanuts are widely consumed in China, and played a dominant role in people's diet. The quality of grain and oil concerned hundreds of millions of people's health, and economic development and social stability. So how to enhance grain and oil quality

¹ The study was supported by the national 863 project named the study of global traceability technology of major grain and oil products quality, the number of the project is 2006AA10Z268.

and safety management, rectify and standardize the market has now become the most important issue of grain and oil management.

The main grain and oil products have mainly three types of hazard sources, Chemical Hazards, Biological Hazards and Physical Hazards. "Traceability" can be divided into three parts: tracking, upward traceability and downward traceability according to the type of traceability behavior, traceability can also be divided into passive and active traceability. Traceability includes external and internal traceability, External traceability means the traceability among each node in the food chain, and internal traceability means the traceability inside an enterprise or an organization.

In recent years, the United States, Japan, Australia and other developed countries, and the European Union have taken a lot of positive measures in food safety traceability and put them into practice.

Since China joined WTO, profound changes happened in food production and circulation area. The Ministry of Agriculture launched experimental work of urban agricultural products quality control system, and focus on the quality of agricultural products traceability system construction (Lin Ling, Zhou Deyi,2005). In 2002, Beijing Vegetable Products quality traceability system experimental project, launch by the Ministry of Agriculture, used uniform packaging and product tag code; Shanghai Animal Husbandry Department put forward Shanghai animal immunity identification management method, and set up files for pigs, cattle, sheep and other livestock products (Cheng Hao,2007), Nanjing, Tianjin and Shenzhen have also launched traceability system construction (Fan Hongping etc.,2007). The traceability system construction of food safety is at its initial stage in China (Chang Xiang, 2007). And So far, there is no traceability system about grain and oil products in China.

2. IMPLEMENTATION OF THE TRACEABILITY OF GRAIN AND OIL PRODUCTS

2.1 The goal of the research

The goal of the research is to make a series of breakthrough on key technologies of grain and oil products traceability. Develop a number of hardware and software with independent intellectual property rights, and demonstrate these products in grain and oil production bases, warehouses, and markets, so find a Chinese characteristic way and establish the grain and oil traceability system in China.

2.2 The research route

Fig. 1 shows the route of the research. The research includes 5 parts:




Fig..1 The route of the research

design and system implementation.

2.3 The key problems we solved in the study

2.1.1 Study of the framework of the global traceability of grain and oil products

Based on HACCP (Hazard Analysis and Critical Control Point) and FMECA (Failure Mode Effect and Criticality Analysis), to confirm the hazard sources and Influencing factors of grain and oil products^[1], and establish their key control points, find the key indicator of the traceability, and finally, construct the unit of the traceability.

2.1.2 Study of coding identification and global files digitalization technologies of major grain and oil products

We designed a major grain and oil products traceability classification and encoding standard, to implement the RFID (Radio Frequency Identification) based unique product identification. Based on the unique global code, we can construct the global digital files system to help the enterprises implement the digital management on production, processing, marketing and other aspects. In order to improve the data transfer rate, we use high frequency RFID to save the product information. Based on XML heterogeneous data conversion technology, we implement the data integration of external traceability and internal traceability, so the digital files of the grain and oil products chain can be exchanged transparently.

2.1.3 Study of digital products and origin authentication

Based on RFID digital certification, we implement the grain and oil products origin authentication. We implemented the digital origin information management through distributed database technology. We established a grain and oil products base database, to save the enterprises and origin related environment quality information, such as enterprise digital authentication certificate, the natural environment information and production environment information.

2.1.4 Study on RFID middleware of major grain and oil products

We use web services architecture to implement the information delivery and filtration and RFID message aggregation between data collection layer and application layer, and RFID events management based event notification and subscribe.

We made a RFID data describe standard, a data accuracy requirement and a data format specification and RFID data layer interface standard, developed a series of RFID based middleware, established RFID database, so constructed a RFID data management system, and implemented XML based data exchange.

2.1.5 Study of application support technologies of traceability

According to the hazard sources, we use agent technology to monitor the KPI (key performance indicator) of the system, so the system can make rapid reaction and report for quality accident of grain and oil products. Through MEP (Message Exchange Pattern) based information exchange technology, the key traceability information and the complete report can be delivered to different user in time.

3. IMPLEMENTATION OF THE GRAIN AND OIL PRODUCTS TRACEABILITY SYSTEM

According to the study contents above, we developed a complete traceability system. the systems include 4 subsystems (Fig.2).

Traceability information management system FMECA analysis system Grain and oil standards management system Enterprise information management system		(Grain	and	oil pi	oduc	ts tra	ceabi	lity s	yster	n	
Traceability information management system FMECA analysis system Grain and oil standards management system Enterprise information management system								1			1	
<i>Fig.2</i> The functional modules in the traceability system								·				

Fig.3 is the portal of the traceability system. From this homepage, user can visit the related information, and navigate to the subsystem, subscribe related information through RSS, and retrieve the traceability information inside the application.



Fig.3 The portal homepage of the system

Fig.4 is the interface of the standards management system. In this system, user can retrieve, browse, and publish the related standards.

Haiyan Hu, Yunpeng Cui

‡(E) 编辑(E) 查看(V) 收藏((A) 工具(T) 帮助(H)		
(D) 🐻 http://localhost:4269/G	oTraceNew/standards. aspx	🖌 🏹 转到	罐
2008年7月11日 星期五 农历闰	七月初九	ል 🛛 🕹	
	提高农产品国际竞争力 1 🐨 🐻 保护消费者利益		
急急急犯令急没余 请输关键词	602 : 首页 : 课题资讯 : 根油企业 : 制	食油标准 : 溯源系统 : FMECA	
	- WIE 2942		
▶ 标准分类	таче дах		
▶ 标准分类	▶ 土壤环境质量标准	[更新日期:2008-02-20]	
◆ 小麦产品质量安全技术标准		[更新日期:2008-02-20] [更新日期:2008-02-20]	
	▶ 土壤环境质量标准		
◆小麦产品质量安全技术标准	 > 土壤环境质量标准 > 食品中有机磷农药残留量的测定方法 	[更新日期:2008-02-20] [更新日期:2008-02-20]	
◆小麦产品质量安全技术标准 ◆植物油脂产品质量安全技术	 > 土壤环境质量标准 > 食品中有机磷农药残留量的测定方法 > 粮食、油料检验升样、分样法 	[更新日期:2008-02-20] [更新日期:2008-02-20]	
◆小麦产品质量安全技术标准 ◆植物油脂产品质量安全技术	 > 土壤环填质量标准 > 含品中有机磷农药残留量的测定方法 > 粮食、油料检验升样、分样法 > 蔬菜和水果中有机磷、有机氯、拟除虫菊酯和氨基甲酸酯类农药多 	[更新日期:2008-02-20] [更新日期:2008-02-20] 残留检测方法 [更新日期:2008-02-20]	
◆小麦产品质量安全技术标准 ◆植物油脂产品质量安全技术	 > 土壤环境质量标准 > 含品中有机磷农药残留量的侧定方法 > 粮食、油料检验扦样、分样法 > 蔬菜和水果中有机磷、有机氯、拟除虫嘴酯和氨基甲酸酯类农药多 > GB-T 5918-1997 配合饲料混合均匀度的例定 	[更新日期:2008-02-20] [更新日期:2008-02-20] 残留检测方法 [更新日期:2008-02-20] [更新日期:2008-02-20]	
◆小麦产品质量安全技术标准 ◆植物油脂产品质量安全技术	 土壤环境质量标准 食品中有机磷农药残留量的测定方法 粮食、油料检验扦样、分样法 蔬菜和水果中有机磷、有机氯、拟除虫菊酯和氨基甲酸酯类农药多 GB-T 5918-1997 配合饲料混合均匀度的测定 GB-T 5511-1985 粮食、油料检验租蛋白质测定法 	(更新日期:2008-02-20) (更新日期:2008-02-20) 残留检测方法(更新日期:2008-02-20) (更新日期:2008-02-20) (更新日期:2008-02-20)	
◆小麦产品质量安全技术标准 ◆植物油脂产品质量安全技术	 土壤环境质量标准 食品中有机磷农药残留量的测定方法 粮食、油料检验扦样、分样法 蔬菜和水果中有机磷、有机氯、拟除虫菊酯和氨基甲酸酯类农药多 GB-T 5918-1997 配合饲料混合均匀度的测定 GB-T 5511-1985 粮食、油料检验租蛋白质测定法 GB-T 5497-1985 粮食、油料检验水分测定法 	(更新日期: 2008-02-20) (更新日期: 2008-02-20) 預留检测方法[更新日期: 2008-02-20] (更新日期: 2008-02-20] (更新日期: 2008-02-20] (更新日期: 2008-02-20]	
◆小麦产品质量安全技术标准 ◆植物油脂产品质量安全技术	 > 土壤环境质量标准 > 食品中有机磷农药残留量的测定方法 > 橡食、海科检验扦样、分样法 > 蔬菜和水果中有机磷、有机氯、拟除虫菊酯和氨基甲酸酯类农药多 > GB-T 5918-1997 配合饲料混合均匀度的测定 > GB-T 511-1985 粮食、油料检验租蛋白质测定法 > GB-T 5497-1985 粮食、油料检验水分测定法 > GB-T 5497-1985 粮食、油料检验水分测定法 > GB-S009.19-2003 食品中六六六、滴滴涕残留量的测定 	(更新日期: 2008-02-20) (更新日期: 2008-02-20) 残儲检测方法(更新日期: 2008-02-20) (更新日期: 2008-02-20) (更新日期: 2008-02-20) (更新日期: 2008-02-20) (更新日期: 2008-02-20)	
◆小麦产品质量安全技术标准 ◆植物油脂产品质量安全技术	 > 土壤环境质量标准 > 食品中有机磷农药残留量的测定方法 > 食品中有机磷农药残留量的测定方法 > 粮食、海科检验扦样、分样法 > 蔬菜和水果中有机磷、有机氯、拟除虫菊酯和氨基甲酸酯类农药多 > GB-T 5918-1997 配合饲料混合均匀度的测定 > GB-T 5811-1985 粮食、油料检验租蛋白质测定法 > GB-T 5497-1985 粮食、油料检验水分测定法 > GB 5009.19-2003 食品中六六六、滴滴涕残留量的测定 > GB 18415-2001 小麦粉中过氢化苯甲酮的测定方法 	(更新日期: 2008-02-20) (更新日期: 2008-02-20) 残留检测方法(更新日期: 2008-02-20) (更新日期: 2008-02-20) (更新日期: 2008-02-20) (更新日期: 2008-02-20) (更新日期: 2008-02-20) (更新日期: 2008-02-20)	

Fig.4 The standards management system in the traceability system

Fig.5 is the expert points function page of FEMCA analysis system. Experts can evaluate the basis of the traceability, the features of every phase, the control measure, and give every indicator a score.

and address of the second s		osoft Internet Explorer		
生油质量安全	注注事 分	析系统		
	21.	6 FMECA管理	🟫 湖源信息	管理菜单
📄 位置: 系统管	會理 >一级指	制环节管理		E
		一级控制环节名称		查找
一级环节名称	环节代码	环节描述	编辑	册耶余
消费	04	超市	2	×
流通	03	交付检测、运输		×
加工	02	原料入库、压榨、包装、成品入库		×
生产	01	种植、收获、初加工	2	×
1				
<u>نې ټا ټې</u>				增加
	 (4) 工具(1) 帮助 (4) 工具(1) 帮助 (5) (4) (5) (4) (5) (5) (5) (5) (5) (5) (5) (5) (5) (5	(4) 工具① 帮助 (8) (5) 工具① 帮助 (8) (5) (5) (5) (5) (5) (5) (5) (5) (5) (5)	全計 会 会	(a) 工具() 帮助(b) 全論原量会金含合分切系的 全PMECA管理 会 誘漤信息 回位置:系統管理 >

Fig.5 The expert points function of FEMCA analysis system

Fig.6 is the traceability metadata management page of FEMCA system, which can define, modify, and delete the metadata used in

traceability. These metadata will be used in every phase to describe the features of every product.

📥 基于FUECA的很	建油质量安全	论事务	析系统		
1月26日 星期六		1	🟫 FMECA管理	🟫 湖源信息	管理菜单
潮链管理系统主目录	📄 位置: 系统	管理 >一级热	2制环节管理		E
<u>元数据维护</u> 存制不节数据维护			一级控制环节名称		查找
一一控制要素数据维护	一级环节名称	环节代码	环节描述	编辑	删解余
	消费	04	超市	1	×
	流通	03	交付检测、运输	2	×
	tor	02	原料入库、压榨、包装、成品入库		×
	生产	01	种植、收获、初加工		×
	1				
	S ITED				增加

Fig.6 Traceability metadata management sub-system

We also developed a terminal to support the mobile application of the system, user can visit the system and query related traceability information through mobile devices.

4. CONCLUSION AND OUTLOOK

The study of grain and oil products traceability technology and its implementation is a strong measure to monitor grain and oil products quality. The system can manage the global traceability information, locate the hazard source. For consumers, it provides a way to find the related products information in every phase of the product production, process, and delivery etc.

Now, the system was used in Luhua group (a famous oil manufacture enterprise in China), and some supermarkets. The consumers expressed great curiosity to the system, and many consumers said it's a good idea to ensure food safety.

Because the production and consume chain of grain and oil products is very long, and the implementation involved many aspects, so the traceability of grain and oil products is very difficult to implement. So, the government, the enterprises and related organizations should promote the traceability of grain and oil products together, to ensure the implementation of the traceability, and finally, promote the food safety process in china.

REFERENCES

- Lin Ling, Zhou Deyi.On the Construction of Food Quality and Safety Traceability System. Commercial research, 2005, (21):41-44
- Cheng Hao. Animal product safety control and traceability technologies. Modern Agriculture science and technology. 2007(13):169-170
- Fan Hongping, Feng Zhongze, Yang Ling, Ren Aisheng. Appliance and Discussion of Traceability System in Food Chain. Ecological Economy. 2007, 17(4): 30-33.
- Chang Xiang. Three food quality and safety traceability systems for Beijing Olympic games will be put into use in August. http://www.chinanews.com.cn/ 2007.07.09
- Li Chunhua, Liu Shihong. The status quo of FEMCA used in food security traceability. Food and Nutrition in China.2008,(6):7-10