

# Safe Integration of Fully Automated Road Transport Systems in Urban Environments: Basis for Missing Legal Framework

Andras Csepinszky, Gabriele Giustiniani, Carlos Holguin, Michel Parent, Maxime Flament, Adriano Alessandrini

### ▶ To cite this version:

Andras Csepinszky, Gabriele Giustiniani, Carlos Holguin, Michel Parent, Maxime Flament, et al.. Safe Integration of Fully Automated Road Transport Systems in Urban Environments: Basis for Missing Legal Framework. Transportation Research Record, 2015, 2489, pp.1. hal-01132714

# HAL Id: hal-01132714 https://inria.hal.science/hal-01132714

Submitted on 20 Apr 2020

**HAL** is a multi-disciplinary open access archive for the deposit and dissemination of scientific research documents, whether they are published or not. The documents may come from teaching and research institutions in France or abroad, or from public or private research centers.

L'archive ouverte pluridisciplinaire **HAL**, est destinée au dépôt et à la diffusion de documents scientifiques de niveau recherche, publiés ou non, émanant des établissements d'enseignement et de recherche français ou étrangers, des laboratoires publics ou privés.

SAFE INTEGRATION OF FULLY AUTOMATED ROAD TRANSPORT SYSTEMS IN 1 2 URBAN ENVIRONMENTS: THE BASIS FOR THE MISSING LEGAL FRAMEWORK 3 4 **Andras Csepinszky** ERTICO – ITS Europe 5 Avenue Louise 326 6 7 B-1050 Brussels Belgium Tel: +32 Email: a.csepinszky@mail.ertico.com 8 9 10 Gabriele Giustiniani IT - Ingegneria dei Trasporti 11 Via Cavour, 256 12 00185, Rome - Italy 13 Tel: +39 64820350 E.mail: g.giustiniani@itroma.com 14 15 Carlos Holguin, Corresponding Author 16 Research Centre for Transport and Logistics 17 University of Rome "La Sapienza" 18 19 Via Eudossiana, 18 00184, Rome - Italy 20 21 Tel: +39 06 44585148 Fax: +39 06 44585 Email: carlos.holguin@ctl.uniroma1.it 22 23 **Michel Parent** 24 **RITS Team** 25 **INRIA** BP 105 - 78153 Le Chesnay, France 26 Tel: +33 1 3963 5593 Email: michel.parent@cybercars.fr 27 28 29 **Maxime Flament** 30 ERTICO – ITS Europe Avenue Louise 326 31 32 B-1050 Brussels Belgium 33 Tel: +32 2 400 07 35 Email: m.flament@mail.ertico.com 34 35 Adriano Alessandrini, Research Centre for Transport and Logistics 36 University of Rome "La Sapienza" 37 Via Eudossiana, 18 - 00184 Rome - Italy 38 39 Tel: +39 06 44585148 Fax+39 06 44585 Email: adriano.alessandrini@uniroma1.it 40 Word count: 5,900 words text + 2 tables/figures x 250 words (each) = 6,400 words 41 42 Submission Date: August 1st 2014 43

#### **ABSTRACT**

3 4

5

6

7 8

9

10

11 12

13

14

15 16

17 18

19

Automated road transport systems (ARTS) are transport systems based on the use of fully automated road vehicles controlled by a centralized fleet and infrastructure management system. ARTS are aimed (at least at the beginning) at supplementing mass transit in the last mile and are commercially available today. However, their deployment is limited to protected or special roads, while in urban areas, where these systems can be most beneficial, they cannot be implemented due to the absence of an adapted legal framework. The CityMobil2 project, financed by the European Commission, aims at removing (amongst others) the legal barriers that prevent the deployment of Automated road transport systems in urban areas, by developing a specific legal framework. Previous experiences based on risk assessment and Failure Mode and Criticality Analysis (FMECA) have demonstrated being acceptable to the National authorities. On this basis, the CityMobil2 project has started developing a methodology for the certification of fully Automated Road Transport Systems, aimed at guaranteeing an adequate level of safety. The certification framework has been developed at theoretical level, but during the next phases of the CityMobil2 project, it will be tested in real life conditions during the ARTS demonstrations that will be organized in several cities of Europe, in order to make of this methodology a major reference for a future legal framework.

20 21

222324

*Keywords*: autonomous vehicles, cybercars, automated transportation, automated people movers (APM), certification, road safety

2526

#### INTRODUCTION

1

2425

36

37

- 2 Automated road transport systems (ARTS) are transport systems based on the use of fully
- automated road vehicles controlled by a centralized fleet management system, which also
- 4 controls the vehicles' interaction with the infrastructure. ARTS allow providing scheduled,
- 5 on-demand or door-to-door services on a specific road infrastructure that can be segregated,
- 6 dedicated or shared with other road users. ARTS are aimed (at least at the beginning) to
- 7 supplement mass transit in the last mile and are commercially available today. However, their
- 8 deployment is limited to protected or special roads, while in urban areas, where these systems
- 9 can be most beneficial (1), they cannot be implemented on the public road infrastructure due to
- the absence of a legal framework, which undermines the will of the local authorities and makes
- the systems costs' excessive. The CityMobil2 project, funded under the European Union's
- 12 Seventh Framework Programme for Research (FP7), aims at removing the barriers that prevent
- the deployment of Automated road transport systems in urban areas in Europe.
- In order to tackle these barriers, CityMobil2 has two work areas. First, the project will carry out
- ARTS demonstrations in seven out of twelve cities, selected on the basis of feasibility studies
- made using a common methodology. These demonstrations can last up to 9 months. Second, the
- project will make studies on the overall impact of ARTS on the European economy. Finally, the
- project will study the specific legal barriers, in order to make a legal framework proposal for
- 19 ARTS deployment in Europe, including the certification and homologation aspects. This paper
- 20 presents the background, current results and expected outcomes of the legal framework study, in
- 21 particular the certification procedure developed to certify Automated Road Transport Systems.
- 22 This certification procedure will be tested during the large-scale demonstrations, set to start in
- 23 the Autumn 2014, in order to refine the legal framework proposal.

## Previous experiences in the integration of Automated Road Transport Systems

- 26 Since the late 1990's, the European Commission has funded several research projects on
- 27 Automated road transport systems such as CyberCars, Cybercars-2, CyberMove, EDICT, among
- others. The last of these projects, CityMobil (2006-2011), aimed at developing and
- demonstrating concepts for advanced road vehicles, and new tools for managing the urban
- transport, in order to remove barriers in the way of large-scale introduction of automated
- transport systems. In the first sub-project of CityMobil (SP1), these advanced concepts and tools
- were validated and demonstrated in a number of different European cities under different
- 33 circumstances. Two demonstrators of fully automated vehicles were implemented in Rome
- 34 (Italy) and La Rochelle (France). The CityMobil2 legal framework builds upon the results and
- 35 experience of these two demonstrations.

### ARTS demonstration in Rome

- The objective of the Rome demonstration was to implement a Cybernetic Transport System
- 39 (CITIES a former naming convention for Automated Road Transport Systems) based on
- 40 cybercars, or fully automated road vehicles moving along a pre-defined trajectory, to connect the
- New Rome Exhibition with the main parking lot, in order to provide a permanent, on-demand
- service to the people reaching the Exhibition by car. The track had a length of about 1.6 km (two
- ways) and was totally segregated with a fence of about 1.2 m height. The surface was flat, in
- asphalt, and had 11 stops, two of them located close to the two main entrances of the Exhibition
- 45 (Figure 1).



Figure 1 Layout of the CTS route in the Rome demonstration

The overall system was made of the following subsystems:

- The cybercars (fully automated vehicles).
- The CTS control system.
- The track and stations.
- The user information system.

The implemented vehicle fleet was equipped with two different obstacle detection systems: a laser scanner and a bumper that activated an emergency stop in case of contact with an obstacle. The vehicles had a maximum capacity of 29 passengers, a maximum speed of 24 km/h and maximum acceleration and deceleration of 1.2 m/s<sup>2</sup>, except for the emergency situations in which deceleration was greater. The stations' doors were controlled by the CTS control system, and

opened only when a cybercar docked at the station.

15 The authority in charge of following the process and certifying the CTS was the General

Direction of Local Public Transport of the Department for Transport, Navigation, Informatics and Statistic services of the Ministry of Infrastructure and Transport (MoT).

In order to define the overall certification approach, the meetings with MoT started in 2007. One of the first points discussed was the certification standard to follow. The possible frameworks were:

- To certify the single vehicle and not the CTS as a whole: This option was rejected because the Italian law (coherently with UN Vienna Convention applicable in Italy) required a person being in control and fully responsible for any consequences of the vehicle's movement.
- To certify the CTS as a whole using the EU Machinery Directive: it was concluded with the MoT that the Machinery Directive could not be applied to the transport of persons.
- To certify the CTS as a whole using railway certification standard (Standard EN50126 "Railway applications The specification and demonstration of Reliability, Availability, Maintainability and Safety").

After some discussions with MoT the selected standard was EN50126. The CTS was then considered as a driverless train with virtual rails. Since this standard limited the initial scope of providing an on-demand service, a step-by-step certification strategy was also agreed with the MoT, with very strict requirements in a first stage and further upgrades, once the CTS would obtain the initial certification. The steps agreed with the MoT were:

- 1st step. Totally segregated track with stop doors and shuttle service. At this stage no interaction between private vehicles (pedestrians included) and the cybercars, nor crossings between the cybercars themselves would be allowed.
- 2nd step. Totally segregated track with stops doors and on-demand service provided to the users (without overlapping of trajectories of cybercars moving in opposite directions),

as a horizontal lift. At this stage the user would arrive to the station and call a cybercar, 1 2 and once on board, the user would select the destination.

- 3rd step. Totally segregated track, stop doors and on-demand service provided to the users. The only difference with the 2nd step is that overlapping between trajectories of cybercars moving in opposite directions, such in U-turn maneuvers, would be allowed.
- 4th step. Insertion of pedestrian crossings: At the last stage, pedestrian crossings would be inserted in the track.

The certification process to achieve the first step, in line with the EN50126, was the following:

- 1. The detailed design of the CTS would meet the basic requirements defined in step 1.
- 2. A Failure Mechanism Effects Criticality Analysis (FMECA) was to be applied by the CityMobil consortium on the detailed design.
- 3. If necessary, a review of the detailed design would be made according to the FMECA results.
- 4. The detailed design and FMECA report would be officially submitted to the MoT. The analysis by the MoT might result in an eventual request of clarifications or modifications to the detailed designs.
- 5. Once the detailed design was clear, the Interministerial Committee of MoT would provide a preliminary certification.
- 6. Implementation of the system on field.
- 7. A set of on field tests, defined by the MoT, to be executed on the CTS with positive results.
- 8. If the on field tests were positive, the MoT would provide a final certification and the CTS could open to the public.

The CTS detailed design was completed according to the 1st step requirements. These requirements had a strong impact on the Rome demonstration, since in a very early stage, the system should operate on reserved lanes, and fences and station doors were not foreseen. The detailed design was finalized and delivered to MoT in July 2009, starting officially the

certification procedure. The FMECA report was delivered to MoT in October 20091. 28

- 29 After the delivery of these documents, the MoT started analyzing them deeply and an additional round of documents was provided to MoT in November 2009 and in May 2010. In total about 30 31 2000 pages of official documents were produced.
- After the documents delivery MoT finalized the analysis and, on the 13th of December 2010 the 32
- 33 Interministerial committee of the MoT made a preliminary certification the system ("Nulla osta 34 preliminare" in Italian), paying the way to the on-site tests foreseen in the points 6 and 7 of the
- certification process. Unfortunately, after 4 years of work on certification, because of financial 35
- problems, the Rome Demonstration project was stopped. However, the use of the EN 50126 36
- standard demonstrated an effective path for the certification of transport systems based on fully 37 automated road vehicles. 38

40

3

4 5

6 7

8

9

10

11 12

13

14

15

16

17 18

19

20 21

22 23

24

25

26 27

39

#### La Rochelle demonstration

The city of La Rochelle has always shown a strong interest in the integration of fully automated 41

road vehicles in the local public transport service. It hosted a fully demonstration in 2009 (2), 42

- 43 and following its results, it also hosted a fully automated road transport service demonstration for
- three months in 2011 (3). In the latter, two fully automated vehicles were deployed on a track of 44
- around 1 Km. Unlike the Rome demonstration, the environment in La Rochelle was far more 45

<sup>&</sup>lt;sup>1</sup> The results of this analysis are reported in the report "Safety Assessment of the Cybernetic Transport System for the Fiera di Roma"

complex, since the infrastructure where the system had to be deployed was a pedestrian street,

- with restricted access to the general motor vehicle traffic, but the track had several intersections
- 3 with other public roads, one of which with intense motor vehicle traffic. However, the legal
- 4 issues were similar, as there was no adapted legal framework under which the experiment could

5 be carried out.

6 7

8

9

10

11 12

13

14

15

16

17 18

19

2021

22

23

24

25

2627

28

29

30

2

Since the vehicles' maximum speed was under 25 km/h, they could not be considered as "motor vehicles" and therefore the "Road Code" was not applicable. The Machinery Directive, which has been applied for the transport of people in France, was not applicable either, as the system was to operate on public roads. The solution from the legal standpoint came through a local decree published by La Rochelle's Mayor. This decree provided a temporary permit for the system to operate, and defined the operational requirements that the system had to meet:

- The automated vehicles' speed was limited to 10 km/h;
- The automated vehicles had priority over other traffic in the crossings;
- An operator had to be on-board, in order to intervene in case of a problem;
- The system should be insured againt damages to third parties;
- The vehicles were authorized to operate in other roads in manual mode only without passengers.

Besides these requirements, the CityMobil consortium, some of whose partners had already participated in similar experiments, carried out a risk reduction methodology (RRM). This RRM is a basic template that allows analyzing the environment in which the automated road transport system is deployed under the following characteristics:

- Built up area
- Potential users and trespassers
- Objects on the area
- Specific conditions of the environment
- Track

The RRM also considers the hazards raised by the vehicles, hardware, and the embedded control system. The resulting analysis of all the identified hazards allows identifying measures to reduce the risks or mitigate their impact (4). These measures are then used to refine the system's design or the system's operation procedures.

31 32 33

#### Legal limitations for the deployment of Automated Road Transport Systems

- From the legal framework's perspective, the deployment of Automated Road Transport Systems
- has to consider three different level of regulation: international, national and local legal
- 36 frameworks.
- 37 International conventions such as the 1949 Geneva Convention on Road safety (14) and the 1968
- Vienna Convention on Road Traffic (15) provide legal tools for national implementation but they
- are not globally accepted and ratified. The Geneva Convention was accepted by 95 states (16)
- and there is a European Agreement supplementing it (17). The Vienna Convention was designed
- 41 to facilitate the international road traffic and to increase road safety by specifying standard traffic
- rules between the contracting parties. 70 countries ratified it. The Vienna convention imposes
- 43 more extensive obligation on the driver of a vehicle stating in its Article 8 (1) "Every moving
- vehicle or combination of vehicles shall have a driver" and (5) "Every driver shall at all times be
- able to control his vehicle or to guide his animals". A sixth paragraph on distracted driving was
- added to the Convention's text in 2006. In 2014 a new clause was added to the Article 8, which
- 47 refers to the technical regulations and includes a broad definition of "Driver Assistance"

- 1 Systems".
- 2 At European level, the available EU directives provide guidance for the type approval of the
- motor vehicles (70/156/EEC (19), 2007/46/EC), for requirements and conformity assessment
- 4 procedures of lifts (95/16/EC) (21), for requirements and conformity assessment procedures of
- 5 industrial machinery (2006/42/EC) (22), for interoperability of the rail systems (2008/57/EC)
- 6 (23) and for the deployment of Intelligent Transport Systems (2010/40/EU) (24).
- 7 In the member countries of the European Union there is no explicit legal regulation for
- 8 Automated Road Transport Systems. The national legal frameworks implement the ratified
- 9 international legal frameworks making the national regulation "compatible" with them, which
- may provide means of "exceptions" for the local authorities in the form of decrees. These can be
- 11 considered as "backdoors" which provide the opportunity to temporarly deploy and test ARTS in
- some of the countries with more or less limitations.
- 13 The above legal conditions are all related to the authorization of the deployment of the ARTS.
- 14 Today due to the above situation, the operation of ARTS has to be limited either by segregation
- of the itinerary of the vehicle or by the employment of a person on board of the vehicle who can
- intervene and stop the vehicle if necessary. The segregation of the vehicle itinerary from other
- motor vehicle traffic may be full physical segregation as it will be demonstrated by the
- 18 CityMobil2 project in Finland and in Italy, or partial, as it will be demonstrated in France and
- 19 Switzerland.
- In addition of the purely authorization aspects of the ARTS deployment there are a number of
- 21 legal issues. Liability issues remain one of the major questions concerning automated vehicles.
- Today the driver is held liable (criminal and civil) in case of an incident if no obvious product
- 23 liability problem is revealed. Without a natural person in charge of driving the vehicle, the
- 24 liability should be addressed but no legal regulation is available in the European countries to
- settle this issue. On the other hand, in order to settle the civil liability issue appropriate insurance
- law has to be adopted for the special case of ARTS operation. Thus part of the liability problem
- 27 can be addressed today using case-to-case insurance coverage of the ARTS operations but
- related European legal regulation would be helpful to address it. Anyway, the criminal liability
- of the ARTS operation cannot be solved using insurance measures. The only way today is the
- 30 limitation of the ARTS operation as discussed above and the local ad-hoc authorization
- 31 procedures, which evaluate the operational risks of the Automated Road Transport Systems at
- 32 the site of the deployment.

42

43

44

45 46

- Citymobil2 legal framework work package (26) has been investigating the above issues using a
- questionnaire, which was taken to the participating cities' authorities. The answers were
- classified and analised in the project's deliverable D26.2 and some conclusions and
- 36 recommendations proposed. The main concern of the participating city authorities was related to
- 37 the liability issue who is responsible in case of an incident/accident or damage. The second
- main issue was the lack of appropriate legal framework, which can be addressed by the above
- mentioned ad-hoc measures, segregation and/or an on-board driver. To limit the impacts of the
- 40 concerns the authors proposed the following measures addressing some of the issues:
  - 1. Distribution of disclamers to the vehicle users (printed safety cards, visual, audible dissemination);
    - 2. Specific contractual clauses between the cities and the vehicle manufacturers or system providers covering product liability issues;
    - 3. Vehicle/system approval/certification;
    - 4. Insurance to cover civil liability risks;
- 5. Training of the urser before using the vehicle;

- 6. Development/adoption a code of practice such as the ACEA ADAS Code of Practice developed in the PreVENT project's RESPONSE 3 subproject;
- 7. Implementation of international, European and national standards identification of gaps and finally
- 8. Use of operational event data recorders (black boxes) on the vehicles to provide data about events, incidents and accidents for further analysis.

These measures were used as basis for the CityMobil2 project to develop the legal framework proposal described in the next section.

## Scope of a legal framework proposal for Automated Road Transport Systems

The development of the CityMobil2 legal framework proposal has two objectives. On one hand, it aims at assessing and certifying the demonstrations that will be implemented during the project timeframe, so that the ARTS demonstrations can be carried out safely. On the other hand, it aims at providing a basis for the definition of a Europe-wide process for certification of such systems. The approach is based on the proposal of two separate Directives, the instruments used by the European Union to harmonize national rules. The first Directive should aim at establishing a common legal framework concerning the approval procedure for automated road transport systems, their support infrastructure and subsystems. A second Directive shall provide a sound legal regime concerning the allocation of liability for civil and criminal damages caused by automated road vehicles. Preliminary discussions with the national transport authorities of different European countries revealed that it is preferred to deal with the civil and criminal liability at national level, while a system approval procedure at European level seemed more acceptable. Although both aspects are entrenched, the certification and homologation proposal has kept on progressing, since it responds to a more immediate requirement: the need to guarantee the safe deployment of the ARTS during the CityMobil2 demonstrations.

Building on the results of the Rome and La Rochelle's demonstrations in the CityMobil project, as well as other certification experiences for fully or partly automated transportation systems, the CityMobil2 legal framework Work Package identified the need for a combined approach based on the railway certification and on the road vehicle type approval processes. If on one hand, the railway approach guarantees very high safety standards and clear liabilities, on the other hand, the flexibility and modularity of the type approval for car regulations simplifies the process and the related costs. Therefore, it was decided to propose a certification and homologation process using the railway system approach, in which the system and all its components (including the automated vehicles, the physical road infrastructure on which the vehicles operate, the end-users information system, the fleet operator information system, the road-side sensor infrastructure, and the communication system that links these subsystems to a centralized Fleet and Infrastructure Supervision and Management System) are certified as a whole. However, the proposals differs from the existing railways certification legal framework, since it includes, if the infrastructure is not completely (physically) segregated, the consideration of risks linked to the roadside environment, including the presence of roadside objects and other road users. Besides this, unlike a complete system analysis made each time a new system is implemented, the CityMobil2 proposal consists in dividing the site in which an ARTS is implemented in several modules, or use cases, which present specific interaction situations between the road infrastructure, the ARTS subsystems, other road users and the physical environment surrounding the ARTS infrastructure. This approach is based on the risk reduction methodology developed and applied in previous projects, but provides a more in-depth risk analysis, and allows taking

advantage of the modularity of the type approval.

To ensure that all subsystems are certified and operate together, the CityMobil2 proposal requires that the local authorities designate the road infrastructures where ARTS operate as, at least, dedicated to them (such as bus lanes). For a vehicle to be considered as part of an ARTS, it must be in permanent contact with the Fleet supervision and management system and obey to its instructions. This does not mean that ARTS are by definition public transport systems, and does not necessarily prevent manual vehicles from entering a dedicated ARTS lane nor forbids private ownership or use of the vehicle, but it means that such vehicles will need to obey specific rules while operating on the ARTS lane, set to ensure a much higher safety level.

An example of such approach is provided by tramway regulations. In many European countries, tramways are not considered as road vehicles, but follow specific rules. However, these rules do not prevent cars from accessing or crossing the tramway infrastructure. From the technical point of view, this approach doesn't change much the conditions, but from the legal point of view it allows two important achievements: avoiding the application of the Vienna Convention, at the moment the most important legal barrier for the operation of automated road vehicles on public roads; and guarantees that the certification process, to assess all risks of using given vehicles on the given infrastructure, is applied, guaranteeing the achievement of an overall higher level of road safety. The certification process proposal will be tested and improved during the CityMobil2 ARTS demonstrations. This is why, at this early stage, no specific requirements or tests are included in the process, beyond those defined for the manufacturers that provide the Automated Road Transport Systems to the CityMobil2 project. These two very important elements will be defined based on the demonstrations activities. The following section presents in detail the certification that the proposed.

## **CERTIFICATION METHODOLOGY**

The proposed certification methodology is basically a "risk assessment and mitigation analysis". The first step in the application of the risk assessment methodology is to identify, based on the preliminary system design of an ARTS (made at the city or local area level), a set of use cases. Several sets of components are used to describe each use case.

## Use case analysis framework

Use cases are specific interaction situations between the road infrastructure, the ARTS components, other road users and the physical environment that surrounds the ARTS infrastructure. Each of these elements is defined by several variables, which allow identifying and analysing in detail the associated hazards, in order to implement risk reduction or impact mitigation measures. Once a given ARTS manufacturer tests and demonstrates that its system meets the safety requirements necessary to manage a specific use case, such use case becomes certified, so that when the same situation repeats in a different site, the manufacturer will not have to follow a complete safety assessment and certification process of the whole site again. This modularity will allow the manufacturers to build a library of certified use cases, which can be extended progressively, only when they actually have to be implemented in a new site, drastically reducing the burden and costs of a complete safety assessment every time a new system is implemented. The proposed approach also guarantees that ARTS are deployed using railway-grade safety levels, and fosters competition between different manufacturers (or groups of subsystems manufacturers), who can implement different technological solutions and these

can evolve over time.

Descriptions of the use case categories, including some examples, are provided below.

**Frame layer** The frame layer describes the road infrastructure design, in terms of number of carriageways, lanes in those carriageways and driving direction of those lanes. It also describes the design of crossings, and the presence or not of sidewalks. Examples of frame layer elements are *single carriageway with two-way lanes per direction* and *X junction of single carriageways with one-direction lanes*.

Scope layer The scope layer describes the carriageway design conditioned by the geographic characteristics of the terrain, such as the *gradient* and the *design speed*.

movements in a given section of the infrastructure. Examples of vehicle movements are *cruise* (the period of time in which the vehicle moves the maximum posted speed) and *approach* (the period of time in which an ARTS vehicle approaches a crossing or a road section with a different

**Vehicle movement** The vehicle movement category specifies all the possible automated vehicle

segregation level and operates a transition in speed from the current section).

Infrastructure differentiation level The infrastructure differentiation level specifies the status of an ARTS lane (*shared*, *dedicated or segregated*) based on the elements present in the infrastructure that indicate this status to or prevent other road users' access to the said lane. For instance, *horizontal markings* or *walkways* indicate that an ARTS lane is dedicated, while *continues barriers* or *carriageway dividers* indicate that the infrastructure is segregated. These elements can also be used for the design of the infrastructure, in order to change its differentiation level.

Regulation layer The regulation layer contains the regulations elements that are defined by the road authorities. Such elements can be *crosswalks*, *stop signs*, *posted speed limits*, etc.

**ARTS users** / **Road users** This category groups the road users present in the surrounding environment where the ARTS is going to be implemented. It includes, for instance, *pedestrians cyclists* or *motor vehicle drivers*.

**Operation variables** Operation variables are environmental conditions the affect or change the normal system operation conditions to the ARTS operator. Examples of these variables include *rain fall, heavy wind, negative obstacles*, etc.

The combination of the above mentioned categories and variables help describing in a very detailed form the environment where the Automated Road Transport System will be deployed. The number of other road users present (which can be determined by measurements or estimation), in combination with the physical environment surrounding the system, allows identifying the type of risks and to evaluated their possible impact and severity, in order to define mitigation measures such as modifications to the design of the surrounding environment or limitations to the speed of the vehicles. These measures are identified through the risk assessment and mitigation analysis presented in the next section.

#### Risk assessment and mitigation analysis

The proposed certification methodology is basically a "risk assessment and mitigation analysis".
The process foresees the involvement of several stakeholders:

- A Safety Authority (SA), in charge of certifying the Demonstration at national or local level.
- The cities where the demonstration will be implemented.

- The CityMobil2 consortium, that will be represented by a high level independent expert;
- The ARTS Manufacturer.

2

3 4

5

6

7

8 9

10

11 12

13

14

16

17

20

2122

• The Operator that will be in charge of operating and maintaining the ARTS during the Demonstration.

One representative of each stakeholder will compose a Safety Advisory Board that will follow all the certification process. The whole methodology is divided in 8 steps. Each step foresees a series of activities to be carried out by the different stakeholders involved. To move from one step to another, the approval of the step's outputs is expected to be provided by the SA or, when not specifically requested by the local legal framework, by the Safety Advisory Board. The following are the proposed steps:

- 1. Certification approach;
- 2. Preliminary hazard list;
- 3. FMECA of system design;
- 4. Verification of the system safety/functionality;
- 5. Operational description;
  - 6. Verification operational preparation;
    - 7. Approval of operational safety cases;
- 18 8. Operational testing.
- 19 An overview of the process is presented in Figure 2.




Figure 2 - Overview of the certification process.

#### Discussion

1

- 2 The legal framework and certification process proposed by CityMobil2 has strong and weak
- points. The first strength is that it was defined by experts from different member states with
- 4 relevant knowledge of the legal frameworks available in their own countries. For this reason, it is
- 5 very flexible and can easily be adapted to the local legal framework. Besides this, it is open,
- 6 allowing its improvement with the results of the project. Finally if the use case approach
- demonstrates its effectiveness, will guarantee both modularity and repeatability of the results in
- 8 all the MSs, avoiding a full certification process, and simplifying the deployment of automated
- 9 road transport systems in different MSs.
- On the other hand, there are several weaknesses. First of all, the process is still experimental and
- needs to be tested on the field. Secondly, requirements and tests have to be refined, and even if
- the project defined a series of requirements for the manufacturers providing the Automated Road
- 13 Transport Systems for the demonstrations, this is still a new field where the previous experiences
- are either in contrast to the road or rail systems, each with more than 100 years of cumulated
- experience. This is why, at this stage, it was preferred to avoid defining requirements and tests
- beforehand. These two elements will be defined in the course of the project, based on the
- experiences and needs of the CityMobil2 demonstrations.

18 19

#### **CONCLUSIONS AND NEXT STEPS**

- 20 This paper presented the background, requirements and progress towards the definition of legal
- 21 framework proposal for the deployment of Automated Road Transport Systems in Europe. While
- 22 the proposed methodology for the certification of the system has certainly several weaknesses, it
- 23 is based on a solid background, and has the advantage that it will be tested on real-life conditions
- 24 during the CityMobil2 demonstrations. Currently, the analysis and the definition of the use cases
- 25 is being applied in the site of La Rochelle, the first of the project's large-scale demonstrations,
- with the aim of demonstrating to the local and national authorities that the risk will be limited
- during the experimentation of the system, even if such demonstration isn't yet defined in an
- existing legal framework. The test of this certification methodology will allow to refine the
- 29 process, discarding unnecessary elements and deepening those processes that can guarantee an
- adequate level of safety.

#### REFERENCES

- 1. Alessandrini, A., Filippi, F. Ex-ante evaluation of nine cybernetic transport systems. In 7th International IEEE Conference on Intelligent Transportation Systems, Proceedings, 2004, pp. 994–999.
- Alessandrini, A., Holguin, C. and Parent, M. Advanced transport systems
   showcased in La Rochelle. In 14th International IEEE Annual Conference on
   Intelligent Transportation Systems, Washington, D.C., 2011.
- Bouraoui, L., Boussard, C., Charlot, F., Holguin, C., Nashashibi, F., Parent, M., Resende, P. An on-demand personal automated transport system: The CityMobil demonstration in La Rochelle. In *Intelligent Vehicles Symposium (IV)*, 2011, pp. 1086 1091.
- Van Dijke, J. P., and Janse, M. M., Safe sites and systems, CyberMove project
   Deliverable 3.2, European Commission, 2004.
- 5. BS EN 50126-1:1999. Railway applications The specification and
   demonstration of Reliability, Availability, Maintainability and Safety (RAMS) —
   Part 1: Basic requirements and generic. s.l. BRITISH STANDARD, Corrigenda
   May 2006 and May 2010.
- 19 6. BS EN 50126-2. Railway applications The specification and demonstration of Reliability, Availability, Maintainability and Safety (RAMS) Part 2: Guide to the application of EN 50126-1 for safety. s.l.: BRITISH STANDARD, 2007.
- Ente Nazionale Italiano di Unificazione. UNI-9855 Part 1. Metropolitan
   railways in automatic guide Rules regrding automatic guide in case of driver on
   board. s.l.. UNI Ente Nazionale Italiano di Unificazione, 1991.
- 25 8. Ente Nazionale Italiano di Unificazione. *UNI 10257. Automatic control of*26 metropolitan railway trasport system Essential requirements dealing with
  27 automatic guidance without driver on board. s.l.. UNI Ente Nazionale Italiano di
  28 Unificazione, 1993.
- A. Benmimoun, M. Lowson, M. Marques, G. Giustiniani and M. Parent M.
   Demonstration of advanced transport applications in CityMobil project. In
   Transportation Research Record, Journal of the Transportation Research Board,
   Volume 2110. Transportation Research Board of the National Academies,
   Washington, D.C., 2009.
- 34 10. Giustiniani, G. *CityMobil Deliverable 1.3.5.1 Rome data collection for the ex-ante analysis*, European Commission, Rome, 2007.
- Parent, M. Automated public vehicles: a first step towards the automated highway. In 4th World Congress on Intelligent Transport Systems, Berlin, 1997
- G. Giustiniani, Buccino, N.M., Lago, A., Ghrissi, M., CityMobil Deliverable
   1.3.1.5 CTS certification processes, European Commission, Rome, 2011.
- 40 13. IKA, SINTEF, TNO. *CityMobil Deliverable 2.5.1 CTS certification process*,
   41 European Commission, 2008.
- 42 14. United Nations. Convention on Road Traffic, Geneva, September 19, 1949, 125
   43 U.N.T.S. 3, 3 U.S.T. 3008, T.I.A.S. No. 2487
- 44 15. Economic Commission for Europe, Inland Transport Committee. *Convention on Road Traffic.* Vienna, 8 November 1968.
- 46 16. United Nations. Convention on Road Traffic.
   47 https://treaties.un.org/doc/Publication/MTDSG/Volume%20I/Chapter%20XI/XI-

1 B-1.en.pdf. Accessed Feb. 25, 2014.

24

- United Nations. European Agreement supplementing the 1949 Convention on road traffic and the 1949 Protocol on road signs and signals. Geneva, 16 September 1950.
- United Nations Economic Commission for Europe, Inland Transport Committee,
  Working Party on Road Traffic Safety. Report of the sixty eighth session of the
  Working Party on Road Traffic Safety. Geneva, 2014.
- 8 19. European Commission. *Directive 70/156/EEC Type-approval of motor vehicles* and their trailers. 1970.
- European Commission. *Directive 2007/46/EC Establishing a framework for the approval of motor vehicles and their trailers, and of systems, components and separate technical units intended for such vehicles.* 2007.
- European Parliament and Council. Directive 95/16/EC on lifts. *Official Journal of the European Union L 213, 07/09/1995.* pp. 0001 0031.
- European Parliament and Council. Directive 2006/42/EC on machinery. *Official Journal of the European Union L 157, 09/06/2006.*
- European Parliament and Council. Directive 2008/57/EC on the interoperability of the rail system within the Community. *Official Journal of the European Union L* 191, 09/06/2006.
- 24. European Parliament and Council. Directive 2010/40/EU on the framework for the deployment of Intelligent Transport Systems in the field of road transport and for interfaces with other modes of transport. *Official Journal of the European Union L* 207, 06/08/2010.