

Commenced Publication in 1973

Founding and Former Series Editors:

Gerhard Goos, Juris Hartmanis, and Jan van Leeuwen

Editorial Board

David Hutchison

Lancaster University, UK

Takeo Kanade

Carnegie Mellon University, Pittsburgh, PA, USA

Josef Kittler

University of Surrey, Guildford, UK

Jon M. Kleinberg

Cornell University, Ithaca, NY, USA

Alfred Kobsa

University of California, Irvine, CA, USA

Friedemann Mattern

ETH Zurich, Switzerland

John C. Mitchell

Stanford University, CA, USA

Moni Naor

Weizmann Institute of Science, Rehovot, Israel

Oscar Nierstrasz

University of Bern, Switzerland

C. Pandu Rangan

Indian Institute of Technology, Madras, India

Bernhard Steffen

TU Dortmund University, Germany

Madhu Sudan

Microsoft Research, Cambridge, MA, USA

Demetri Terzopoulos

University of California, Los Angeles, CA, USA

Doug Tygar

University of California, Berkeley, CA, USA

Gerhard Weikum

Max Planck Institute for Informatics, Saarbruecken, Germany

Khalid Saeed Rituparna Chaki
Agostino Cortesi Sławomir Wierzchoń (Eds.)

Computer Information Systems and Industrial Management

12th IFIP TC8 International Conference, CISIM 2013
Krakow, Poland, September 25-27, 2013
Proceedings



Springer

Preface

CISIM 2013 was the 12th of a series of conferences dedicated to computer information systems and industrial management applications. The conference was supported by IFIP TC8 Information Systems. This year it was held during September 25–27, 2013, in Krakow.

Over 60 papers were submitted to CISIM by researchers and scientists from universities around the world. Each paper was assigned to 3 reviewers initially, and in case of conflicting decisions, another expert's review had to be sought for a number of papers. In total, about 200 reviews were collected from the reviewers for the submitted papers. Because of the strict restrictions of Springer's Lecture Notes in Computer Science series the number of accepted papers was limited. Furthermore a number of electronic discussions were held between the PC chairs to decide about papers with confusing reviews and to reach a consensus. After the discussions, the PC chairs decided to accept about 70% of the total submitted papers. The decision of selecting this percentage was indeed very hard as almost all papers were highly relevant and interesting, with good presentation and contents. We therefore followed the standard way of acceptance based on the score obtained from the referees' evaluation.

The main topics covered by the chapters in this book are biometrics, security systems, multimedia, classification, and industrial management. Besides these, the reader will find interesting papers on computer information systems as applied to wireless networks, computer graphics, and intelligent systems.

We are grateful to the three esteemed speakers for their keynote addresses. The authors of the keynote talks were Profs. Krzysztof Cios, Mieczysław Alojzy Kłopotek, and Ryszard Tadeusiewicz and Michał Woźniak. We sincerely believe that the technical papers are well complemented by these keynote lectures covering state-of-the-art research challenges and the solutions.

We would like to extend our gratitude to all the PC members for making the effort to maintain the standard of the conference. We are highly indebted to all the reviewers for their excellent high-quality reviews, which helped to retain the scientific level of the conference. We are also grateful to Andrei Voronkov whose EasyChair system eased the submission and selection process and greatly supported the compilation of the proceedings. We also thank the authors for sharing their latest achievements through the great contributions presented in the book chapters.

We hope that the reader's expectations will be met and that the participants enjoyed their stay in the beautiful historic city of Krakow.

July 2013

Khalid Saeed
Rituparna Chaki
Agostino Cortesi
Sławomir T. Wierzchoń

Organization

Program Committee

Waleed Abdulla	The University of Auckland, New Zealand
Raid Al-Tahir	The Univ. of the West Indies, Trinidad and Tobago
Adrian Atanasiu	Bucharest University, Romania
Aditya Bagchi	Indian Statistical Institute, India
Sukriti Bhattacharya	Ca' Foscari University of Venice, Italy
Rahma Boucetta	National Engineering School of Gabes, Tunisia
Silvana Castano	University of Milan, Italy
Nabendu Chaki	Calcutta University, India
Rituparna Chaki	West Bengal University of Technology, India
Young Im Cho	University of Suwon, South Korea
Ryszard Choraś	University of Technology and Life Sciences, Poland
Sankhayan Choudhury	University of Calcutta, India
Agostino Cortesi	Ca' Foscari University of Venice, Italy
Dipankar Dasgupta	University of Memphis, USA
Pierpaolo Degano	University of Pisa, Italy
David Feng	University of Sydney, Australia
Pietro Ferrara	ETH Zürich, Switzerland
Riccardo Focardi	Ca' Foscari University of Venice, Italy
Aditya K. Ghose	University of Wollongong, Australia
Raju Halder	Ca' Foscari University of Venice, Italy
Kaoru Hirota	Tokyo Institute of Technology, Japan
Władysław Homenda	Technical University of Warsaw, Poland
Sushil Jajodia	George Mason University, USA
Khalide Jbilou	Université du Littoral Côte d'Opale, France
Dong Hwa Kim	Hanbat National University, South Korea
Ryszard Kozera	The University of Western Australia, Australia
Flaminia Luccio	Ca' Foscari University of Venice, Italy
Romuald Mosdorf	Technical University of Białystok, Poland
Debajyoti Mukhopadhyay	Maharashtra Institute of Technology, India
Yuko Murayama	Iwate University, Japan
Nishiuchi Nobuyuki	Tokyo Metropolitan University, Japan
Andrzej Pacut	Technical University of Warsaw, Poland
Isabelle Perseil	Télécom Paris Tech, France
Marco Pistoia	IBM Watson Research Center, USA

VIII Organization

Igor Podolak	Jagiellonian University, Krakow, Poland
Piotr Porwik	University of Silesia, Poland
Khalid Saeed	AGH University of Science and Technology, Krakow, Poland
Anirban Sarkar	National Institute of Technology, Durgapore, India
Kwee-Bo Sim	Chung-Ang University, South Korea
Władysław Skarbek	Warsaw University of Technology, Poland
Vaclav Snasel	VSB-Technical Univ. of Ostrava, Czech Republic
Bernhard Steffen	Technische Universität Dortmund, Germany
Giancarlo Succi	Free University of Bozen, Italy
Jacek Tabor	Jagiellonian University, Krakow, Poland
Ryszard Tadeusiewicz	AGH University of Science and Technology, Krakow, Poland
Andrea Torsello	Ca' Foscari University of Venice, Italy
Nitin Upadhyay	BITS Pilani, India
Heinrich Voss	Technische Universität Hamburg, Germany
Slawomir T. Wierzchon	Polish Academy of Sciences, Warsaw, Poland
Krzysztof Ślot	Lodz University of Technology, Poland

Additional Reviewers

Adamski, Marcin	Rybnik, Mariusz
Ferrara, Pietro	Shaikh, Soharab Hossain
Kubanek, Mariusz	Szczepański, Adam
Misztal, Krzysztof	Tabędzki, Marek
Pejaś, Jerzy	

Abstracts of Keynotes

Building Data Models with Rule Learners: Classical, Multiple-Instance, and One-Class Learning Algorithms

Krzysztof Cios

Computer Science Department, Virginia Commonwealth University,
1111 W Broad St,
VA 23220 Richmond, U.S.A.
`kcios@vcu.edu`

Abstract. First, we shall talk about supervised inductive machine learning algorithms that generate rules and explain why rule learners are a preferred choice for model building in domains where understanding of a model is important, such as in medicine. Then we will introduce a classical rule learner that is scalable to big data. Note that classical rule learners require knowledge about class memberships of all instances. Next, we will introduce challenging multiple-instance learning (MIL) and one-class learning problems. The MIL is concerned with classifying bags of instances instead of single instances. A bag is labeled as positive if at least one of its instances is positive, and as negative if all of its instances are negative. In a one-class scenario only a single (target) class of instances is available; this type of learning is also known as an outlier, or novelty, detection problem. Since most inductive machine learning algorithms require discretization as a pre-processing step we will briefly describe an information-theoretic algorithm that uses class information to automatically generate a number of intervals for a given attribute. Second, we shall present MIL and one-class algorithms and introduce a general framework for converting classical algorithms into such algorithms.

What Is the Value of Information – Search Engine’s Point of View

Mieczysław A. Kłopotek

Institute of Computer Science of the Polish Academy of Sciences
ul. Jana Kazimierza 5, 01-248 Warszawa Poland

Abstract. Within the domain of Information Retrieval, and in particular in the area of Web Search Engines, it has become obvious long time ago that there is a deep discrepancy between how the information is understood within computer science and by the man-in-the-street.

We want to make an overview of ways how the apparent gap can be closed using tools that are technologically available nowadays.

The key to a success probably lies in approximating (by means of artificial intelligence) the way people judge the value of information.

Man-Machine Interactions Improvement by Means of Automatic Human Personality Identification

Ryszard Tadeusiewicz and Adrian Horzyk

AGH University of Science and Technology
Al. A. Mickiewicza 30
Cracow 30-059, Poland
rtad@agh.edu.pl, horzyk@agh.edu.pl

Abstract. During the man-machine interactions planning and forming we must frequently concentrate on the semantic aspects of communication. For example, striving to more acceptable (for users) forms of communication with numerous computer applications we put big effort in the increasing of machine intelligence, developing more advances methods of automatic reasoning and enriching quantity and quality of knowledge built-in into computer resources. Meanwhile, emotions play an equally essential role as rational reasoning in the judge intelligence of a partner. Therefore, a computer could be accepted as intelligent (or even liked) partner in cooperation with the man if it considers human needs, especially the emotional ones. Such needs must be first recognized. Such recognition must be performed during the natural interactions between man and machine because nobody likes to be tested or examined before they can start merit communication with the selected computer application. Moreover, nobody can honestly and objectively classify their own personality. Hence, in this aspect, we cannot obtain necessary information asking a person about his or her features of personality. The keynote will present a new method for automatic human needs recognition. The personality and needs of the partner can be recognized watching the following behaviors:

- verbal, the way of talking, using vocabulary, phrases, inflection, sentence constructions, ...
- non-verbal (body language), facial and body expressions, the way of movement, dressing-up, driving cars, bicycles, ... concerning environment, family, etc.

During the typical man-machine communication we can perform automatic passive classification of man personality by means of psycholinguistic analysis. The details of how this personality can be discovered during natural language man-machine communication will be presented during the lecture.

Application of Combined Classifiers to Data Stream Classification

Michał Woźniak

Department of Systems and Computer Networks
Wrocław University of Technology
Wyb. Wyspianskiego 27, 50-370 Wrocław, Poland.
`michal.wozniak@pwr.wroc.pl`

Abstract. The progress of computer science caused that many institutions collected huge amount of data, which analysis is impossible by human beings. Nowadays simple methods of data analysis are not sufficient for efficient management of an average enterprise, since for smart decisions the knowledge hidden in data is highly required, as which multiple classifier systems are recently the focus of intense research. Unfortunately the great disadvantage of traditional classification methods is that they "assume" that statistical properties of the discovered concept (which model is predicted) are being unchanged. In real situation we could observe so-called concept drift, which could be caused by changes in the probabilities of classes or/and conditional probability distributions of classes. The potential for considering new training data is an important feature of machine learning methods used in security applications or marketing departments. Unfortunately, the occurrence of this phenomena dramatically decreases classification accuracy.

Table of Contents

Full Keynote Papers

What is the Value of Information – Search Engine’s Point of View	1
<i>Mieczysław A. Kłopotek</i>	
Application of Combined Classifiers to Data Stream Classification	13
<i>Michał Woźniak</i>	

Invited Paper

Efficacy of Some Primary Discriminant Functions in Diagnosing Planetary Gearboxes	24
<i>Anna Bartkowiak and Radosław Zimroz</i>	

Biometrics and Biometrics Applications

Identification of Persons by Virtue of Hand Geometry	36
<i>Anna Plichta, Tomasz Gaciarz, and Szymon Szomiński</i>	
User Authentication for Mobile Devices	47
<i>Marcin Rogowski, Khalid Saeed, Mariusz Rybniak, Marek Tabecki, and Marcin Adamski</i>	
Modified kNN Algorithm for Improved Recognition Accuracy of Biometrics System Based on Gait	59
<i>Marcin Derlatka</i>	
An Application of the Curvature Scale Space Shape Descriptor for Forensic Human Identification Based on Orthopantomograms	67
<i>Dariusz Frejlichowski and Piotr Czapiewski</i>	
The Impact of Temporal Proximity between Samples on Eye Movement Biometric Identification	77
<i>Paweł Kasprowski</i>	
Biomedical Distributed Signal Processing and Analysis	88
<i>Marek Penhaker, Vladimír Kasík, and Vaclav Snasel</i>	
Effect of Slice Thickness on Texture-Based Classification of Liver Dynamic CT Scans	96
<i>Dorota Duda, Marek Kretowski, and Johanne Bezy-Wendling</i>	

Independent Component Analysis for EEG Data Preprocessing -
 Algorithms Comparison 108
Izabela Rejer and Paweł Górski

An Adequate Representation of Medical Data Based on Partial Set
 Approximation 120
Zoltán Ernő Csajbók, Tamás Mihálydeák, and József Ködmön

Pattern Recognition and Image Processing

Bengali Printed Character Recognition – A New Approach 129
*Soharab Hossain Shaikh, Marek Tabedzki, Nabendu Chaki, and
 Khalid Saeed*

Eye Location and Eye State Detection in Facial Images Using Circular
 Hough Transform 141
Ömer Faruk Söylemez and Burhan Ergen

Recognition of Occluded Faces Based on Multi-subspace
 Classification 148
Paweł Forczmański and Piotr Labędź

Mahalanobis Distance-Based Algorithm for Ellipse Growing in Iris
 Preprocessing 158
Krzysztof Misztal and Jacek Tabor

The Data Exploration System for Image Processing Based on
 Server-Side Operations 168
Magdalena Ładniak, Adam Piórkowski, and Mariusz Młynarczyk

Image Restoration Using Anisotropic Stochastic Diffusion Collaborated
 with Non Local Means 177
Dariusz Borkowski and Katarzyna Jańczak-Borkowska

Various Aspects of Computer Security

A Practical Certificate and Identity Based Encryption Scheme and
 Related Security Architecture 190
Tomasz Hyla and Jerzy Pejaś

Study of Security Issues in Pervasive Environment of Next Generation
 Internet of Things 206
Tapalina Bhattasali, Rituparna Chaki, and Nabendu Chaki

Security Issues of IPv6 Network Autoconfiguration 218
Maciej Rostański and Taras Mushynskyy

Security Aspects of Virtualization in Cloud Computing	229
<i>Muhammad Kazim, Rahat Masood, Muhammad Awais Shibli, and Abdul Ghafoor Abbasi</i>	
Threshold Method of Detecting Long-Time TPM Synchronization	241
<i>Michał Dolecki and Ryszard Kozera</i>	
The Removal of False Detections from Foreground Regions Extracted Using Adaptive Background Modelling for a Visual Surveillance System	253
<i>Dariusz Frejlichowski, Katarzyna Gościewska, Paweł Forczmański, Adam Nowosielski, and Radosław Hofman</i>	
Using Backward Induction Techniques in (Timed) Security Protocols Verification	265
<i>Miroslaw Kurkowski, Olga Siedlecka-Lamch, and Paweł Dudek</i>	
Telecommunications Networks Risk Assessment with Bayesian Networks	277
<i>Marcin Szpyrka, Bartosz Jasiul, Konrad Wrona, and Filip Dziedzic</i>	
Networking	
Power Aware Cluster Based Routing (PACBR) Protocol for Wireless Sensor Network	289
<i>Ayan Kumar Das, Rituparna Chaki, and Atreyee Biswas</i>	
A Novel Incentive Based Scheme to Contain Selective Forwarding in Wireless Sensor Network	301
<i>Saswati Mukherjee, Matangini Chattopadhyay, Samiran Chattopadhyay, Debarshi Kumar Sanjal, Roshni Neogy, and Samanwita Pal</i>	
Synthetic Social Network Based on Competency-Based Description of Human Resources	313
<i>Štěpán Kuchař, Jan Martinovič, Pavla Dráždilová, and Kateřina Slaninová</i>	
Displaying Genealogy with Adoptions and Multiple Remarriages Using the WHiteBasE	325
<i>Seiji Sugiyama, Atsushi Ikuta, Daisuke Yokozawa, Miyuki Shibata, and Tohru Matsuura</i>	
User Relevance for Item-Based Collaborative Filtering	337
<i>R. Latha and R. Nadarajan</i>	

Extraction of Agent Groups with Similar Behaviour Based on Agent Profiles	348
<i>Kateřina Slaninová, Jan Martinovič, Roman Šperka, and Pavla Dráždilová</i>	

Algorithms

Aesthetic Patterns from the Perturbed Orbits of Discrete Dynamical Systems	358
<i>Krzysztof Gdawiec</i>	
Weighted Approach to Projective Clustering	367
<i>Przemysław Spurek, Jacek Tabor, and Krzysztof Misztal</i>	
Machine Learning with Known Input Data Uncertainty Measure	379
<i>Wojciech M. Czarnecki and Igor T. Podolak</i>	
Learning Algorithms in the Detection of Unused Functionalities in SOA Systems	389
<i>Ilona Bluemke and Marcin Tarka</i>	
Construction of Sequential Classifier Using Confusion Matrix	401
<i>Robert Burduk and Paweł Trajdos</i>	
Growing Neural Gas – A Parallel Approach	408
<i>Lukáš Vojáček and Jiří Dvorský</i>	
Modified Moment Method Estimator for the Shape Parameter of Generalized Gaussian Distribution for a Small Sample Size	420
<i>Robert Krupiński</i>	
Trajectory Estimation for Exponential Parameterization and Different Samplings	430
<i>Ryszard Kozera, Lyle Noakes, and Piotr Szmielew</i>	
Searching in the Structured Space of the Braille Music	442
<i>Władysław Homenda and Mariusz Rybniak</i>	

Industrial Applications

Solving Steel Alloying Using Differential Evolution and SOMA	453
<i>Michal Holiš, Lenka Skanderová, Martin Placěk, Jiří Dvorský, and Ivan Zelinka</i>	
The Cost Estimation of Production Orders	465
<i>Tomasz Chlebus</i>	
Achieving Desired Cycle Times by Modelling Production Systems	476
<i>Marcin Juszczyński and Arkadiusz Kowalski</i>	

Artificial Neural Networks as Tools for Controlling Production Systems and Ensuring Their Stability	487
<i>Anna Burduk</i>	
Generalized Predictive Control for a Flexible Single-Link Manipulator	499
<i>Rahma Boucetta</i>	
A Disruption Recovery Model in a Production-Inventory System with Demand Uncertainty and Process Reliability	511
<i>Sanjoy Kumar Paul, Ruhul Sarker, and Daryl Essam</i>	
Author Index	523