



HAL
open science

A Systematic Mapping Study on Modeling for Industry 4.0

Andreas Wortmann, Benoit Combemale, Olivier Barais

► **To cite this version:**

Andreas Wortmann, Benoit Combemale, Olivier Barais. A Systematic Mapping Study on Modeling for Industry 4.0. [Research Report] RR-9062, INRIA Rennes - Bretagne Atlantique and University of Rennes 1, France. 2017, pp.25. hal-01514421v1

HAL Id: hal-01514421

<https://inria.hal.science/hal-01514421v1>

Submitted on 7 Jun 2017 (v1), last revised 21 Aug 2017 (v2)

HAL is a multi-disciplinary open access archive for the deposit and dissemination of scientific research documents, whether they are published or not. The documents may come from teaching and research institutions in France or abroad, or from public or private research centers.

L'archive ouverte pluridisciplinaire **HAL**, est destinée au dépôt et à la diffusion de documents scientifiques de niveau recherche, publiés ou non, émanant des établissements d'enseignement et de recherche français ou étrangers, des laboratoires publics ou privés.



A Systematic Mapping Study on Modeling for Industry 4.0

Andreas Wortmann, Benoit Combemale, Olivier Barais

**RESEARCH
REPORT**

N° 9062

April 2017

Project-Teams DiverSE



A Systematic Mapping Study on Modeling for Industry 4.0

Andreas Wortmann, Benoit Combemale, Olivier Barais

Project-Teams DiverSE

Research Report n° 9062 — April 2017 — 25 pages

Abstract: Industry 4.0 is a vision of interconnected manufacturing in which smart, interconnected production systems optimize the complete value-added chain to reduce cost and time-to-market. At the core of Industry 4.0 is the smart factory of the future, whose successful deployment requires solving challenges from many domains. Model-based systems engineering (MBSE) is a key enabler for such complex systems of systems as can be seen by the increased number of related publications in key conferences and journals. This paper aims to characterize the state of the art of MBSE for the smart factory through a systematic mapping study on this topic. Adopting a detailed search strategy, 1475 papers were initially identified. Of these, 199 papers were selected and categorized using a particular classification scheme. Hence we present the concerns addressed by modeling community for Industry 4.0, how these are investigated, where these are published, and by whom. The resulting research landscape can help to understand, guide, and compare research in this field. In particular, this paper identifies the Industry 4.0 challenges addressed by the modeling community, but also the challenges that seems to be less investigated.

Key-words: mapping study, model driven engineering, CPS, Industry 4.0

**RESEARCH CENTRE
RENNES – BRETAGNE ATLANTIQUE**

Campus universitaire de Beaulieu
35042 Rennes Cedex

Une cartographie des recherches dans le domaine de l'Industrie 4.0

Résumé : Le concept d'Industrie 4.0 correspond à une nouvelle façon d'organiser les moyens de production : l'objectif est la mise en place d'usines dites « intelligentes » (« *smart factories* ») capables d'une plus grande adaptabilité dans la production et d'une allocation plus efficace des ressources, ouvrant ainsi la voie à une nouvelle révolution industrielle. Ses bases technologiques sont l'Internet des objets et les systèmes cyber-physiques. L'ingénierie systèmes dirigée par les modèles (MBSE *Model based System Engineering*) est une technologie essentielle pour de tel systèmes complexes en témoigne l'augmentation du nombre de publications dans les conférences et les revues clés du domaine. Cet article vise à caractériser l'état de l'art du MBSE pour l'Industrie 4.0 grâce à une étude sur la cartographie systématique du domaine. En adoptant une stratégie de recherche détaillée reproductible, 1475 documents ont été initialement identifiés. De ce nombre, 199 documents ont été sélectionnés et classés selon un schéma de classification particulier. Par cette étude, nous présentons les préoccupations abordées par la communauté de modélisation pour l'Industrie 4.0, comment elles sont étudiées, où celles-ci sont publiées et par qui. Le paysage de recherche qui en résulte peut aider à comprendre, guider et comparer la recherche dans ce domaine. En particulier, ce document identifie les défis spécifiques de notre communauté scientifique, mais aussi les défis qui semblent être moins étudiés.

Mots-clés : Cartographie, Industrie 4.0, Ingénierie Dirigée par les Modèles

1 Introduction

Industry 4.0 is the current trend of integrating automation systems with processes and stakeholders of the value-added chain and part of the high-tech strategy of the German Federal Ministry for Education and Research [1]. Industry 4.0 is considered a term describing “fourth industrial revolution” and highlights the new challenges for future smart factories driven by four disruptions: data volumes, computational power, and connectivity; the emergence of analytics and business-intelligence capabilities; new forms of human-machine interaction; and improvements in transferring digital instructions to the physical world, such as advanced robotics and 3D printing. The interplay of these four disruptions lead to recognizing particular Industry 4.0 design principles [2]:

- Interoperability to connect production systems, devices, sensors, and people.
- Information transparency to queries data and connect digital plan with the runtime data collected from sensors.
- Technical assistance to provide the right abstraction to understand the complexity of Industry 4.0 systems and processes.
- Decentralized decisions to enable autonomous systems.

All of these aim to enable more efficient production down to the individualized mass production of “lot-size 1” [3] or, to put it differently: “The big money (of Industry 4.0) is on two things; zero unscheduled downtime and resource efficiency” (Bill Ruh, vice president of GE Software [4]).

Model-based systems engineering (MBSE) is a key enabler for building complex systems of systems as can be seen by the increased number of related publications in key conferences and journals [5, 6, 7, 8, 9]. For successfully engineering Industry 4.0 systems of systems, the MBSE community plays a crucial role by enabling the four design principles described above.

As a research area matures, there is often a sharp increase in the number of reports and results made available. Hence, it becomes important to summarize and provide an overview of those results. There are different methods for structuring a scientific landscape, such as systematic literature reviews [10] or systematic mapping studies [11]. Systematic literature reviews are “form[s] of secondary study that use[s] a well-defined methodology to identify, analyze and interpret all available evidence related to a specific research question in a way that is unbiased and (to a degree) repeatable” [10]. Although systematic literature reviews are common to software engineering, model-based engineering, variability management/software product lines, domain-specific language engineering, *etc.*, systematic mapping studies are less popular. A systematic mapping study structures of the type of research reports and results that have been published by categorizing them and often yields a visual summary, the map, of its results. Such a map supports understanding what has been addressed by the community (in our case the modeling community) for a particular domain (in our case Industry 4.0).

Through this mapping study, we aim to characterize the state of the art of MBSE for Industry 4.0 in a broad sense, *i.e.*, we include 3D modeling, knowledge representation, as well as business process modeling into our study. Adopting a detailed search strategy using multiple digital libraries, 1475 papers were initially identified. Of these, 199 papers were selected and categorized using a particular classification scheme along the contribution types, research types, Industry 4.0 concerns, and modeling contributions. We present the concerns addressed by MBSE for Industry 4.0, how its concerns are investigated, when and where the results are published, and by whom. The resulting research landscape can help to understand, guide, and compare research in this field. In particular, this paper identifies the Industry 4.0 challenges addressed by the modeling

community but also the challenges that seems to be less investigated. As a main contribution of this paper, we obtain a classification scheme and structure the research on modeling for Industry 4.0.

The reminder of this paper is the following: First, Sec. 2 highlights selected mapping in software engineering and presents several literature reviews and surveys that have been published recently in the context of Industry 4.0. Afterwards, Sec. 3 describes the research method used for the mapping study presented in this paper. Then, Sec. 4 discusses main findings regarding this study and Sec. 5 presents the threats to validity. Finally, Sec. 6 summarizes the main contribution of this paper and discusses some research directions that could be investigated by the modeling research community.

2 Related Work

Several mapping studies have been published in the software engineering domain [11], such as on the classification of techniques for test-set generation and selection [12], on software development effort and cost estimation [13], on the use of experimental studies [14], on the object-oriented design [15] and the use of patterns [16], on the usage of UML diagrams [17], on the empirical evaluation of software requirements specifications techniques [18], on software product lines [19, 20], and on domain-specific languages [21]. These mapping studies vary in terms of the form of analysis and in the number of included publications (between 35 and 400). We found only a single mapping study for model-driven engineering [22]. In this study, Mehmood and Jawawi survey existing researches on aspect-oriented modeling (AOM) and code generation. To the best of our knowledge, there is no mapping study on modeling and systems engineering or modeling and Industry 4.0, yet. However several literature reviews and surveys focus on the Industry 4.0 domain.

Originally initiated in Germany in 2011, Industry 4.0, the fourth industrial revolution, has attracted much attention in recent literature. In their perspective on Industry 4.0, Vogel-Heuser and Hess identify a set of challenges for the domain [23]. In particular, they identify challenges for software engineering that are well-known to the modeling community:

- Transition to modular and maintainable interfaces are a fundamental basis for adaptable and evolvable systems.
- Tracking of changes in hundreds of heterogeneous and distributed machines or plants on different operation sites (often optimized by operating companies) operated over decades.
- Management of consistent software variants and versions, including self-adaptation and reconfiguration during runtime.
- Adaptation of Big Data algorithms and technologies.

Following this paper, Mosterman and Zander discuss the needs and challenges for designing and operating cyber-physical systems (CPS) along with corresponding technologies to address the challenges and their potential impact [24]. In the same trend, Turowski *et al.*, identify the current challenges faced by companies through a survey [25]. The survey aims at understanding the stakeholder's expectations, requirements and the potential challenges Industry 4.0 poses in real case study. Complementary to these works, Trappey *et al.*, [26] provide a consolidated review of the latest CPS literature. In this survey, they provide a complete review of international standards and an analysis of patent portfolios related to the CPS architecture model. Hermann

et al., identify design principles of Industry 4.0 based on a quantitative text analysis and a qualitative literature review [27]. This paper illustrates how the identified design principles support practitioners in identifying Industry 4.0 scenarios. Recently, Lu proposes an extensive literature review on Industry 4.0 [28]. In this review, 88 papers related to Industry 4.0 are grouped into five research categories. In addition, this paper outlines the critical issue of the interoperability of Industry 4.0, and proposes a conceptual framework of interoperability regarding Industry 4.0. This paper also discusses challenges and trends in this domain. Comparing to this paper, we do a particular focus on modeling for Industry 4.0.

3 Research Method

A systematic mapping study identifies and classifies primary studies of the field under investigation. As such, it aims to provide a systematic overview on the topics of research contributed to this area and the forms of contribution. We conducted this study following established guidelines [10, 11] and included useful practices and suggestions from similar studies [29, 30, 31, 32]. Ultimately, we employed a five-phase process for conducting this study: (1) Define research questions; (2) Search for primary studies; (3) Identify inclusion and exclusion criteria and screen primary studies based on these criteria; (4) classify primary studies; (5) Extract and aggregate data. In the first phase, we characterize the scope of this study. In the second phase, we build up the initial corpus of potentially relevant publications. In the third and fourth phase, we reduced this corpus to include only relevant publications and classified according to research qualities derived from the research questions. In the fifth phase, we extracted data¹ to enable answering our research questions. The remainder of this section describes the activities and decisions of these phases.

3.1 Research Questions

We aim to identify relevant publications about MBSE in Industry 4.0, which concerns research addresses with MBSE in this context, how research addressing these concerns is conducted, and which tools and languages are used to contribute to these concerns. Moreover, we investigate who is contributing to MBSE in Industry 4.0, where the contributions are published, and when they occurred. The following research questions were defined

RQ1 What is expected from MBSE to contribute to Industry 4.0? This question aims to identify the benefits expected by applying MBSE at Industry 4.0.

RQ2 Which concerns do authors in MBSE for Industry 4.0 address and how many papers cover the different concerns? With this question, we investigate which concerns of Industry 4.0 are addressed by the MBSE researchers and to which extent.

RQ3 Which MBSE tools and languages are used in Industry 4.0 and which concerns do they address? This question relates the findings of **RQ2** to the solutions contributed to the research field.

RQ4 What are the most frequently applied research methods to contribute MBSE to Industry 4.0? With this question, we aim to understand how research in MBSE for Industry 4.0 is performed and how this relates to the concerns of **RQ2** and the tools of **RQ3**.

¹Available from companion website <http://gemoc.org/models17Industry4.0/>

("digital factory" OR "smart factory" OR "factory of the future" OR "Industry 4.0") AND (metamodel OR DSL OR UML OR "domain-specific language" OR "modeling language")

Figure 1: Search clause defined to identify relevant literature.

RQ5 Who researches MBSE in Industry 4.0? Industry 4.0 was coined as “Industrie 4.0” in Germany. This question investigates who has adopted this notion and contributes MBSE research.

RQ6 Where have the contributions been published? Similar to **RQ5**, we like to uncover which venues are relevant to MBSE for Industry 4.0.

RQ7 When did the contributions on MBSE to Industry 4.0 occur? With this question, we aim to comprehend when MBSE actually started contributing to smart manufacturing and whether Industry 4.0 might be an already declining.

To answer these questions, we conducted the initial literature search presented in the next section.

3.2 Search Strategy and Data Sources

Finding possibility relevant publications to answer the research questions requires creating an appropriate search clause and selecting relevant libraries to apply this clause to. As Industry 4.0 aims at interconnecting all participants of the value-added chain to optimize various aspects of manufacturing, at its core, it focuses on manufacturing, production processes, and ultimately the "factory of the future" [33, 34] or the "smart factory" [35, 36]. Consequently, we included these terms into our search clause. Similarly, MBSE uses various terminology (such as "model-based", "model-driven engineering", "model-based software development") with varying meaning depending on the authors. Instead of selecting a possibly biased set of near-synonyms, we decided to include the objects of MBSE into the search clause instead. Hence, we consider papers mentioning metamodels, DSLs, modeling languages, or UML relevant contributions to MBSE in our context. This ultimately lead to the search clause depicted in Fig. 1.

Essentially, this is a conjunction of two disjunctions: The first part of the conjunction specifies terms related to Industry 4.0. The second part specified terms representing the objects of MBSE research. As we conducted a full-text search with this clause, we omitted including synonyms for “DSL” or “modeling language” unnecessary. Papers contributing to MBSE should at least use these terms in either related work or the referenced literature. Although we we cannot exclude missing a small number of relevant publications that do not provide such discussions, searching this way yields better results than just searching titles and abstracts. We also did not enforce any inferior year-limit and included papers published until April 2017. We applied the search clause to ACM Digital Library, IEEEExplore, SpringerLink, and Google Scholar, which produced the results depicted in Tbl. 1

Performing this search, we received 495 papers from ACM Digital Library, IEEE Explore, and SpringerLink and almost twice as many papers from Google Scholar². We are aware that this is due to Google Scholar returning other materials and non-peer reviewed documents as well. These were removed in the next phases. Overall, after eliminating 317 duplicates, 1158 papers remained to be checked for inclusion or exclusion during screening, which is detailed in the next section.

²Data available from: <http://gemoc.org/modeling4Industry4.0/>

Digital Library	URL	Papers
ACM Digital Library	https://dl.acm.org	104
Google Scholar	https://scholar.google.com	980
IEEE Explore	https://ieeexplore.ieee.org	151
SpringerLink	https://link.springer.com	240
Total		1475

Table 1: Search results sorted by digital libraries.

3.3 Screening Papers for Inclusion/Exclusion

Inclusion of a study into the classification phase of a systematic mapping study usually is decided on its title, abstract, and keywords. To reduce the corpus and enable this study's reproducing, we established the following inclusion criteria and exclusion criteria:

Inclusion criteria

1. Peer-reviewed studies published in journals, conferences, and workshops.
2. Studies are accessible electronically.
3. From title, abstract, and keywords we can deduce that the paper focuses on contributing MBSE to Industry 4.0.

Exclusion criteria

1. Studies not available in English.
2. Studies not subjected to systematic peer-review, such as books, slides, websites.
3. Teasers and short papers of less than two pages, such as calls for papers, editorials, or curriculums.
4. Studies where Industry 4.0 is mentioned as future application, related work, or broad context only, *e.g.*, papers on Internet of Things (IoT) or Cyber-Physical Systems (CPS) mentioning Industry 4.0 as a possible use case only.

We applied the criteria to titles, keywords, and abstracts. Where this did not suffice to determine inclusion, we temporarily included the publications for the classification phase. There, the final inclusion or exclusion could be decided based on the publication's full text. Thus, this phase only eliminates publications clearly not within our study's scope and publications failing on formal requirements (such as being available in English). In detail, we eliminated 402 publications outside this study's scope, 164 non-English publications, 50 books 36 bachelor, master, and Ph.D. theses, 26 teasers, 18 technical reports, 13 full proceedings (*e.g.*, Google Scholar producing complete conference proceedings as result), 9 project deliverables, 3 websites, and 2 patents. Whenever a publication was given in another language than English, we excluded it for this reason alone. Overall, this left 435 papers for classification.

3.4 Classifying Studies

In the classification phase, the remaining papers are investigated to assign qualities of the dimensions derived from the research questions to them. To achieve this, we followed [11] in considering at least introduction and conclusion. However, for many papers this was insufficient and we considered the complete paper for proper classification. This also is the last phase in which publications can be eliminated. Hence, after further elimination of 234 unrelated papers, a total of 199 publications remained. The included papers were classified by two researchers along the facets described in the following as recommended in [11].

Contribution Type Facet

The first facet is inspired by [11] to classify publications according to the type of research they contribute (**RQ4**). We adapted this to our study by employing the five *contribution types* presented in Tbl. 2. The contribution types are disjoint and each paper was classified to provide exactly one contribution type.

Analyses	Papers contributing investigations <i>without constructive contributions</i> .
Concepts	Papers suggesting ways of <i>thinking things</i> , such as new metamodels or taxonomies (this was titled “models” in [11], which is misleading in the context of your study)
Methods	Papers suggesting ways of <i>doing things</i> , such as novel approaches to use UML for integrating materials flows and the participating cyber-physical production systems [37].
Metrics	Papers suggesting ways of <i>measuring things</i> .
Tools	Papers presenting software tools.

Table 2: Contribution type facets.

Research Type Facet

Also inspired by [11], we classified the publications according to the *research type* they contribute. This enables addressing **RQ4** on the most frequently applied research methods contributed to MBSE for Industry 4.0. Again, we adjusted the taxonomy [11] to better match our study. In particular, we eliminated the category of philosophical papers as these did not occur. The resulting, disjoint, research types are depicted in Tbl. 3. Each paper was classified to belong to exactly one research type.

Industry 4.0 Concern Facet

We also classified the publications along the concerns addressed by the various publications. This addresses **RQ2** and aims to uncover which concerns are investigated how often. During classification, keywording (cf. [11]) the abstracts, introductions, conclusions, and in complex

Evaluation	Papers evaluating <i>existing</i> techniques, such as the evaluation of modeling tools for SMEs presented in [38].
Experience	Report of personal experiences, for instance on the application of a specific method (cf. [39]).
Solution	A <i>novel solution</i> is presented and argued for with case studies, such as composing UML and OWL [40] to facilitate agile factory planning [41].
Validation	Papers presenting novel techniques and <i>experimenting with</i> them (cf. [42]).
Vision	Non-disruptive research agendas, such as the vision of model-based logistics engineering presented in [43].

Table 3: Research type facets.

cases the complete paper, produced the following *Industry 4.0 concerns*. These concerns are not disjoint and included papers can contribute to multiple concerns.

Modeling Technique Facet

To answer **RQ3** on the MBSE tools and languages used in Industry 4.0, we also classified the publications along this dimension. Overall, we identified 81 *modeling techniques* and many papers addressed more than one modeling technique. To prevent dissipating the results we aggregated modeling techniques into groups (such as 3D modeling, architecture description languages, or business process modeling techniques) and isolated modeling techniques more specific to Industry 4.0 (such as AutomationML or CMSD-based approaches). This led to the 15 groups presented in Tbl. 5.

4 Main Findings

This section presents our findings on the expectations researchers in MBSE for Industry 4.0 have regarding the impact of their papers as well as on the contribution types, research types, Industry 4.0 concerns, and modeling concerns for the included papers.

4.1 Expectations on the Impact of MBSE

The **RQ1** addresses the reason why researchers contribute MBSE to the challenges of Industry 4.0. To this end, we investigated the expected impact of modeling approaches to Industry 4.0 challenges and extracted whenever these were made explicit. Out of the 199 publications included after classification, only 24 (12%) explicitly stated the authors' expectations on the impact of their contribution. The expectations include reducing the cost for production system integration [55], saving energy on production system reconfiguration [52], and remaining internationally competitive in high-wage countries [37]. We classified the expectations into expectations on reducing time (development time, time-to-market), reducing costs (of development, integration,




Figure 2: Industry 4.0 concerns by research type and contribution type.

(re-)configuration), and improving either sustainability or international competitiveness.

Overall, the included publications mentioned 27 expectations. Out of these, most publications expected MBSE to either reduce time (11x mentioned) or costs (10x), whereas only few publications expect MBSE to improve sustainability (3x), increase international competitiveness (2x), or enhance the quality of products (1x). However, as the number of papers making the expectations of contributing MBSE to Industry 4.0 is rather small, this cannot be generalized.

4.2 Industry 4.0 Concerns Addressed with MBSE

With **RQ2**, we aim at uncovering which concerns of Industry 4.0 are addressed using MBSE and how they are addressed in terms of contribution types (Tbl. 2) and research methods (Tbl. 3). Investigating this, we found that most publications on MBSE for Industry 4.0 contribute methods to challenges in digital representation (71 publications), integration (53), and processes (21). Moreover, many publications contribute concepts to digital representation (25) and integration (15). Out of the 309 concerns addressed by the included publications, these five combinations of contribution types and concerns contribute 52% of the papers in this corpus. Overall, the majority of papers contributes methods (60%) or concepts (20%), whereas analyses, metrics, or tools are contributed less often. With contributions claiming to reduce costs and time (cf. Sec. 4.1), the lack of papers contributing metrics to track these claims is surprising. The results concerning contribution types (as inquired by **RQ4**) are depicted on the left part of Fig. 2 and these findings are reflected by the types contributions on its right part. Most contributions are solution proposals (*i.e.*, application of existing techniques to solve particular problems) that focus either on digital representation or integration challenges. It is also surprising, that only few papers address modeling for the smart product, which is supposed to control its production processes in many visions of Industry 4.0. Overall, solution proposals make 79% of the research, whereas only very few experience reports, validation research, and vision papers are contributed. That most solution papers also are method papers might reflect the very constructive research typical to MBSE. However, the large number of method papers over paper contributing new concepts, validating new techniques, or proposing visions implies that research mainly approaches Industry 4.0 with established methods and techniques. This is supported by our findings on the modeling techniques contributed to Industry 4.0 presented in the next section.




Figure 3: Modeling techniques by research type and contribution type.

4.3 Modeling Techniques Applied to Industry 4.0)

Regarding **RQ3**, out of the 199 publications included into classification, 160 explicitly specified the (meta)modeling technique the authors applied to contribute to MBSE for Industry 4.0. Examining these publications produced a total of 81 different modeling techniques applied to MBSE for Industry 4.0 as depicted in Fig. 3. Most notably among these are:

- Variants of UML, such as DiSpa [56], Mechatronic UML [57], UMM [58], and UML4IoT [59];
- The systems modeling language (SysML) [60] and its variants, such as SysML4Mechatronics [61] and SysML4Modelica [62];
- Knowledge representation techniques (mostly employing OWL [63, 64]);
- Various DSLs, such as the EXPRESS DSL for product data modeling [65], the virtual factory data model [66], the Industry 4.0 process modeling language [67], the graphical modeling language for value networks [68], or the graphical modeling framework for production processes [69].

Overall, out of the 199 classified papers, 47 employ UML and variants, 28 employ knowledge representation techniques, 12 employ SysML and variants, but 29 also contributed DSLs specific to Industry 4.0 challenges. Consequently, it is not surprising that we also found eight papers applying explicit metamodeling techniques to Industry 4.0 challenges. These either used specific language workbenches, such as Xtext [70, 71, 72] or MetaEdit+ [73, 74] or more generic metamodeling frameworks, such as MOF [35], EMF/ECore [75]. Overall, 21% of the contributions address Industry 4.0 challenges with new DSLs, language profiles of UML or SysML, or metamodeling techniques. This hints at modeling challenges in Industry 4.0 that cannot be properly addressed by established modeling techniques.

To answer **RQ3**, we also aim to understand which modeling techniques are applied to address the different Industry 4.0 concerns. The results, depicted in Fig. 4, show that UML is used mostly to solve challenges regarding digital representation (28 papers) and regarding integration (24 papers). This is consistent with identifying these as the most important challenges addressed by included publications. Hence, these are the two concerns most often addressed with knowledge representation techniques, DSLs, and architecture description languages as well. For failure handling and process modeling, knowledge representation techniques are more prominent




Figure 4: Individual Industry 4.0 concerns and modeling techniques addressing them.

than UML. Overall, the concerns digital representation and integration – addressed by either AutomationML, various DSLs, knowledge representation techniques, SysML, or UML – make up for 44% of the included publications. While the usage of UML is almost equally distributed between both concerns DSLs and knowledge representation techniques lean towards digital representation challenges. This might imply that UML and its variants are more suitable to integration than the former.

The results also show, that neither validation & verification, nor the human factors crucial to the success of Industry 4.0 or product modeling are investigated as much as integration and digital representation. Whereas the former might require solving digital representation and integration (to some degree) first, the lack of research on the latter two is elusive. Unless the smart factory of the future is fully automated, human interaction and control are necessary and should be considered appropriately. Regarding product modeling, many visions on Industry 4.0 assume the product coordinating its production process. The lack of modeling research of product modeling and interfaces is elusive as well.

4.4 Countries and Institutions Contributing to the Field

Investigating **RQ5**, we found that almost half of the papers were contributed by teams including German authors, followed by teams including authors from the USA, Italy, Greece, and France as depicted in Fig. 5. Overall 38 countries contributed to MBSE for Industry 4.0 in 244 contributions (papers with authors from multiple countries produce multiple country contributions). Out of these, the top 10 contributing countries produce 191 (*i.e.*, 78%) of the 244 country contributions. Among these, 162 (66%) contributions are from European countries, which suggests that MBSE

for Industry 4.0 still largely is a European research program. Whether this is due to the focus on manufacturing or on MBSE cannot be derived from the data.

Aside from the contributing authors' countries, we also identified the institutions most actively engaging into MBSE for Industry 4.0 research. Due to Industry 4.0 originating in Germany and 55% of the included publications having German co-authors, it is not surprising that of the 10 most active institutions in this field, 5 are from Germany as depicted in Fig. 6. Out of the 174 contributing institutions, 106 (61%) are universities, which indicates that despite the business-driven term, its research largely is academic. Further research is contributed by 39 companies and 29 research institutes.

Moreover, we also investigated whether the classified publications report on real-world industrial applications. Out of the 199 publications included into classification, only 10 reported such applications in automotive [76], avionics manufacturing [50], packaging [77], production of white goods [78], oil production [79], and production of windows and doors [80].

4.5 Popular Venues for Publications on MBSE for Industry 4.0

Investigating **RQ6**, we determined that most papers are published at conferences (134, 67%), followed by journals (58, 29%), and workshops (9, 4%). We also identified the most popular journals, conferences and workshops of this particular field of research, to answer **RQ6** on the most popular venues for MBSE research in the context of Industry 4.0. Fig. 7 presents the 10 most popular journals, where 45% of the related journal papers are published. The low numbers of publications in these most popular journals, however, do not support conclusions over their importance. As the topic of Industry 4.0 will mature, future studies may draw such conclusions based on a larger corpus of relevant publications.

The 10 most popular conferences to MBSE for Industry 4.0, depicted in Fig. 7, publish, with 40%, a similar share of the related conference publications. However, the bigger number of conference publications supports the conclusion that the conference on Emerging Technologies And Factory Automation³ is the most important conference for publications on MBSE for Industry 4.0. The other conferences published between 1 and 5 papers on our topic and distinguishing their importance, hence, is not feasible. Overall, the publication activities regarding conferences and journals focus on venues on automation engineering, The 10 most popular journals and

³ETFA 2017 conference website: <http://etfa2017.org/>




Figure 5: The top 10 countries contributing to MBSE in Industry 4.0 are mostly from Europe and contribute 78% of the publications.

conferences publish in total 40% of the included papers, which hints at a healthy distribution of publications over multiple venues. This is reflected by the eight workshop papers included in the classification, each of which was published at a different workshop. Hence, no results on popularity can be drawn.

4.6 Publication Activities over Time

On **RQ7**, we found that MBSE in Industry 4.0 was already addressed as early as 1991 [81], although neither the term “Industry 4.0” was coined, nor MBSE was a common research topic. Over half (111) of related publications were published starting in 2015 and 169 (83%) of the publications are from 2011 (the year the term “Industry 4.0” was coined) or later (cf. Fig. 9).

5 Threats to Validity

The presented study is subject to threats to construct validity (research design), internal validity (data extraction), and conclusion validity (reliability). Threats to external validity (generalizability) are irrelevant as the results of this study cannot be generalized to other problems domains (Industry 4.0) or other solution domains (MBSE).

Regarding threats to research design, the findings presented in Sec. 3 and Sec. 4 are valid only for our sample of papers. Hence, it is crucial to ensure inclusion of as many relevant papers as possible. To achieve this, we included the Google Scholar digital library, which contributed 980 publications (66%) of the initial corpus. Although we are aware that a great number of subsequent exclusions for formal reasons (*e.g.*, non-peer-reviewed materials) are due to including Google Scholar, its inclusion was useful to capture venues not published at the other libraries. Overall, considering Google Scholar led to including 108 papers that would have otherwise been omitted.

Furthermore, we did not restrict our search to papers mentioning “Industry 4.0” explicitly, but also included the related terms of the search clause’s first part. Similarly, the search clause’s second part included terms closely related to model-based software engineering, without narrowing it to the exact terms. Instead, we used terms one can expect from relevant contributions to be included in the full text. This enabled to capture related publications without focusing on the very specific, partly ambiguous, modeling terminology. Another threat to research design validity arises from the definition of the inclusion/exclusion criteria. During the screening, only




Figure 6: The 10 institutions engaging most actively in research on MBSE for Industry 4.0.




Figure 7: Most popular journals for publications on MBSE for Industry 4.0.




Figure 8: Most popular conferences for publications on MBSE for Industry 4.0.

title, abstract, and keywords were considered. To prevent excluding relevant publications based on the lack of investigation, we included papers we were uncertain of temporarily. In the subsequent classification phase, the complete papers were read and inclusion/exclusion were decided ultimately.

Threats to internal validity arise from the data extraction performed for screening and classification. The lack of established terminology, absent information, or unfavorably presented papers may lead to wrong decisions regarding inclusion and exclusion. To mitigate this, inclusion and classification of problematic papers was discussed among the authors. To prevent the threat of classification fatigue, the classification was performed in blocks of at most one hour broken up by at least 15 minute breaks. The resulting classification scheme comprises four facets that correspond to our research questions.

Threats to conclusion validity arise drawing wrong conclusions and from the study's replicability. Regarding the former, we have discussed various issues that could lead to wrong conclusions in the context of threats to internal and external validity. For replicability, we detailed the complete research method in Sec. 3, which enables replicating every phase of this mapping study.




Figure 9: Number of publications per year until April 2017 (missing numbers identify years without related publications).

6 Conclusion

Industry 4.0 is the application of systems engineering concepts, methods, and tools to the development of adaptive systems of systems that enable smart manufacturing with CPS in the IoT. Model-based systems engineering has shown to facilitate development of such systems, but its application to Industry 4.0 was not systematically investigated, yet. To comprehend the contribution of MBSE to Industry 4.0, we conducted a systematic mapping study, which revealed that digital representation of automation systems, their interfaces and data models, as well as their integration are the prime Industry 4.0 concerns addressed by MBSE. Also, the majority of papers contribute methods and concepts to solve particular challenges of Industry 4.0. Despite this is a relatively new term, we found only 11 vision papers addressing its various concerns. If this is considered an indicator for the domain’s maturity, the lack of experience papers and experience reports is notable. We do not consider this point regarding the mapping study validity. Indeed, systematic mapping studies in software engineering have been recommended mostly for research areas where there is a lack of relevant, high-quality primary studies [11]. There is a similar lack of research contributing metrics and analyses on the applicability of specific concepts, methods, and tools to the Industry 4.0 challenges. However, with Industry 4.0 being business-driven and aiming at reducing cost and time, such contributions might arise once the field has matured.

Regarding the most popular venues for publications on MBSE for Industry 4.0, we found that the publications are almost equally spread over the different journals, whereas the conference on Emerging Technologies And Factory Automation appears to be the most important conference for this field. It is, however, notable that no software-centric venues are among the top venues. We also found that Industry 4.0 is still largely a European research program with common contributions from the USA and the Republic of Korea. Future studies will reveal whether Industry 4.0 will be addressed increasingly in other countries as well.

UML is the modeling technique applied most often to Industry 4.0, followed by knowledge representation techniques. There is a conceptual gap between the software modeling techniques of UML and knowledge representation techniques whose bridging appears to be crucial to successful modeling the factory of the future. We also found that the third most popular modeling technique are DSLs. With the majority (76%) of DSL related contributions being published in 2010 and increasing in number since then, we expect to see more specifically tailored modeling techniques for Industry 4.0 in the future. It would be interesting to compare this trend to more mature domains that incorporated modeling, such as embedded systems in automotive or avionics, as well as to the corpora of MBSE-related publications on CPS and IoT.

Future research on MBSE for Industry 4.0 hence should address the integration of knowledge

representation techniques with UML and AutomationML to ultimately achieve integrated factory system model that enable fully automated reasoning about production optimization based on product information. Such a basis might lead to increasing research in validation & verification of integrated production systems as well as in including modeling the human factors of Industry 4.0 applications more often. Overall, this study has uncovered that research on modeling for Industry 4.0 currently focuses on digital representation and integration using established techniques, but also that there is an increasing trend towards customized modeling techniques to address the more specific challenges of Industry 4.0. Future studies will show whether established modeling techniques are adequate to address Industry 4.0 challenges or how they There also still is a lack of benchmarks for Industry 4.0. Consequently, there is no real comparison between approaches and only little work on their validation. Sharing benchmarks on top of existing case studies, such as *MyJoghurt*⁴, would be another challenge for the modeling community.

References

- [1] Bundesministerium für Bildung und Forschung, “Zukunftsprojekt Industrie 4.0,” <https://www.bmbf.de/de/zukunftsprojekt-industrie-4-0-848.html>, accessed: 2017-04-20.
- [2] M. Hermann, T. Pentek, and B. Otto, “Design principles for Industrie 4.0 scenarios,” in *System Sciences (HICSS), 2016 49th Hawaii International Conference on*. IEEE, 2016, pp. 3928–3937.
- [3] J. Dregger, J. Niehaus, P. Ittermann, H. Hirsch-Kreinsen, and M. ten Hompel, “The digitization of manufacturing and its societal challenges: a framework for the future of industrial labor,” in *2016 IEEE International Symposium on Ethics in Engineering, Science and Technology (ETHICS)*, May 2016, pp. 1–3.
- [4] “The Smart Factory – Risk Management Perspectives,” CRO Forum, Tech. Rep., 2015. [Online]. Available: <http://www.thecroforum.org/wp-content/uploads/2015/12/CROF-ERI-2015-The-Smart-Factory1.pdf>
- [5] C. He and G. Mussbacher, “Model-Driven Engineering and Elicitation Techniques: A Systematic Literature Review,” in *2016 IEEE 24th International Requirements Engineering Conference Workshops (REW)*, Sept 2016, pp. 180–189.
- [6] M. Szvetits and U. Zdun, “Systematic literature review of the objectives, techniques, kinds, and architectures of models at runtime,” *Software & Systems Modeling*, vol. 15, no. 1, pp. 31–69, 2016.
- [7] T. Heineck, E. Gonçalves, A. Sousa, M. Oliveira, and J. Castro, “Model-Driven Development in Robotics Domain: A Systematic Literature Review,” in *Software Components, Architectures and Reuse (SBCARS), 2016 X Brazilian Symposium on*. IEEE, 2016, pp. 151–160.
- [8] S. Mahdavi-Hezavehi, V. H. Durelli, D. Weyns, and P. Avgeriou, “A systematic literature review on methods that handle multiple quality attributes in architecture-based self-adaptive systems,” *Information and Software Technology*, 2017.
- [9] M. Goulão, V. Amaral, and M. Mernik, “Quality in Model-driven Engineering: A Tertiary Study,” *Software Quality Journal*, vol. 24, no. 3, pp. 601–633, Sep. 2016.

⁴<http://i40d.ais.mw.tum.de/>

- [10] S. Keele, “Guidelines for performing systematic literature reviews in software engineering,” in *Technical Report, Ver. 2.3 EBSE Technical Report. EBSE*, 2007.
- [11] K. Petersen, R. Feldt, S. Mujtaba, and M. Mattsson, “Systematic Mapping Studies in Software Engineering,” in *EASE*, vol. 8, 2008, pp. 68–77.
- [12] N. Juristo, A. M. Moreno, S. Vegas, and M. Solari, “In Search of What We Experimentally Know about Unit Testing,” *IEEE Software*, vol. 23, no. 6, pp. 72–80, Nov 2006.
- [13] M. Jorgensen and M. Shepperd, “A Systematic Review of Software Development Cost Estimation Studies,” *IEEE Trans. Softw. Eng.*, vol. 33, no. 1, pp. 33–53, Jan. 2007.
- [14] D. I. K. Sjoberg, J. E. Hannay, O. Hansen, V. By Kampenes, A. Karahasanovic, N.-K. Liborg, and A. C. Rekdal, “A Survey of Controlled Experiments in Software Engineering,” *IEEE Trans. Softw. Eng.*, vol. 31, no. 9, pp. 733–753, Sep. 2005.
- [15] J. Bailey, D. Budgen, M. Turner, B. Kitchenham, P. Brereton, and S. Linkman, “Evidence Relating to Object-Oriented Software Design: A Survey,” in *Proceedings of the First International Symposium on Empirical Software Engineering and Measurement*, ser. ESEM ’07. Washington, DC, USA: IEEE Computer Society, 2007, pp. 482–484.
- [16] C. Zhang and D. Budgen, “What Do We Know About the Effectiveness of Software Design Patterns?” *IEEE Trans. Softw. Eng.*, vol. 38, no. 5, pp. 1213–1231, Sep. 2012.
- [17] R. Pretorius and D. Budgen, “A Mapping Study on Empirical Evidence Related to the Models and Forms Used in the UML,” in *Proceedings of the Second ACM-IEEE International Symposium on Empirical Software Engineering and Measurement*, ser. ESEM ’08. New York, NY, USA: ACM, 2008, pp. 342–344.
- [18] N. Condori-Fernandez, M. Daneva, K. Sikkil, R. Wieringa, O. Dieste, and O. Pastor, “A Systematic Mapping Study on Empirical Evaluation of Software Requirements Specifications Techniques,” in *Proceedings of the 2009 3rd International Symposium on Empirical Software Engineering and Measurement*, ser. ESEM ’09. Washington, DC, USA: IEEE Computer Society, 2009, pp. 502–505.
- [19] E. Engström and P. Runeson, “Software Product Line Testing - A Systematic Mapping Study,” *Inf. Softw. Technol.*, vol. 53, no. 1, pp. 2–13, Jan. 2011.
- [20] M. A. Laguna and Y. Crespo, “A Systematic Mapping Study on Software Product Line Evolution: From Legacy System Reengineering to Product Line Refactoring,” *Sci. Comput. Program.*, vol. 78, no. 8, pp. 1010–1034, Aug. 2013.
- [21] T. Kosar, S. Bohra, and M. Mernik, “Domain-Specific Languages: A Systematic Mapping Study,” *Information and Software Technology*, vol. 71, pp. 77 – 91, 2016.
- [22] A. Mehmood and D. N. Jawawi, “Aspect-oriented model-driven code generation: A systematic mapping study,” *Information and Software Technology*, vol. 55, no. 2, pp. 395 – 411, 2013, special Section: Component-Based Software Engineering (CBSE), 2011.
- [23] B. Vogel-Heuser and D. Hess, “Guest Editorial Industry 4.0 - Prerequisites and Visions,” *IEEE Transactions on Automation Science and Engineering*, vol. 13, no. 2, pp. 411–413, April 2016.

- [24] P. J. Mosterman and J. Zander, "Cyber-physical Systems Challenges: A Needs Analysis for Collaborating Embedded Software Systems," *Softw. Syst. Model.*, vol. 15, no. 1, pp. 5–16, Feb. 2016.
- [25] A. Khan and K. Turowski, "A Survey of Current Challenges in Manufacturing Industry and Preparation for Industry 4.0," in *Proceedings of the First International Scientific Conference on Intelligent Information Technologies for Industry (IITI'16)*, January 2016, pp. 15–26.
- [26] A. J. C. Trappey, C. V. Trappey, U. H. Govindarajan, J. J. Sun, and A. C. Chuang, "A Review of Technology Standards and Patent Portfolios for Enabling Cyber-Physical Systems in Advanced Manufacturing," *IEEE Access*, vol. 4, pp. 7356–7382, 2016.
- [27] M. Hermann, T. Pentek, and B. Otto, "Design Principles for Industrie 4.0 Scenarios," in *Proceedings of the 2016 49th Hawaii International Conference on System Sciences (HICSS)*, ser. HICSS '16. Washington, DC, USA: IEEE Computer Society, 2016, pp. 3928–3937.
- [28] Y. Lu, "Industry 4.0: A Survey on Technologies, Applications and Open Research Issues," *Journal of Industrial Information Integration*, pp. –, 2017. [Online]. Available: <http://www.sciencedirect.com/science/article/pii/S2452414X17300043>
- [29] T. Kosar, S. Bohra, and M. Mernik, "Domain-specific languages: A systematic mapping study," *Information and Software Technology*, vol. 71, pp. 77–91, 2016.
- [30] L. M. do Nascimento, D. L. Viana, P. A. S. Neto, D. A. Martins, V. C. Garcia, and S. R. Meira, "A systematic mapping study on domain-specific languages," in *The Seventh International Conference on Software Engineering Advances (ICSEA 2012)*, 2012, pp. 179–187.
- [31] B. Kitchenham, O. P. Brereton, D. Budgen, M. Turner, J. Bailey, and S. Linkman, "Systematic literature reviews in software engineering – a systematic literature review," *Information and Software Technology*, vol. 51, no. 1, pp. 7 – 15, 2009, special Section - Most Cited Articles in 2002 and Regular Research Papers.
- [32] D. Budgen, M. Turner, P. Brereton, and B. Kitchenham, "Using mapping studies in software engineering," in *Proceedings of PPIG*, vol. 8. Lancaster University, 2008, pp. 195–204.
- [33] J. R. Gisbert, C. Palau, M. Uriarte, G. Prieto, J. A. Palazón, M. Esteve, O. López, J. Correas, M. C. Lucas-Estañ, P. Giménez *et al.*, "Integrated system for control and monitoring industrial wireless networks for labor risk prevention," *Journal of Network and Computer Applications*, vol. 39, pp. 233–252, 2014.
- [34] S. Stemmler, M. Reiter, and D. Abel, "Model predictive control as a module for autonomously running complex plastics production processes," *International Polymer Science and Technology*, vol. 41, no. 12, p. T1, 2014.
- [35] P. Lahire, D. Parigot, and E. Tundrea, "SMARTFACTORY - an Implementation of the Domain Driven Development Approach," in *SACI'2004, 1st Romanian-Hungarian Joint Symposium on Applied Computational Intelligence*, 2004, p. 6.
- [36] M. A. Pisching, F. Junqueira, D. J. S. Filho, and P. E. Miyagi, *Service Composition in the Cloud-Based Manufacturing Focused on the Industry 4.0*. Cham: Springer International Publishing, 2015, pp. 65–72.
- [37] D. Strang and R. Anderl, "Assembly process driven component data model in cyber-physical production systems," in *Proceedings of the World Congress on Engineering and Computer Science*, vol. 2, 2014.

- [38] C. Constantinescu, D. Matarazzo, D. Dienes, E. Francalanza, and M. Bayer, “Modeling of system knowledge for efficient agile manufacturing: Tool evaluation, selection and implementation scenario in SMEs,” *Procedia CIRP*, vol. 25, pp. 246–252, 2014.
- [39] S. Bergmann and S. Straßburger, “On the use of the Core Manufacturing Simulation Data (CMSD) standard: experiences and recommendations,” in *Fall Simulation Interoperability Workshop 2015 (SIW)*, 2015.
- [40] L. W. Lacy, *OWL: Representing information using the web ontology language*. Trafford Publishing, 2005.
- [41] C. Büscher, H. Voet, M. Krunke, P. Burggräf, T. Meisen, and S. Jeschke, “Semantic Information Modelling for Factory Planning Projects,” *Procedia CIRP*, vol. 41, pp. 478 – 483, 2016.
- [42] Q. Zhang, Y. Liu, and Z. Zhang, “A new method for automatic optimization of drawbead geometry in the sheet metal forming process based on an iterative learning control model,” *The International Journal of Advanced Manufacturing Technology*, pp. 1–17, 2016.
- [43] M. Lütjen, H.-J. Kreowski, M. Franke, K.-D. Thoben, and M. Freitag, “Model-driven logistics engineering—challenges of model and object transformation,” *Procedia Technology*, vol. 15, pp. 303–312, 2014.
- [44] J. Du, Q. He, and X. Fan, “Automating generation of the assembly line models in aircraft manufacturing simulation,” in *Assembly and Manufacturing (ISAM), 2013 IEEE International Symposium on*. IEEE, 2013, pp. 155–159.
- [45] N. Medvidovic and R. N. Taylor, “A Classification and Comparison Framework for Software Architecture Description Languages,” *IEEE Transactions on Software Engineering*, 2000.
- [46] R. Drath, A. Luder, J. Peschke, and L. Hundt, “AutomationML - the glue for seamless automation engineering,” in *Emerging Technologies and Factory Automation, 2008. ETFA 2008. IEEE International Conference on*. IEEE, 2008, pp. 616–623.
- [47] U. Kannengiesser and H. Müller, “Towards agent-based smart factories: A subject-oriented modeling approach,” in *Web Intelligence (WI) and Intelligent Agent Technologies (IAT), 2013 IEEE/WIC/ACM International Joint Conferences on*, vol. 3. IEEE, 2013, pp. 83–86.
- [48] C. T. Sungur, U. Breitenbücher, F. Leymann, and M. Wieland, “Context-sensitive adaptive production processes,” *Procedia CIRP*, vol. 41, pp. 147–152, 2016.
- [49] J. Michaloski, F. Proctor, J. Arinez, and J. Berglund, “Toward the ideal of automating production optimization,” in *ASME 2013 International Mechanical Engineering Congress and Exposition*. American Society of Mechanical Engineers, 2013, pp. V02AT02A089–V02AT02A089.
- [50] M. A. Rashid, H. Qureshi, and N. Khan, “ERP Life-cycle Management for Aerospace Smart Factory: A Multi-disciplinary Approach,” *International Journal of Computer Applications*, vol. 26, no. 11, 2011.
- [51] F. Long, P. Zeiler, and B. Bertsche, “Potentials of coloured petri nets for realistic availability modelling of production systems in Industry 4.0,” in *Proceedings of the ESREL 2015 Conference, 07.09.-10.09. 2015, Zürich, Switzerland*, 2015, pp. 4455–4463.

- [52] S. Mechs, S. Grimm, D. Beyer, and S. Lamparter, "Evaluation of prediction accuracy for energy-efficient switching of automation facilities," in *Industrial Electronics Society, IECON 2013-39th Annual Conference of the IEEE*. IEEE, 2013, pp. 6928–6933.
- [53] A. Hoffmann, A. Angerer, A. Schierl, M. Vistein, and W. Reif, "Service-oriented robotics manufacturing by reasoning about the scene graph of a robotics cell," in *ISR/Robotik 2014; 41st International Symposium on Robotics; Proceedings of*. VDE, 2014, pp. 1–8.
- [54] M. Loskyll, I. Heck, J. Schlick, and M. Schwarz, "Context-based orchestration for control of resource-efficient manufacturing processes," *Future Internet*, vol. 4, no. 3, pp. 737–761, 2012.
- [55] M. V. García, E. Irisarri, F. Pérez, E. Estévez, and M. Marcos, "OPC-UA communications integration using a CPPS architecture," in *Ecuador Technical Chapters Meeting (ETCM), IEEE*, vol. 1. IEEE, 2016, pp. 1–6.
- [56] M. Bergert, C. Diedrich, J. Kiefer, and T. Bar, "Automated PLC software generation based on standardized digital process information," in *Emerging Technologies and Factory Automation, 2007. ETFA. IEEE Conference on*. IEEE, 2007, pp. 352–359.
- [57] D. Schubert, C. Heinzemann, and C. Gerking, "Towards Safe Execution of Reconfigurations in Cyber-Physical Systems," in *Component-Based Software Engineering (CBSE), 2016 19th International ACM SIGSOFT Symposium on*. IEEE, 2016, pp. 33–38.
- [58] A. Mazak and C. Huemer, "A standards framework for value networks in the context of Industry 4.0," in *Industrial Engineering and Engineering Management (IEEM), 2015 IEEE International Conference on*. IEEE, 2015, pp. 1342–1346.
- [59] K. Thramboulidis and F. Christoulakis, "UML4IoT - a UML-based approach to exploit IoT in cyber-physical manufacturing systems," *Computers in Industry*, vol. 82, pp. 259–272, 2016.
- [60] A. Thoma, B. Kormann, and B. Vogel-Heuser, "Fault-centric system modeling using SysML for reliability testing," in *Emerging Technologies & Factory Automation (ETFA), 2012 IEEE 17th Conference on*. IEEE, 2012, pp. 1–8.
- [61] S. Feldmann, S. J. Herzig, K. Kernschmidt, T. Wolfenstetter, D. Kammerl, A. Qamar, U. Lindemann, H. Krcmar, C. J. Paredis, and B. Vogel-Heuser, "Towards effective management of inconsistencies in model-based engineering of automated production systems," *IFAC-PapersOnLine*, vol. 48, no. 3, pp. 916–923, 2015.
- [62] O. Berndt, U. F. von Lukas, and A. Kuijper, "Functional Modelling And Simulation Of Overall System Ship-Virtual Methods For Engineering And Commissioning In Shipbuilding," in *ECMS*, 2015, pp. 347–353.
- [63] E. Negri, L. Fumagalli, M. Garetti, and L. Tanca, "Requirements and languages for the semantic representation of manufacturing systems," *Computers in Industry*, vol. 81, pp. 55–66, 2016.
- [64] O. Harcuba and P. Vrba, "Ontologies for flexible production systems," in *Emerging Technologies & Factory Automation (ETFA), 2015 IEEE 20th Conference on*. IEEE, 2015, pp. 1–8.

- [65] T. Divoux, E. Rondeau, and F. Lepage, “Using the EXPRESS language as a reference interface to define MMS communication,” *Journal of Intelligent Manufacturing*, vol. 8, no. 1, pp. 59–66, 1997.
- [66] B. Kádár, W. Terkaj, and M. Sacco, “Semantic Virtual Factory supporting interoperable modelling and evaluation of production systems,” *CIRP Annals-Manufacturing Technology*, vol. 62, no. 1, pp. 443–446, 2013.
- [67] R. Petrasch and R. Hentschke, “Process modeling for Industry 4.0 applications: Towards an Industry 4.0 process modeling language and method,” in *Computer Science and Software Engineering (JCSSE), 2016 13th International Joint Conference on*. IEEE, 2016, pp. 1–5.
- [68] M. Schneider, T. Mittag, and J. Gausemeier, “Modeling Language for Value Networks,” in *25th International Association for Management of Technology Conference Proceedings*, ser. 25th International Association for Management of Technology Conference, vol. 25, International Association for Management of Technology (IAMOT). Orlando, Florida: IAMOT, MayMay 2016, p. 94 – 110.
- [69] M. Lütjen and D. Rippel, “GRAMOSA framework for graphical modelling and simulation-based analysis of complex production processes,” *The International Journal of Advanced Manufacturing Technology*, vol. 81, no. 1-4, pp. 171–181, 2015.
- [70] M. M. Merkmumians, M. Baierling, and G. Schitter, “A service-oriented domain specific language programming approach for batch processes,” in *Emerging Technologies and Factory Automation (ETFA), 2016 IEEE 21st International Conference on*. IEEE, 2016, pp. 1–9.
- [71] O. Niggemann, A. Maier, and J. Jasperneite, “Model-based Development of Automation Systems,” in *MBEES*, 2010, pp. 45–54.
- [72] H. Kern, F. Stefan, and V. Dimitrieski, “Intelligent and self-adapting integration between machines and information systems,” *IADIS International Journal on Computer Science & Information Systems*, vol. 10, no. 1, 2015.
- [73] D. Chen, A. Maffei, J. Ferreirar, H. Akillioglu, M. R. Khabazzi, and X. Zhang, “A virtual environment for the management and development of cyber-physical manufacturing systems,” *IFAC-PapersOnLine*, vol. 48, no. 7, pp. 29–36, 2015.
- [74] D. Chen, D. V. Panfilenko, M. R. Khabbazi, and D. Sonntag, “A model-based approach to qualified process automation for anomaly detection and treatment,” in *Emerging Technologies and Factory Automation (ETFA), 2016 IEEE 21st International Conference on*. IEEE, 2016, pp. 1–8.
- [75] O. Kovalenko, M. Wimmer, M. Sabou, A. Lüder, F. J. Ekaputra, and S. Biffl, “Modeling AutomationML: Semantic web technologies vs. model-driven engineering,” in *Emerging Technologies & Factory Automation (ETFA), 2015 IEEE 20th Conference on*. IEEE, 2015, pp. 1–4.
- [76] D. Holz, A. Topalidou-Kyniazopoulou, F. Rovida, M. R. Pedersen, V. Krüger, and S. Behnke, “A skill-based system for object perception and manipulation for automating kitting tasks,” in *Emerging Technologies & Factory Automation (ETFA), 2015 IEEE 20th Conference on*. IEEE, 2015, pp. 1–9.

-
- [77] B. Vogel-Heuser, S. Rösch, J. Fischer, T. Simon, S. Ulewicz, J. Folmer *et al.*, “Fault handling in PLC-based industry 4.0 automated production systems as a basis for restart and self-configuration and its evaluation,” *Journal of Software Engineering and Applications*, vol. 9, no. 01, p. 1, 2016.
- [78] K. Alexopoulos, S. Makris, V. Xanthakis, K. Sipsas, and G. Chryssolouris, “A concept for context-aware computing in manufacturing: the white goods case,” *International Journal of Computer Integrated Manufacturing*, vol. 29, no. 8, pp. 839–849, 2016.
- [79] E. Irisarri, M. V. García, F. Pérez, E. Estévez, and M. Marcos, “A model-based approach for process monitoring in oil production industry,” in *Emerging Technologies and Factory Automation (ETFA), 2016 IEEE 21st International Conference on*. IEEE, 2016, pp. 1–4.
- [80] D. S. Aleksić, D. S. Janković, and L. V. Stoimenov, “A case study on the object-oriented framework for modeling product families with the dominant variation of the topology in the one-of-a-kind production,” *The International Journal of Advanced Manufacturing Technology*, vol. 59, no. 1, pp. 397–412, 2012.
- [81] J. Wollert and M. Lehne, “Modeling for Ship Design and Production,” in *1991 Ship Production Symposium Proceedings: Building the Ships and Boats of 2010-The Way Forward*, 1991, p. 1.

Digital Representation	Modeling systems, factories, or knowledge as well as the standardization of digital representations.
Failure Handling	Publications focusing on failure management or safety aspects.
Information Management	Publications on accessing and distributing information.
Integration	Papers focusing on integrating CPS with something (other CPS, processes, the cloud) at design time and run time.
Human Factors	Publications addressing the human side of Industry 4.0, such as worker localization or human-machine interaction.
Planning	Publications focusing on employing MBSE to enable or optimize planning (such as plant planning) and decision making.
Processes	Their modeling and management.
Product Modeling	Publications contributing to modeling (smart) products.
(Re-) configuration	Publications focusing on modeling configuration, monitoring, system resiliency, and self-* properties.
Verification & Validation	Publications employing MBSE to simulation and testing.
Visualization	Publications on using MBSE for achieve better system visualization, such as 3D modeling, augmented reality, or virtual reality.

Table 4: Industry 4.0 concern facets.

3D Modeling	Techniques for representing geometric properties, <i>e.g.</i> , for factory planning or augmented reality systems, including AutoCAD [44] and CATIA 3D [42].
ADL	Techniques employing architecture description languages [45].
AML	Techniques employing the AutomationML [46] plant engineering data exchange format.
BPM	Techniques for business process modeling in the context of Industry 4.0, for instance [47, 48].
CMSD	Approaches based on Core Manufacturing Simulation Data (CMSD), such as [49].
DSL	Domain-specific languages.
ER	Entity-relationship modeling (cf. [50]).
Formal Modeling	Automata-based and mathematical modeling approaches, including Petri Nets [51] or Priced Timed Automata [52].
GPL	Techniques employing general programming languages (GPLs), for instance to model the services provided by a robotic manufacturing system [53].
KR	Knowledge representation techniques, using, for instance, OWL [54].
Meta	Various metamodeling techniques.
Simulink	Approaches using MATLAB/Simulink.
SysML	Techniques employing SysML.
UML	UML and UML profiles.
XML	XML-based modeling techniques.

Table 5: Modeling technique facets.



**RESEARCH CENTRE
RENNES – BRETAGNE ATLANTIQUE**

Campus universitaire de Beaulieu
35042 Rennes Cedex

Publisher
Inria
Domaine de Voluceau - Rocquencourt
BP 105 - 78153 Le Chesnay Cedex
inria.fr

ISSN 0249-6399