

A Halal and Quality Attributes Driven Animal Products Formal Producing System Based on HQESPNM

Qiang Han, Wenxing Bao

▶ To cite this version:

Qiang Han, Wenxing Bao. A Halal and Quality Attributes Driven Animal Products Formal Producing System Based on HQESPNM. 4th Conference on Computer and Computing Technologies in Agriculture (CCTA), Oct 2010, Nanchang, China. pp.48-55, 10.1007/978-3-642-18333-1_7. hal-01559567

HAL Id: hal-01559567 https://inria.hal.science/hal-01559567

Submitted on 10 Jul2017

HAL is a multi-disciplinary open access archive for the deposit and dissemination of scientific research documents, whether they are published or not. The documents may come from teaching and research institutions in France or abroad, or from public or private research centers. L'archive ouverte pluridisciplinaire **HAL**, est destinée au dépôt et à la diffusion de documents scientifiques de niveau recherche, publiés ou non, émanant des établissements d'enseignement et de recherche français ou étrangers, des laboratoires publics ou privés.



Distributed under a Creative Commons Attribution 4.0 International License

A Halal & Quality Attributes Driven Animal Products Formal Producing System Based on HQESPNM

Qiang Han *, Wenxing Bao

School of Computer Science and Engineering, Beifang University for Ethnics, Yinchuan Ningxia, P. R. China 750021 nxhang@tom.com

Abstract. Usually, halal animal products formal producing system consists of several components that cover major stages including Pre-processing, Processing and Post-processing. In this paper, we present five information systems to implement fundamental functions of formal management, scientific foods management, animal epidemic disease diagnose and prevention, processing standardization and market management, which respectively map to those components mentioned above. As halal animal products formal producing system, there are Halal & Quality attributes existing in all of the five information systems. Thereby, concentrated and systematic controlling of Halal & Quality attributes could improve whole quality of the producing system and ensure products is halal. Addressed to the problem of controlling scheme, first, this paper given a Halal & Quality Elements Extended SPN Model (HQESPNM) in detail. Second, it propose Platform-Independence architecture of the formal producing system based on HQESPNM through infrastructure of database integrate middleware. Finally, this paper given an Electronic-Agriculture Services case through Platform-Specified Software based on SOA to certificate that the model proposed by this paper is feasible for halal animal products system.

Keywords: Halal, Quality, Traceability, Petri Nets, HQESPNM

1 Introduction

At the beginning of 80's of last century, based on the Petri Net [1], Molly presented Stochastic Petri Net through associating a stochastic delay time to every transition from ready-to-fire to firing [2]. With the development of science, computation science based on high-performance computing becomes more and more important[5]. As the Stochastic Petri Net presented, it was used in many applications of modeling, analysis and efficiency test, such as communication protocols, workflow design etc.

However, Stochastic Petri Net is not suitable to each application aspect completely. For example, to the formal producing and quality certification of Halal Animal, except general elements of normal management are suitable to Stochastic Petri Net for information system modeling and computation, the type of its Halal and Quality

^{*} Corresponding author.

elements affection to all of steps in whole management process is through controlling the process and not by any time-element or stochastic-element. Once the Halal and Quality elements are destroyed in the management process, the products have not any meaning for Moslem people and other people.

Including all the animal product producing process of Pre-processing, Processing and Post-processing, in breeding, propagate, feed, fattening, slaughtering, transportation and market circulating, how to guarantee the products are processed under an consistency environment according to Halal and Quality standard, is the key of information system which service for this aspect.

To solve the problem above, this paper proposed an approach through combination technique [13] of Place expanding Petri nets [6] and Stochastic Petri Net [2], and by the approach, this paper given a Halal & Quality Elements Extended SPN Model (HQESPNM) in detail. The primary thought of the approach is separate the problem of the aspect into two part, the part about general performance computation can be solved by Stochastic Petri Net, and the other part about Halal & Quality elements can be solved by Place expanding Petri nets. So that, by this means, through the function of the two Petri net theories, the problem of the aspect can be solved successfully.

In the detailed scheme of the halal animal products

formal producing system model based on HQESPNM, this paper mainly given design of the model which separate Halal & Quality attributes into independent subsystem, and the implementation of its algorithm.

The organization of the remainder of this paper is as follows. Section 2 given the basic concepts and notations, and system model is given in section 3. Section 4 discussed how to use the system to solve the problem through an example. Finally, section 5 summarized the main results and points out the future work. The word "iff" means "if and only if" in this paper.

2. Basic concepts and notations

The concepts and notations of Petri nets are derived from some documents [7-12].

2.1 Stochastic Petri Net

Definition 1 A Petri net is a four-tuple $\sum = (P, T, F; M_0)$ such that:

(1) P is a finite set of places, and T is a finite set of transitions, and $P \bigcap T = \phi, P \bigcup T \neq \phi$;

(2) $F \subseteq (P \times T) \cup (T \times P)$ is a set of arcs;

(3) $M_0: P \to \{0,1,2,...\}$ is the initial marking. Generally, $\forall x \in P \bigcup T$, the preset of x is $x = \{y \mid y \in P \bigcup T \text{ and } (y,x) \in F\}$, and the post-set of x is $x = \{y \mid y \in P \bigcup T \text{ and } (x,y) \in F\}$ and $x \bigcup x$ is the spanning-set of x. If

 $P_1 = P, T_1 = T$ and $F_1 \in ((P_1 \times T_1) \cup (T_1 \times P_1)) \cup F$, $\sum_{i} = (P_1, T_1, F_1)$ is called the spanning subnet of P1.

Definition 2 Let M(p) be the number of tokens in place p. For $t \in T$,

(1) t is enable under the marking M, denoted by $M[t >, iff \forall p \in t : M(p) \ge 1;;$

(2) If t is enable under the marking M, then t can be fired. The marking

M' is obtained from M by firing t, denoted by M[t > M']:

$$M'(p) = \begin{cases} M(p)-1, (p,t) \in F \land (t,p) \notin F \\ M(p)+1, (p,t) \notin F \land (t,p) \in F \\ M(p), otherwise \end{cases}$$

Thus, M' is reachable from M. The set of reachable markings from M is denoted as R(M).

The properties derived from execution of the Petri net are called dynamic properties or behavioral properties.

A Petri net $\sum = (P, T, F; M_0)$ is called safe

iff $\forall M \in R(M_0), \forall p \in P, M(p) \le 1$ is satisfied.

Definition 3 For a Petri net $\sum = (P, T, F; M_0)$,

 $M \in R(M_0)$, if $M \in R(\overline{M'})$ for $\forall M' \in R(M)$, then M is called a home state. \sum is a reversible net system if M_0 is a home state.

Definition 4 $\sum = (P, T, F; M_0)$ is a Petri net. \sum is said to be:

(1) weakly live iff $\forall M \in R(M_0), \exists t \in T \text{ such that } M[t > .$

(2) live iff $\forall M \in R(M_0), \exists t \in T, \exists \sigma \in T^*$ such that $M[\sigma > M'[t > ...]$

Definition 5 $\sum = (P, T, F; M_0, K, W)$ is a Place/Transition Net, where:

(1) $(P,T,F;M_0)$ is a Petri net.

- (2) $K: S \to N^+ \bigcup \{\infty\}$ is Place Capacity function.
- (3) $W: F \to N^+$ is Arc Priority function.
- (4) $\forall p \in P : M_0(p) \leq K(p)$.

Definition 6 $\sum = (P,T,F;M_0,K,W,\lambda)$ is a continuous-timed Stochastic Petri Nets, where:

(1) $(P,T,F;M_0,K,W)$ is a Place/Transition Net.

(2) $\lambda = (\lambda_1, \lambda_2, \lambda_3, \dots, \lambda_m)$ is set of transition average fired rate. λ_i is transition average fired rate of $t_i \in T$, which represent the fired times of t_i in an unit time.

2.2 Place expanding Petri Net (PePN)

Based on the introduction of Petri Nets and Stochastic Petri Nets above, we can calculate performance data through modeling system. However, in the actual application of it, because of the dynamic change properties of modeling objects, the capacity of description for them is limited. So some researchers presented Place expanding Petri Net Models, example Place expanding Petri Net[6].Its definition is:

Definition 7 $\sum = (P, T, F; M_0)$ is a Place expanding Petri Net(PePN), where:

- (1) S={s|s is Place expanding Petri Net or $s \subseteq S', S'$ is place sets of $\sum_{i=1}^{n} A_i$.
- (2) $\forall (x, y) \in F : x \in S \land y \in T \Longrightarrow \exists z \in S, (y, z) \in F$.
- (3) $\forall (x, y) \in F : x \in T \land y \in S \Longrightarrow \exists z \in T, (z, x) \in F$.

2.3 Halal & Quality Elements Extended SPN Model (HQESPNM)

Based on the Stochastic Petri Nets and Place expanding Petri Net, this paper presented a Halal&Quality Elements Extended SPN Model (HQESPNM).

Definition 8 $\sum = (Nh, Nq, Np, F)$ is a HQESPNM, where:

- (1) $Nh = (P_{Nh}, T_{Nh}, F_{Nh}; M_0^{Nh})$ is a Petri Nets.
- (2) $Nq = (P_{Nq}, T_{Nq}, F_{Nq}; M_0^{Nq})$ is a Petri Nets.
- (3) $Np = (P_{Np}, T_{Np}, F_{Np}; M_0^{Np}, K_{Np}, W_{Np}, \lambda_{Np})$ is a Stochastic Petri Nets.
- (4) $F = \{ < p, t > \cup < t, p > | p \in (P_{Nh} \cup P_{Nq}), t \in T_{Np} \} < p, t > \text{ means a Halal or}$

Quality data flow/transition from Nh or Nq to Np; on the contrary, $\langle t, p \rangle$ means a Halal or Quality data flow/transition from Np to Nh or Nq.

For the application in the Introduction of this paper, Nh represent abstract of Halal-element relation, Nq represent abstract of Quality-element relation, Np represent abstract of Animal Products Producing, F represent abstract of controlling from Nh and Nq to Np and reflection from Np to Nh and Nq.

Based on the HQESPNM, we can find that the correctly systematically running of Np has to be controlled under Nh and Nq through F. Then this paper given the system architecture and algorithm to implement HQESPNM as follow.

3. System model

In this section, we gave a Meta-model of Compute-Independence (CIM) for HQESPNM firstly. For the system design, according to the CIM, a Model of Platform-Independence (PIM) for HQESPNM was given through approach of OOA&OOD [3][4]. In the PIM, we illustrated the relation between Nh and Np as well as the relation between Nq and Np.

3.1 System Architecture

The basic components of halal products formal producing system includes:

- (1) Formal Management Information System (FMIS).
- (2) Processing Standardization Information System (PSIS).

(3) Market Management Information System (MMIS).

- (4) Scientific Food Management Information System.
- (5) Animal Epidemic Diagnose Information System.
- (6) Quality Traceability Information System (QTIS).
- (7) Halal Traceability Information System (HTIS)
- (8) Public Data Traceability Information System.
- (9) Traceability Data Bus based on Data Integrity Middleware.

Among the components above:

(1),(2) and (3) consists of the Np in HQESPNM, which is the major body of halal products formal producing system, representing Pre-processing, Processing and Post-processing stage respectively.

(4) and (5) assist the normal running of Np. (4) is a non-independent component of the Formal Management Information System, on the contrary, (5) is an independent component based on artificial intelligence, which can be loaded or unloaded freely.

(6) and (7) consists of the Nq and Nh respectively in HQESPNM, which are the kernel of halal products formal producing system.

(8) is a trusted third-party component, which provide common qualification data to the Nq via exchange interface of (9).

(9) is Traceability Data Bus based on Data Integrity Middleware, connecting the components mentioned above as a whole system, assurance the Np could be operated under the controlling of Nq.

CIM of system architecture can be described as Fig.1.





Fig.1 CIM of System Architecture

3.2 Design of F in HQESPNM

According to the CIM of System Architecture above, next, through the theory of Stochastic Petri Nets and UML, we can map components and complex connectors into package, function specifications into interfaces, entry points into abstract class, and inner specification of component into comments respectively. Then, according to F in the definition 8, we can give the kernel PIM of System Architecture concentrated in relation between Nh, Nq and Np as Fig.2, which reflects the F in HQESPNM.



4. Overview of HQESPNM by example

Based on the research above, we developed a set of software prototype named as Hqespnm1.0 to certificate the correctness of the HQESPNM. In this section, we presented an example to introduce the set of software prototype as Fig.3.

http://localhost:8080.						C 191
k Me	11 YE 15 100 BK 0.3 101 0101010101					
	(##1A)2					
¥40.507						
E MARE						
	牛耳鍋号为26401	0302181237的4	非凡得强、运输、屠宰加	1工生产的各环节符合清高产品食用 1品	新水・法产品条 液	A.
N 411 JUL				Carlo		
- 60: 55						
			と名称: 2個科会司	· 小小市市(市)		_
CHE28			121086-12193 12212-1422 (10086-315	Haia0L64 Haia0L64		_
h 107 205.			镇乐农政的标场	Malatt.ca		
			5 YALIM 17- ME 101105	HalaT2069	11030143	
u áite Halla		中軍銀川州這镇康乐館宮 中軍銀川金県紅平委通動公司 長春本亦為春本市為北朝公司 中夏銀川镇北堡镇希遼曾將公司		Hata20364	HataX264010.50218	
i del mis				HalaV206401000153 HalaV20501210101 HalaV205401050037		
× T & 1						
40.15.17.6	-	中東銀川平古堡国営水県养殖场 中東銀川平安保鮮古外境场			HalaY26401030101 HalaY26401030213	
N 10 10 10		1-36.00.0014-3	A PERSONAL OR VERSON	HalaY200B	11030213	
		¥.	证编号为HalaSL640105	90125的企业清爽资质信息		
谜 披 Jalle大学	企业系符: 宁夏银川镇北堡镇身	32 210 81 10	法人马品 企业地址	17120100-11100-01-58-58-98-98-58-56-56-56-56	1.1266-0114	ala05.64010.5012
	企业消型: 例料		金业简介:公司简介			
	经常范围 短约检查 加工					
• 🔾 · 💌 📿 •	ATRADISK - Biccourt BO IRC MRC O PRE HORR C		Replorer	رو با هم محله برز مسلح لسیر افغر الاسلمین مسلح این ا ا		EHR Tatyanat
848 00 92 8 00 93 • 🕑 · 💌 😰 http://local.kost.0000	1640 I.A.C. MIRCO C PRF 🔆 CARA 🥝	Internet	Reptorer E - 🕞 💌 2	0 🖗 🕮 🤒		
• 🔾 · 💌 📿 •	■ (4) 王具 (2) 相称 (2) (3) / P 秋田 大大 (2)(2) (2) (7) Ta consect / Lodon: Jup (7) (2) (2) (2) (2) (2) (7) (2) (2) (2) (2) (2) (2) (2) (2) (2) (2	Internet	Reptorer E - 🕞 💌 2	0 🖗 🕮 🤒		EHR Tatyanat
848 00 92 8 00 93 • 🕑 · 💌 😰 http://local.kost.0000	RA) IAO MAGO Co 🔎 ner 🔆 cert 🤄	Internet	Reptorer E - 🕞 💌 2	0 🖗 🕮 🤒		EHR Tatyanat
WHB GD WEW GD 495 ▼ ○ ▼ ■ 2 http://localhost/0095 R%	■ (4) 王具 (2) 相称 (2) (3) / P 秋田 大大 (2)(2) (2) (7) Ta consect / Lodon: Jup (7) (2) (2) (2) (2) (2) (7) (2) (2) (2) (2) (2) (2) (2) (2) (2) (2	Internet	Reptorer E - 🕞 💌 2	0 🖗 🕮 🤒		EHR Tatyanat
### 40 ## 40 ## • • • • • • • • • http://local.host.0000 R 55		Internet	Партоная В разная 100040 (S - + + - X 4) + X 49 5 2000100	「 計 21 -35 21 - 35 21 - 35 2		X III. To transf.
#18 00 東市 00 (約3) ▼ ② > 第 ② ■ ② http://ioraihost.0000 和公: 前後:10 R 0.1.12		Internet	Баріогог В	2) 新設 23 留か, 全法12 102315237 新発機協品 成成成成	m)	EHR Tatyanat
#18 00 東市 00 (#3 ▼ ② × 第 ② http://ioreibast.0000 株式 転しご 転転 二 にしご の 10 10 10 10 10 10 10 10 10 10	# (4) I.P. (2) # ## #0 (2) > # ## #	Internet	Партоная В разная 100040 (S - + + - X 4) + X 49 5 2000100	 (1) (1) (1) (1) (1) (1) (1) (1) (1) (1)	※	11. Datasat
18 00 東省 00 453 ② ※ 第 意 (15 // 1 cralbast, 6895 英 位金 伝真	(4) I.R.C. 利用の (1) (1) (1) (1) (1) (1) (1) (1) (1)	Internet	Баріогог В	2) 新設 23 留か, 全法12 102315237 新発機協品 成成成成	m)	518. Entranet
18 00 18 60 47 47	R.A. 22. AL 32. ARR 40. ARR 5. AR	Internet	Баріогог В	 (1) (1) (1) (1) (1) (1) (1) (1) (1) (1)	※	11. Datasat
86 00 数 8 00 47 () () () () () () () () () () () () () ((4) I.R.C. 利用の (1) (1) (1) (1) (1) (1) (1) (1) (1)	Internet	Registerer 1000010 (の) ーナイモム 中正領令 为20001010 - MODIDIO135 開料: 玉水田	 (1) (1) (1) (1) (1) (1) (1) (1) (1) (1)	※	518. Entranet
	Control Million Control	20182010013:	Нартина Бартина 1000-10 (М) — (Г. 4. 55 (С. 100)) - 115 (Ф. 7. 7. 200) Ф. 115 (Ф. 7. 7	・	★ 1945年 第1944年、第2章 1949年、第2章 1949年、第2章	10. Totranet
00 100 100 100 10 100 100 100 10 100 100 100 10 100 100 100 10 100 100 100 10 100 100 100 10 100 100 100 10 100 100 100 10 100 100 100 10 100 100 100 10 100 100 100 10 100 100 100 10 100 100 100 10 100 100 100 10 100 100 100 10 100 100 100 100	RAID: ERA 02: MRM00 Compared (Labora, Jay) Compared (Labora, Jay) CP 42: MRM004 MRM004 Compared (Labora, Jay) CP 42: MRM004 MRM004 Compared (Labora, Jay) CP 42: MRM004 MRM004 Compared (Labora, Jay) MRM04 Compared (Labora, Jay) MRM04 Compared (Labora, Jay) MRM04 Compared (Labora, Jay)	104 07 met		・	※ ※ #198.8 #198.8 #198.8 #198.8 #198.8	518. Entranet
00 100 100 100 10 100 100 100 10 100 100 100 10 100 100 100 10 100 100 100 10 100 100 100 10 100 100 100 10 100 100 100 10 100 100 100 10 100 100 100 10 100 100 100 10 100 100 100 10 100 100 100 10 100 100 100 10 100 100 100 10 100 100 100 100	ALL DE 401 Million Million Million	201 07 met 10 0 0 0 12: 10 0 0 12: 10 0 1 0 0 12: 10 0 1 0 0 12: 10 0 1 0 0 12: 10 0 1 0 0 12: 10 0 1 0 0 12: 10 0 1 0 0 12: 10 0 1 0 0 12: 10 0 1 0 0 12: 10 0 1 0 0 12: 10 0 1 0 0 12: 10 0 1 0 0 12:	Нартина Бартина 1000-10 (М) — (Г. 4. 55 (С. 100)) - 115 (Ф. 7. 7. 200) Ф. 115 (Ф. 7. 7		中日回菜 常何時,花園 小日回菜 中日回菜 常何時,花園 中日回菜	*
20 東美 400 年 20 - 東 20 末 三 三 二 二 二 二 二 二 二 二 二 二 二 二 二	RAID: 2.5.4.02 MBH 00 Control Control Control Control Control Control Control Control Control Mathematics Long	201 07 met 10 0 0 0 12: 10 0 0 12: 10 0 1 0 0 12: 10 0 1 0 0 12: 10 0 1 0 0 12: 10 0 1 0 0 12: 10 0 1 0 0 12: 10 0 1 0 0 12: 10 0 1 0 0 12: 10 0 1 0 0 12: 10 0 1 0 0 12: 10 0 1 0 0 12: 10 0 1 0 0 12:		・	※ ※ #198.8 #198.8 #198.8 #198.8 #198.8	
30 単元 (1) (1) (1) (1) (1) (1) (1) (1) (1) (1)	ALL DE 401 Million Million Million	201 07 met 10 0 0 0 12: 10 0 0 12: 10 0 1 0 0 12: 10 0 1 0 0 12: 10 0 1 0 0 12: 10 0 1 0 0 12: 10 0 1 0 0 12: 10 0 1 0 0 12: 10 0 1 0 0 12: 10 0 1 0 0 12: 10 0 1 0 0 12: 10 0 1 0 0 12: 10 0 1 0 0 12:			中日回菜 常何時,花園 小日回菜 中日回菜 常何時,花園 中日回菜	*
10.0. 19.0 (201 07 met 10 0 0 0 12: 10 0 0 12: 10 0 1 0 0 12: 10 0 1 0 0 12: 10 0 1 0 0 12: 10 0 1 0 0 12: 10 0 1 0 0 12: 10 0 1 0 0 12: 10 0 1 0 0 12: 10 0 1 0 0 12: 10 0 1 0 0 12: 10 0 1 0 0 12: 10 0 1 0 0 12:	Карільса Карільса (1995) — (1996) — (1996) (1996) (1996) — (1996) (1996) (1996) (1996) (1996) — (1996) (1996		中日回菜 常何時,花園 小日回菜 中日回菜 常何時,花園 中日回菜	
100 100 100 00 00 00 00 00 00 00 00 00 0		2018-07-000 (四日/	Карільса Карільса (1995) — (1996) — (1996) (1996) (1996) — (1996) (1996) (1996) (1996) (1996) — (1996) (1996	・	中日回菜 常何時,花園 小日回菜 中日回菜 常何時,花園 中日回菜	
0.0. 1988 0.0. 1990 - R. 2007 -		2010 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	Картонов Карт		 (1) (1) (1) (1) (1) (1) (1) (1) (1) (1)	100 - 2000 - 2000 - 2000 - 2000 - 2000 -
0.0. 1988 0.0. 1990 - R. 2007 -		2010 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	Каралиса Каралиса <td></td> <td> ・・・・・・・・・・・・・・・・・・・・・・・・・・・・・</td> <td>100 - 2000 - 2000 - 2000 - 2000 - 2000 - 2000 -</td>		 ・・・・・・・・・・・・・・・・・・・・・・・・・・・・・	100 - 2000 - 2000 - 2000 - 2000 - 2000 -
148 00 第8 00 9 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1		2010 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	Каралиса Каралиса <td>・</td> <td>الا (1)</td> <td>(日)</td>	・	الا (1)	(日)
#18 00 東市の (約3 ▼ ② / 第 ② http://ioraihost.0000 和位的 にした		2010 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	Каралиса Каралиса <td>・</td> <td>الا (1)</td> <td>**************************************</td>	・	الا (1)	**************************************
朝鮮(1)(1) (2) (2) (2) (2) (2) (2) (2) (2) (2) (2		2010 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	Каралиса Каралиса <td>・</td> <td>الا (1)</td> <td>**************************************</td>	・	الا (1)	**************************************
朝鮮(1)(1) (2) (2) (2) (2) (2) (2) (2) (2) (2) (2		2010 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	Каралиса Каралиса <td>・</td> <td>الا (1)</td> <td>**************************************</td>	・	الا (1)	**************************************

Fig.3 Hqespnm1.0 based on HQESPNM

Hqespnm1.0 consists of Halal Traceability Information System (HTIS) and Quality Traceability Information System (QTIS), which show as upper part and Lower half of Fig.3 respectively.

5. Conclusion and future working

Address to Halal & Quality attributes assurance problem of formal producing system, the basic concept and notation of HQESPNM is given firstly, and the software model including architecture and design is presented secondly. Based on the model, this paper introduced an application example in electronic agriculture domain covering whole producing process including Pre-producing, Producing, Post-producing finally.

Results indicated that the HQESPNM separate the normal producing elements and Halal & Quality controlling elements into Petri Nets and Stochastic Petri Nets through Place expanding Petri Net [6] successfully.

In future, the formal work of HQESPNM should be implemented to certificate its correctness.

Acknowledgement

This paper is supported by National Key Technology R&D Program of China under Grant No.2007BAD33B03,Natural Science Foundation of NingXia Province under Grant No.NZ0955 and the Colleges Oriented Scientific Research Fund of NingXia Provincial Education Department of China under Grant No.2008JY009. Additionally, we should thank for the software prototype development work distributed by our colleagues and master candidate students: Ding HongSheng, Yang YongSheng, Shi Liang and Liu Yang.

References

1. Petri C A. Kommunkation mit automaten. Bonn:Institut fur Lnstrum Entelle Mathematik[C],Schriften des IIM Nr.3,1962.

2. Molly M K. Discrete time stochastic Petri nets. IEEE Trans. Software Eng., 1985, SE-11(4):417~423.

3. Shao Wei-zhong, Yang Fu-qing. Object-Oriented System Anysis [M]. Publishing House of Tsinghua University, 2006.

4. Shao Wei-zhong, Yang Fu-qing. Object-Oriented System Design [M]. Publishing House of Tsinghua University, 2007.

5. CUI Huan-qing, WU Zhe-hui. MPI Programs' Petri Net Model and Its Dynamic Properties. Journal of System Simulation, 2006, 18(9):2455-2460.

6. QI Fang-min, YU Bin, SHI Li-jun, MOU Li-ke. A Modeling Method of Software Project Management Based on Petri Nets Journal of System Simulation, 2007, 19(Suppl.1):75-78.

7. J L Peterson. The Theory of Petri Net and System Simulation [M]. Wu Zhehui(Trans).Xuzhou:Publishing House of China University of Mining Technology,1989.

8. T Murata. Petri Nets: Properties, Analysis and Applications [J]. Proceedings of the IEEE(S0018-9219), 1989, 77(4):541-580.

9. Yuan Chongyi. The Principles of Petrinet[M]. Beijing:Publishing House of Electronics Industry.2005.

10. Lin Chuang. Stochastic Petri Nets and System Performance Evaluation[M].Beijing:Publishing House of Tingshua University,2005.

11. Zhan Huiqin,Gu Jun.Study of the Normal Generalized Stochastic Petri nets and its Application in Testing System[J].IEEE Instrumentation and Measurement Technology Conference Proceedings,2006:1123-1128.

12. C.Renato Vazquez, Laura Recalde, Manuel Silva. Stochastic Continuous-State Approximation of Markovian Petri Net Systems. Proceedings of the 47th IEEE Conference on Decision and Control, 2008:901-906.

13. Han Qiang, Ding Jing, Bao Wenxing. IEEE proceedings of the 2009 International Conference on Computer and Computing Technology Applications in Agriculture, 2009.