

David Wittstruck, Frank Teuteberg

▶ To cite this version:

David Wittstruck, Frank Teuteberg. Towards a Holistic Approach for Sustainable Partner Selection in the Electrics and Electronics Industry. Governance and Sustainability in Information Systems: Managing the Transfer and Diffusion of IT (Working conference), Sep 2011, Hamburg, Germany. pp.45-69, 10.1007/978-3-642-24148-2_4. hal-01571716

HAL Id: hal-01571716 https://inria.hal.science/hal-01571716

Submitted on 3 Aug 2017

HAL is a multi-disciplinary open access archive for the deposit and dissemination of scientific research documents, whether they are published or not. The documents may come from teaching and research institutions in France or abroad, or from public or private research centers. L'archive ouverte pluridisciplinaire **HAL**, est destinée au dépôt et à la diffusion de documents scientifiques de niveau recherche, publiés ou non, émanant des établissements d'enseignement et de recherche français ou étrangers, des laboratoires publics ou privés.



Distributed under a Creative Commons Attribution 4.0 International License

David Wittstruck

Institute of Information Management and Corporate Governance, Research Group in Accounting and Information Systems, University of Osnabrueck, Katharinenstraße 1, 49069 Osnabrueck, Germany + 49 541 969-4523 david.wittstruck@uni-osnabrueck.de

Frank Teuteberg

Institute of Information Management and Corporate Governance, Research Group in Accounting and Information Systems, University of Osnabrueck Katharinenstraße 1, 49069 Osnabrueck, Germany + 49 541 969-4961 frank.teuteberg@uni-osnabrueck.de

Abstract. In recent years numerous publications in the field of Supply Chain Management have dealt with partner selection methods. So far, research has failed to offer a holistic approach for the selection of recycling partners that accounts for financial, social and environmental factors. In view of this fact, our article aims at developing an integrated multi-criteria decision model (MCDM) that supports recycling partner selection in the electrics and electronics industry. Based on a systematic literature review we identify limitations of existing approaches and design an integrated Fuzzy-AHP-TOPSIS model. In addition, relevant criteria for sustainable partner selection are determined. The approach is illustrated by means of an exemplary case study.

Keywords: Sustainable Supply Chain Management, Partner Selection, Supplier Selection, Recycling, AHP, Fuzzy, TOPSIS, Multi Criteria Decision Making

1 INTRODUCTION

In view of the constantly increasing global volume of electronic waste more and more companies are joining recycling networks based on multilateral business-tobusiness contracts to ensure secure waste disposal on a mid-term or long-term basis. These networks are facing a variety of challenges, as e.g. a multitude of (new) legal environmental demands and regulations (WEEE, RoHS Directive) as well as norms and standards (Energy Star Computer Program), extended reporting and publishing requirements (Sustainability Index, EMAS) and a shortage of natural resources. On

top of this come the growing public interest in environmental protection (Green Logistics) and the employers' obligation to treat their staff responsibly (e.g. Ethical Trading Initiative (ETI) and Supplier Ethical Data Exchange (SEDEX)) – for example, employees must be sufficiently protected from the impact of hazardous substances (PVC, chlorine-containing PCBs). Therefore, in order to achieve a balance between social and environmental goals on the one hand and the need for long-term profitability on the other hand, the management of recycling networks needs to draw on adequate methods, technologies, information and communication systems. In response to the general call for a more sustainable economy (cf. Carter and Rogers, 2008; Seuring and Müller, 2007) Sustainable Supply Chain Management (SSCM) extends the traditional concept of Supply Chain Management by adding environmental and social/ethical aspects.

This article aims at developing an integrated multi-criteria decision model (MCDM) that supports recycling partner selection in the electrics and electronics industry and takes financial, environmental and social dimensions into account.

2 CONCEPT OF SUSTAINABLE SUPPLY CHAIN MANAGEMENT

SSCM is based on the adoption and extension of supply chain management concepts. According to Harland, supply chain management can be defined as "the management of a network of interconnected businesses involved in the ultimate provision of product and service packages required by end customers" (Harland, 1996). SSCM can be extended by the concept of sustainability, which encompasses social, environmental and economic aspects (Carter and Rogers, 2008). Shrivastava takes a more ecological rather than sociological view at sustainability, which he defines as "the potential for reducing long-term risks associated with resource depletion, fluctuations in energy costs, product liabilities, and pollution and waste management" (Shrivastava, 2007). In contrast, Sikdar takes a "macro-viewpoint" at sustainability that includes social, environmental and economic aspects. He calls sustainability "a wise balance among economic development, environmental stewardship, and social equity" (Sikdar, 2003).

In order to achieve a balance between environmental, social and economic dimensions (idea of the "triple bottom line" developed by Elkington, 2004) we decided to follow the definition of SSCM formulated by Carter and Rogers who describe it as the strategic achievement and integration of an organization's social, environmental, and economic goals through the systemic coordination of key interorganizational business processes to improve the long-term economic performance of the individual company and its value network (Carter and Rogers, 2008).

Figure 1 illustrates the main components of SSCM, as well as the risks threatening it. The different dimensions of sustainability (environmental, economic and social performance of an organization) constitute three equally strong pillars that the building rests on, whereas risk and compliance management provide its foundation. The identification and mitigation of risks ensures long-term profitability. Laws,

guidelines and standards serve as a basis for the implementation of SSCM throughout the supply chain.




Fig. 1. House of SSCM (Wittstruck and Teuteberg 2010)

Apart from that, SSCM includes values and ethics that need to be established in organizations. The concept also requires an efficient, flexible and "green" IT environment and the integration of the long-term goal of sustainable development into the corporate strategy. If these aspects are effectively combined, they can successfully protect the network against market, environmental and social threats and risks (cf. Figure 1).

3 METHOD

The research method that this paper is based on can be characterized as design science research (Hevner et al., 2004) whereas the artefact developed in the following sections can be described as a holistic approach for sustainable partner selection in the electrics and electronics industry. The development of the model consists of the following phases:

3.1 Literature Review

A systematic literature review was conducted in order to determine the current state of research. The limitations of a systematic literature review lie in the paper selection process. However, we tried to minimize this risk by following a proven course of action for the creation of a literature review (Swanson, E.B., Ramiller, N.C. 1993, Webster and Watson 2002). The restriction of the source material to high-quality articles leads to reliable results about the state of the art in SSCM research.

The search and the selection of the literature were carried out as follows: a systematic analysis of eleven high-quality journals was conducted. The oldest articles that were included date back to the year 1997. Table 1 shows the selected journals and how they have been evaluated in renowned international rankings. It becomes obvious from the table that only high-quality journals have been taken into account.

The following key words were used in order to achieve comprehensive search results: supply chain logistics, sustainability, green decision, multi objective, Analytical Hierarchy Process, Analytical Network Process, AHP, ANP, Fuzzy Logic, Data Envelopment Analysis, Promethee, TOPSIS, Technique for Order Preference by Similarity to Ideal Solution, Operational Competitiveness Rating, OCRA, Stochastic Frontier Analysis, SFA, Free Disposable Hull, FDH, Cross Efficiency Analysis, Recycling, and Recycling Networks. The inclusion of many synonyms and/or semantically very similar expressions led to more exhaustive search results. Each identified article was checked for its relevance to the topic by reading the respective abstract and introduction. Subsequently, according to the framework of literature analysis the main approaches, criteria, trends and validation methods of partner selection were analyzed. To improve the quality of the analyses, both authors of this paper were involved in reviewing and coding the analyzed articles. The inter-rater reliability was good (inter-rater percentage agreement: > 92 % in all analyses).

		British Associati			Centre National				Erasmus Research	
		on of	Wirt-		de la				Institute of	
	Cranfield	Business	schafts-		Recher-	Australian		Universi		
	University	Schools	univer-	VHB	che	Business	Aston	ty of	gement	
	School of Management	(ABS) Ranking	sität Wien	Ran- king	Scien- tifique	Deans Council	Univer- sity	Queens- land	Journals Listing	WKWI
	2010	2010	2008	2008	2008	2008	2008	2007	2006	2008
Information Systems Research	4	4	A+	A+	1	A*	4	1	STAR	A
Internatio- nal Journal	<i>N.R</i> .	<i>N.R</i> .	N.R.	С	N.R.	N.R.	<i>N.R</i> .	N.R.	N.R.	N.R.
of Innova- tion and										
Sustainable Develop- ment										
Int. Journal	3	2		D	3	В	1	3	s	ND
of Logistics	3	2	А	D	5	В	1	5	5	N.R.
Manage-										
ment										
Int. J. of	3	2	А	В	4	С	1	3	S	N.R.
Physical Distribution										
& Logistics										
Manage-										
ment										
Internationa	3	3	А	в	2	А	4	3	Р	N.R.
l Journal of Production										
Research										
Journal of	3	2	ND	р	ND	р	2	2	s	ND
Business	3	2	N.R.	В	N.R.	В	2	3	5	N.R.
Logistics										

Table 1. : Journal Selection (cf. Harzing 2009)

British Centre Erasmus Associati National Research on of Wirtde la Institute of Cranfield Busines schafts Recher ustraliar Univers Mana-VHB University Schools univerche Business Aston ty of gement School of (ABS) sität Ran-Scien-Deans Univer-Queens Journals WKWI Wien Managemen Ranking king tifique Council sitv land Listing 2010 2010 2008 2008 2008 2008 2008 20072006 2008 Journal of N.R.N.R.N.R.С N.R.N.R.N.R.N.R. N.R.N.R.Cleaner Production Logistics N.R. N.R.N.R. N.R. N.R.N.R.N.R.N.R. N.R.N.R. Research MIS 4 4 A+ А 1 A* 4 1 STAR А Quarterly Naval 3 в А 3 В N.RN.R S Research N.R.N.RLogistics SCM: An 3 С 4 3 N.R. A 3 4 s N.R. Internation l Journal A*: Leading A: Highly regarded B: Well regarded Rank 1*: Highest quality 1-3: Intermediate 4: Lowest quality 1: Highest quality 2-4: Intermediate 4: Lowest Quality 4: World leading3: Top international 3: Highly regarded journal2: Well regarded journal P: Best S: Recognized academic 3: Internationally excellent2: Recognized internationally 2 4: World leading STAR: Top ≥ A: World-wide A+: Top A+: Highest eputation Interpreta-Top journal Recognized 9 Highest quality Top Lowest tion N.R.: Not ranked distributed

Towards a holistic Approach for Sustainable Partner Selection in the Electrics and Electronics Industry 55

3.2 Partner Selection

Because recycling companies can be both supplier (providing recycled materials for production) and customer (by purchasing used electronic devices) the term "partner selection" is preferred in this analysis to other known terms, e.g. 'supplier selection' or 'vendor 'selection' (Zarvić et al. 2010, Weber et al., 1991).

However, the selection of recycling partners focusing environmental, social and financial dimensions was not adequately tackled from the research community so far. In the section Development of a Partner Selection Method opportunities and limitations of these approaches regarding this topic are analyzed in order to develop an adequate holistic approach.

3.3 Identification of Partner Selection Criteria

First of all, existing partner selection criteria are identified on the basis of the systematic literature review. All criteria mentioned in the articles are extracted and tabulated. Table 3 also illustrates whether or not the criteria were validated in the research articles, and if yes, in what way.

3.4 Criteria Validation and Weighting

The criteria will be validated in the context of a survey among company representatives from recycling networks of the electrics and electronics industry. The experts will be asked whether the criteria mentioned in the literature seemed relevant to them. Also, they will be invited to name further criteria applied by their own or other companies. Subsequently, the participants will be asked to compare the criteria pairwise according to the AHP approach. A Fuzzy-AHP matrix will be generated on the basis of the participants' responses. Based on this matrix the criteria will be weighted by means of the software @Risk, resulting in an average relative weighting of the relevant criteria.

3.5 Design of the Study

The study is conducted by means of an online questionnaire and is carried out as follows:

Defining the Sample: Recycling networks of the German electrics and electronics industry will be selected to form the study sample. A special focus will be placed on products in the fields of entertainment electronics, telecommunication, computer hard-ware, medical technology or automotive IT. The reason for selecting these particular branches of production is that they cause particularly many ecological disturbances and, as a consequence, potential health problems. For example, some of the mentioned goods contain toxic substances and end up as e-waste on dumping grounds around the globe, e.g. in Asia or Africa, where they pollute the environment. Employees in production plants in China, Vietnam, Nigeria or India are not always sufficiently informed about the poisonous substances that they may be handling on a daily basis. Apart from these ecological considerations, the recycling of the above listed products (including disassembly, processing, separation, sorting of parts etc.) is almost as laborious as their production and causes the companies comparatively high costs (Walton et al., 1998). In view of these problem complexes it becomes clear that the electrics and electronics industry is of special interest for researchers on SSCM, since it constitutes the primary target group for SSCM solutions.

Pre-Test: In February 2011, the questionnaire will be tested for comprehensibility in a pre-test with 10 participating business representatives.

Implementations: Between February and March 2011, experts will be invited to participate in the survey. These experts were mainly identified by searching the internet (search on "Xing" and "Linkedin"). A total of 3000 personal invitations to participate will be posted. We calculate a return rate of 3 %.

Analysis and Interpretation: An analysis phase will follow between March and April 2011. During this phase, the data will be consolidated evaluated by using AHP-Fuzzy-TOPSIS.

3.6 Model Validation

Implementation and Analysis: The individual steps from the Fuzzy AHP matrix and the weighted vectors to the final partner selection decision (by means of TOPSIS) are implemented in @Risk in order to test to what extent the model can be integrated into available standard software. For the selection of a recycling partner by means of the TOPSIS method, the data of ten electronic waste recycling companies will be stored in @Risk. The implementation of the model in @Risk is a first step to verify the usefulness of the approach for business practice. All data relevant for the evaluation of the criteria shall be retrieved by analyzing the recycling companies' websites.

Experiments: Experiments will be conducted in order to check whether the model influences the participants' decision making regarding sustainable partner selection.

4 RESULTS FROM THE LITERATURE

At this point in time we have completed the third phase of our approach. The results gained on the basis of the systematic literature review are presented in the following section. In particular, the findings provide new insights regarding an adequate method for sustainable partner selection and relevant selection criteria.

4.1 Development of a Partner Selection Method

Important approaches for partner selection are summarized in Table 3. For our analysis, the following criteria were of particular interest:

- Approach: Which method was used?
- Focus on Sustainability: Does the article focus on financial, social and environmental issues?
- Industry Focus: What are the main results and topics?
- SCOR-Process: Which of the SCOR (Supply Chain Operations Reference Model) processes are considered?
- Purpose: What is the main objective?
- Findings: What are the findings?
- Major Limitations: What are major limitations?

		1					
		Focus on					
		Sustai-	Industry	SCOR-			
Approach	Authors, Year	nability	Focus	Process	Purpose	Findings	Major limitations
						 The application of 	
						AHP to study the	
						various themes	
					The purpose of	mentioned above is	
					this paper is to	not new.	
					discuss research	Nevertheless, no	
					gaps and the	previous	
					potential	investigation has	
					applications of	identified the	
					analytic hierarchy	limitations in those	
					process (AHP) in	studies. Furthermore,	
					an internal	previous paper has	
					benchmarking	not proposed a	•The
					process used to	multitier AHP	interrelationship
					identify	approach to analyze	among criteria and
					improvement	the problems firms	the uncertainty of
					areas when firms	taking part in a	human decision
					attempt to adopt	supply chain might	making are not
	Sarmiento, R.;				green initiatives	encounter when	considered.
AHP	Thomas, A.	GreenS			with a supply	implementing green	•AHP supports a
	(2010)	СМ	No	Make	chain perspective.	initiatives.	weighting of
					The purpose of	•The location	criteria/factors but
					this paper is to	selection decision is	gives only few
					show that there is	a component of the	hints how to find
					a wealth of	outsource supplier	the supplier which
					academic	selection decision.	meets these
					literature that	•The AHP model	criteria best.
					qualitatively	effectively manages	
					examines the	the complexity of the	
					outsourcing and	decision making	
					offshoring from a	process,	
					go/no go	incorporating all	
					perspective. The	decision criteria	
					paper examines	harmoniously.	
					the complex	•A method such as	
	Liu, L.; Berger,				"where to	AHP, which is able	
	P.; Zeng, A.;				outsource"	to incorporate both	
	Gerstenfeld, A.				question by	qualitative and	
	(2008)	No	No	No	applying a	quantitative criteria	

Table 2. Partner Selection Approaches

		Focus on					
		Sustai-	Industry	SCOR-			
Approach	Authors, Year	nability	Focus	Process	Purpose	Findings	Major limitations
					quantitative	into evaluations,	
					approach called	would streamline the	
					Analytic	decision-making	
					Hierarchy Process	process.	
					(AHP).	•The AHP process	
						allows firms to look	
						at a portfolio of	
						choices and	
						determine which	
						firms are basically	
						equal in	
						qualifications.	
						•The appreciation of	
						the most critical	
						supply chain risks	
						comes from	
						evaluations of the	
						impacts and a	
						consideration of the	
						cause-effect	
						relationships. The	
					•The aim of the	involvement of key	
					research is to	managers is essential.	
					provide a method	In the case study the	
					to evaluate supply	two most divergent	
					chain risks that	evaluations were	
	Gaudenzi, B.;				stand in the way	from the logistics	
	Borghesi,A.				of the supply	manager and the	
	(2006)	No	No	Plan	chain objectives.	sales manager.	
						 The purchasing 	
					•The aim of this	managers of a white	
					paper is to use	good manufacturer	
					fuzzy analytic	established in Turkey	
					hierarchy process	were interviewed and	
					(AHP) to select	the most important	
					the best supplier	criteria taken into	
	Kahraman, C.;		White		firm providing the	account by the	
	Cebeci, U.;		good		most satisfaction	managers while they	
	Ulukan, Z.		manufactu		for the criteria	were selecting their	
	(2003)	No	rer	Make	determined.	supplier firms were	

Approach	Authors, Year	Focus on Sustai- nability	Industry Focus	SCOR- Process	Purpose	Findings determined by a questionnaire. The	Major limitations
						fuzzy AHP was used to compare these	
Fuzzy and AHP	Bottani, E.; Rizzi, A. (2005) Haq, A.N.; Kanaan, G. (2006) Lu, L.Y.Y.; Wu, C.H.; Kuo, T.C.	No	E- Procurem ent Manu- facturing Company	Source	 The paper addresses the issues of how supplier selection criteria can be usefully adopted in real case applications to ponder and rank viable candidates. This paper presents an integrated approach for supplier selection. The approach is validated by a case study performed in an original equipment manufacturing company located in Southern India. Developing a MODM-process for GreenSCM to help SC manager in measuring and 	supplier firms. •The hierarchy covers relevant issues related to e- procurement deployment •The framework seems adequate, since advanced MADM methods can be applied easily in order to rank potential candidates in terms of the "electronic transaction" criterion. •A fuzzy analytical hierarchy process (FAHP) and genetic algorithms (GA) are presented and validated. •The approach supports decision making in built-to- order (BTO) supply chain environments. •This study presents a AHP and Fuzzy approach to enable managers to evaluate various projects and	•The interrelationships among criteria are not considered. •AHP supports a weighting of criteria/factors but gives only few hints how to find the supplier which meets these criteria best.
	(2007)	М	No	Source	evaluating	establish an	

Approach	Authors, Year	Focus on Sustai- nability	Industry Focus	SCOR- Process	Purpose suppliers' performance based on AHP decision-making method. •To reduce	Findings environmentally benign product design.	Major limitations
					subjective bias in designing a weighting system, a fuzzy logic process is used to modify the AHP.		
AHP, TOPSIS	Perçin, S. (2009)	No	No	Deliver	•The purpose of this paper is to provide a good insight into the use of a-two- phase AHP and	•This model provides decision makers with a simple, flexible, and easy-to-use approach to evaluate potential 3PL providers efficiently. Findings demonstrate that the proposed benchmarking framework, with minor modifications, can be useful to all firms in their 3PL provider selection decisions.	•The interrelationship among criteria and the uncertainty of human decision making are not considered.
ANP	Bayazit, O. (2006)	No	No	Source	•The purpose of this paper is to provide a good insight into the use of analytic network process (ANP) in evaluating supplier selection problems.	 It is shown that ANP can be used as a decision analysis tool to solve multi-criteria supplier selection problems that contain interdependencies. ANP is a complex methodology and requires more comparisons than the traditional AHP and 	•The uncertainty of human being decision making is not considered. •It is very time- consuming to use this complex approach in business practice.

		Focus on					
		Sustai-	Industry	SCOR-	D	1	
Approach	Authors, Year	nability	Focus	Process	Purpose	Findings	Major limitations
						it increases the effort.	
						•The proposed meta-	
						model constitutes an	
						efficient method that	
						enables managers to	
					•The purpose of	actively participate in	
					this paper is to	the decision making	
					provide a meta-	process and exploit	
					model for supplier	the "qualitative	
					evaluation and	value" of their	
					order quantity	suppliers, while	
					allocation, based	minimizing the costs	
					on a MCDM	and the mean	
					method, namely	delivery times. In	
					the Analytic	addition, it is proved	
					Network Process	to be suitable for the	
					(ANP) and a	enterprise clusters, as	
	Kirytopoulos,				multiobjective	it adapts a multiple	
	K.; Leopoulos,				mathematical	sourcing strategy and	
	V.; Mavrotas,				programming	enhances the	
	G.; Voulgaridou,			-	method (MOMP),	partnership among	
	D. (2010)	No	No	Source	the AUGMECON.	the members.	
					•The purpose of		
					this paper is to		
					present the	•The technique is	
					development of a	useful and versatile.	
					methodology to	The paper clearly	
					evaluate suppliers	discerns various characteristics of the	
					using portfolio analysis based on	suppliers and	
					the analytical	produced	
					-	recommendations on	
	Zhu, Q.; Dou,				(ANP) and	supplier management	
	Y.; Sarkis,	Environ-			environmental	for an exemplary	
	J.(2010)	nmental	No	Source	factors.	case scenario.	
					•This paper	•The ANP technique,	
					integrates these	which has been	
					elements and their		
		Environ-			attributes into a	investigated by	
	Sarkis, J. (1998)	mental	No	No	strategic	researchers or	

		Focus on					
		Sustai-	Industry	SCOR-			
Approach	Authors, Year	nability	Focus	Process	Purpose	Findings	Major limitations
11					assessment and	applied by	
					decision tool	practitioners, is	
					using the systems	useful for modeling	
					with feedback or	dynamic strategies	
						systemic influences	
					process (ANP)	on managerial	
					technique first	decisions.	
					introduced by		
					Saaty.		
						 The quality of final 	
						solutions obtained by	
						€-constraint,	
						preemptive goal	
						programming (PGP)	
						and reservation level	
						driven Tchebycheff	
						procedure (RLTP)	
						methods is compared	
					•The purpose of	by using an additive	
					this paper is to	utility function.	
					choose the best	RLTP is better than	
					suppliers.	the others according.	
					•Defining the	•It is also possible to	
					optimum	adapt this multi-	
					quantities among	period MOMILP	
					selected suppliers	model to multi-	
					to maximize the	product case. This	
					total value of	integrated approach	
					purchasing (TVP),	can be improved to	
	Ustun, O.;		Plastic		and to minimize	reflect decision	
	Demirtas, E.A.		Molding		the total cost and	maker's preferences	
	(2008)	No	Firms	Source	total defect rate.	with more accuracy.	

Towards a holistic Approach for Sustainable Partner Selection in the Electrics and Electronics Industry 63

Approach	Authors, Year	Focus on Sustai- nability	Industry Focus	SCOR- Process	Purpose	Findings	Major limitations
Fuzzy and DEA; Fuzzy and AHP	Kuoa, R. J.; Leeb, L. Y.; Huc, T.L. (2008)	Νο	Automoti ve		•This study intends to develop a novel performance evaluation method, which integrates both fuzzy analytical hierarchy process (AHP) method and fuzzy data envelopment analysis (DEA) for assisting organizations to make the supplier selection decision.	•A Case study on an internationally well- known auto lighting OEM company shows that the proposed method is very suitable for practical	•The interrelationship among criteria and the uncertainty of human decision making are not considered.

Former research in the field of partner selection focused primarily on the "prestage" of the actual supply chain, that is, on direct suppliers (Ustun, O.; Demirtas, E.A., 2008); Kuoa, R. J.; Leeb, L. Y.; Huc, T.L., 2008); Kirytopoulos, K.; Leopoulos, V.; Mavrotas, G.; Voulgaridou, D., 2010). For the selection of recycling partners, however, this approach is insufficient because recycling companies can come into play both as a supplier and as a costumer the pre and post stage of the supply chain. For example, recycling companies can act as suppliers of recycled materials for the production of new goods or as buyers of electronic and other waste. Existing research works often focus on criteria like cost, time and quality (Zhu, Q.; Dou, Y.; Sarkis, J., 2010; Sarkis, J., 1998). Some authors also take environmental factors into account when discussing the issue of partner selection (Su, Y.; Jin, Z.; Yang, L., 2010; Sarkis, J., 1998; Sarmiento, R.; Thomas, A., 2010). However, a comprehensive view that integrates environmental, social and financial factors has been missing to date. Our study aims at filling this research gap.

Our Approach: Different methods for the weighting of criteria are suggested in the literature, the most popular ones being cost-utility analysis, quality function development and the AHP approach (Keeney, R.L.; Raiffa, H., 1993). Whereas quality function development is especially applied for the development of products and services, cost utility analysis has the disadvantage of not including the pairwise comparison of criteria. Instead, it is merely checked that the addition of all weighting factors does not result in a percentage higher than 100%. Therefore, in this paper the AHP approach is used as a basis for the recording and weighting of the criteria. The

Analytic Hierarchy Process makes it possible to create a hierarchical structure for a multicriterial decision problem and to aggregate it at the different levels, but on the other hand it neglects the uncertainty and imprecision of human thought. The Fuzzy Set Theory is applied to overcome this limitation, for fuzzy logic can be used to describe fuzzy quantities. Hence, a combination of both approaches seems promising. Subsequently, the TOPSIS method can be applied to find out which alternatives best fulfill the identified criteria; i.e. TOPSIS is used to compare and rank recycling partners and their criteria values. This happens by means of a relative efficiency analysis in which two virtual alternatives are defined: the overall best and the overall worst one. The characteristics of the potential partners need to be compared to these alternatives (Mahmoodzadeh et. al. 2010).

In summary, this article differs from similar works in several ways: an integrated Fuzzy-AHP-TOPSIS approach is taken, all dimensions of sustainability are considered for the selection of partners, the criteria are systematically derived and empirically validated, the focus is on recycling networks of the electrics and electronics industry and the model is evaluated on the basis of an exemplary implementation and experiments.

4.2 Partner Selection Criteria

In the context of our literature review we identified 35 articles in which partner selection criteria were analyzed. Table 4 provides an overview of these criteria. The number of proposed criteria per publication varies between 4 and 18, with an average number of 9 criteria. The criteria were mostly derived from literature and not always validated by experts from professional practice. It becomes immediately obvious that quality and delivery criteria are by far the most frequently proposed ones. Out of these, process quality (23 occurrences), delivery time (22 occurrences) and product quality (19 occurrences) (Webber et al., 1991; Bos-Brouwers, 2010; Choy, Lee, 2003) received the most mentions. Financial criteria like price (18 occurrences) and financial capability (12 occurrences) were also very frequently mentioned (Ordoobadi, 2009; Kwong et al., 2000; Chan et al., 2008). IT and risk criteria received a medium number of mentions (Petroni, A. et al., 2000; Sarkis, J. et al., 2002) whereas social and environmental criteria were only rarely referred to. The know-how and the working conditions of the employees were mentioned as social criteria. Repeatedly suggested environmental criteria were the use of environmental management systems (EMAS) and the type of product packaging (Sarkis, J. et al. (2002); Simpson, M.P. et al. 2002).

In view of all this, which criteria seem to be the most significant ones for the selection of recycling partners? According to the triple bottom line concept, the criteria should cover financial, environmental and social factors. Also, we want to account for the special characteristics of recycling companies. In accordance with the authors of the analyzed articles (as e. g. Ordoobadi, 2009; Kwong et al., 2000; Chan et al., 2008) we define price and financial capabilities as important criteria. In the context of this study, a recycling company's financial capability is regarded as a critical factor for its long-term capability to survive. In turn, the recycler's long-term

survival is of high significance because electronic products often have a lifespan of several years, which means that cooperative relationships in the field of recycling must necessarily be long-term. Hence, we suggest the following selection critiera:

- Price
- Financial Capability

The main purpose of cooperating with a recycling company is to ensure the proper disposal of production materials and electronic waste. If required, the recycling company should be capable of recycling or disposing of large quantities of material and complex products (Dogan et al., 2003; Sun, et al., 2009). Hence, we suggest the following selection critiera:

- Recycling Capability
- Quality of Recycling Processes

Also, compliance with laws, guidelines and standards regarding the recycling and disposal of waste (WEEE, EuroStar etc.) constitutes a particular challenge for recycling companies because all these directives have a direct impact on their core business. Environmental Management Systems support the holistic management of environmental laws, guidelines and standards (Simpson et al., 2002; Kannan, et al., 2002). Thus, we suggest another selection criterion:

Effective Implementation of Environmental Management Systems

Some of our electronic waste ends up at dumping grounds in Africa or in the Far East where health and safety measures are far less strict. If an international recycling company succeeds in communicating that it adheres to equally high safety standards for employees handling electronic waste at each of its locations, this can be a decisive competitive advantage (Bos-Brouwers, 2010). This correlation can be captured by means of the following criteria:

- Standardized Health and Safety Conditions
- Sustainable Image

It must also be pointed out that recycling partners only receive their raw materials after they have been used by the customer. This temporal delay results in the need for especially careful coordination and planning way before the actual utilization of the recycling service. The producer and the recycler need to exchange particularly detailed information regarding the exact composition of the product to be recycled. Such an exchange of information enables recyclers to prepare for the specific recycling methods that new products may require. It is therefore very important to provide configurable IT interfaces that enable the exchange of information (Chan et al., 2008; Sridhar, 2010). As a result, we define another selection criterion:

• Efficient IT-Interfaces

Furthermore, recycling companies are often positioned at a pre-stage of the supply chain. They provide processed materials for further production and also act as consultants to producers regarding sustainable production methods and eco-friendly

product composition (Ordoobadi, 2009; Sridhar, 2010; Bevilacqua, Petroni, 2002). Therefore, we add the following criterion to our catalogue:

• Know-how in Electronic Materials and Manufacturing Processes

All in all, we have suggested nine criteria, which correspond to the average number of criteria mentioned in related research articles. In business practice, these criteria could be used as a starting point for the solution of sustainable partner selection problems.




Table 3. Review on Partner Selection Criteria

	Pri	ce	10	1	1	1				1	1	1	1	1	1		1	1	1					1	1	1	Т	1	1	1	Î I	1	1		1	1	7
	To	p Mgmt.								_	-		-		-		_	-	-					-					_	_			-		-		
		pability MU-	ш		_	1				1	1		1					1			-1			-	_	+	-	1	1	1	_			1	-	_	-
=		turing																																			
financia	Ca	pabilities	12										1				1		1		L		1	1	1	_	_		1	1		1	1	1	_	_	
2	Pe	rsonnel nabilities	5			1																										1					
	Fin	ancial																																			
		pability arket	12			1				1					1	1	1	1	1	1	L			_	_	_	_			1		1	1		_	_	_
		arket are	3			1												1												1							
		stomer																											_					-			
		omplaints ocess	3		_	_	1								_									-	-	-	_	-	1		_		-	1	-	-	-
	As	surance	6										1			1						1								1	1						
Riskics		litical shility and																																			
2		anuny and change																																			
	Ra	(es																1	1					_	_	_	_								_		
		livery lay														1											Ι,		۱.	۱.							
	W2	arranties	6								1				î	î			1			ĩ				1			î						-		
		oduct sovation																									Ι.		Ι.	Ι.							
		nduet									-													-			1		-	-					-	-	-
		ality						1		1	1				1		1	1	1	1		1	1	1	_		1	1	1		1	1		_	1	1	
		ocess uality	25									۱.		1		1	1											۱.	۱.			1					
		00000																						1		1									1	-	-
~		novation																																			
	Fle	a adbility	76			1	1						1	1		1		1	1	1		1			1	1			1		1	1				1	1
0	Pro	ocess																																			
Delivery/Quality	Ca	pability cometric	7		_	1	1		1	1								1				1		-	-	+	-	-	1					_	-		-
ļ Š	LS CS	pability	1																				1														
		istomer rvice /																																			
		spon-																																			
		ness	17										1		1	1	1	1	1	1		1			1	1			1	1	1	1		1		1	
	Del Tir	livery	22				,										1							1			١.		۱.	۱.						,	
	Ge	ineral								Г		1											T 1	1	1				Г °	Г °	T 1				1	1	1
H	1.00	age	2		_	_				1		-							1				\vdash	_	_	_	_	\vdash	-	-			_		+	_	_
PPAS Infiniture fure	Int.	erfacies,																																			
	Co	mmu-																																			
Į.	nic S v	ation stems	-						1									1											1		1	1				1	
	Sa	ftware	3																				1			1			î							1	
NI I	IT	- pability		I	I]]	1	1						Ι.			١.		ΙĪ	ſ	ſ		1		1	1	1]].]		ſ	
		pability onomies						-	-	H	-		-	-		-		-	-	H	-		H	+		-		۲	-	-				-	\neg	-	-
	of	S cale	4					1		Ц					1	1							\square					<u> </u>									
-	Del	livery 1878																Ι.				Ι.						1	Ι.								
Costs	Pro	oduction.	h							Г		1											T I		1			İ	Г °	1					1	1	1
		osts	6		_	_				\vdash		<u> </u>	_		1			1				1	\vdash	-	_	_		\vdash	1	<u> </u>					\rightarrow	_	_
	Co	ost ucture														1		1		1		1 1				1			1 1								1
_										· · · · ·						· · · ·							· · · · ·				-										

5 AN EXEMPLARY CASE STUDY

At the current phase of our research project we are preparing an empirical study in order to validate our approach. However, we will illustrate our approach by means of an exemplary case study based on fictive data. We assume a decision maker who wants to evaluate three recycling partners by means of the Fuzzy-AHP-TOPSIS approach. The procedure can be summarized as follows (Saaty, 1980; Mahmoodzadeh et al., 2007):

1. Formulating hierarchy: The hierarchy is structured into different levels: the goal, the criteria and the alternatives level. The goal of our study is to select the most adequate partner. On the criteria level we model the selection criteria presented in the chapter on Partner Selection Criteria. Finally, on the alternatives level we model three alternative recycling companies. The hierarchy of our case study is presented in Figure 2.




Fig. 2. Decision Hierarchy

2. Modeling Fuzzy Importance: A fuzzy set is a class of objects with a continuum of grades of membership. Such a set is characterized by a membership function, which assigns a grade of membership to each object that ranges between zero and one (Mahmoodzadeh et al., 2007). A triangular fuzzy number obtains three parameters that characterize the smallest possible value, the most promising value and the largest possible value. Table 4 provides an overview of the linguistic scale and the triangular fuzzy numbers assumed in this case study.

	Triangular
Linguistic Scale	Fuzzy Number
Absolutely more important	(5/2,3,7/2)
Very strongly more important	(2,5/2,3)
Strongly more important	(3/2,2,5/2)
Weakly more important	(1,3/2,2)
Equally important	(1/2,1,3/2)
Just equal	(1,1,1)

Table	4.	Ling	istic	Scale
Lanc	 .	LIIIg	uistic	Scare

,

Figure 3 shows a Triangular Fuzzy Function $\mu(p)$. For instance, the linguistic scale "strongly more important" is determined by p1= 3/2, p2=2 and p3=5/2.




Fig. 3. Triangular Fuzzy Function

3. Creating an Evaluation Matrix: AHP uses pairwise comparisons to weight and rate the criteria. In our example the decision maker compares nine criteria with each other. Table 6 shows the exemplary evaluation matrix.

	Price	Fin. Capa- bility	Recycling Capability	Quality of Recycling Processes	Effective Impl. of EMIS	Standar- dized H&SC	Sustainable Image	Eff. IT Interfaces	EMMP Know- how
Price	1	(1,3/2,2)	(1/2,2/5,1/ 3)	(1,3/2,2)	(1,3/2,2)	(1/2,1,3/2)	(1/2,1,3/2)	(3/2,2,5/2)	(1,3/2,2)
Financial Capability		1	(1,2/3,1/2)	(1/2,2/5,1/3)	(1,3/2,2)	(1,3/2,2)	(2,5/2,3)	(1/2,1,3/2)	(1,3/2,2)
Recycling Capability			1	(1/2,2/5,1/3)	(2,5/2,3)	(1,3/2,2)	(1,3/2,2)	(2,5/2,3)	(1,3/2,2)
Quality of Recycling Processes				1	(5/2,3,7/2)	(2,5/2,3)	(5/2,3,7/2)	(1/2,1,3/2)	(1/2,2/5,1/ 3)
Effective Imple- mentation of EMS					1	(1,3/2,2)	(1/2,1,3/2)	(1,3/2,2)	(1/2,1,3/2)
Standar- dized H&SC						(1,2/3,1/2)	(5/2,3,7/2)	(1,3/2,2)	(3/2,2,5/2)
Sustainable Image							1	(2,5/2,3)	(1/2,1,3/2)
Efficient IT Interfaces								1	(2,5/2,3)
Know-how in EMMP									1

Table 5. Evaluation Matrix

4. Calculating Normalized Weighting Factors: The normalized weighting factor reflects the relative importance of the partner selection criteria. It can be concluded from the following normalized weighting factor W that "price" (0.21) is the most important selection criterion, followed by "quality of recycling processes" (0.13) and "efficient IT interfaces" (0.12):

 $W = \{0.21, 0.13, 0.08, 0.07, 0.17, 0.14, 0.02, 0.12, 0.05\}$

5. Evaluating Alternatives: The TOPSIS approach is used to identify the optimal partner. To this end, after having calculated the normalized decision matrix, the weighted normalized decision matrix is calculated by multiplying the normalized decision matrix by its associated weights. Subsequently, the separation measures are calculated using the Euclidean distance (Mahmoodzadeh et al., 2007). Finally, the relative closeness to the ideal solution is calculated and a ranking of the three alternative companies is derived. As you can see from Table 6 Recycling Company B achieves the best score.

Partner	Score
Recycling Company A	0.2156
Recycling Company B	0.7321
Recycling Company C	0.0103

Table 6. Final Ranking of Recycling Partner

6 CONCLUSION

6.1 Implications

Due to the increasing number of electric devices being produced, the recycling of these materials will become more and more important. Thus, the selection of recycling partners with a view to environmental and social issues will become a significant topic for supply chain managers. The approach proposed in this paper considers the complexity of the supplier selection problem and includes financial, environmental and social dimensions. The model is intuitive and can be easily computerized. The results indicate that the Fuzzy-AHP-TOPSIS approach can be used as a decision making instrument for supply chain managers who need to select recycling partners. Both tangible and intangible factors can be incorporated into the model. In addition, assessment bias in pairwise comparison is reduced by combining AHP with fuzzy logic.

However, there are limitations to the approach. For instance, interrelationships among factors are not considered. If there are feedbacks and interdependencies among the factors, an unimportant factor may turn out to be far more important than even the most important one. The interdependencies that play a role in real-life partner selection problems are not captured in our study. Furthermore, the so-called Rank Reversal Problem has been pointed out by critics (Macharis et al., 2004). The term denotes that a ranking which is based on a comprehensive evaluation can be

completely reversed by adding another alternative. For example, if criterion A is ranked higher than criterion B, the addition of a third criterion C might change the ranking to C>B>A. It is disputable whether there is an inherent logic to this phenomenon.

6.2 Further Research

Several research questions are still open at this stage: What do decision makers think of the suggested criteria? Will they consider them relevant? In what way does the holistic approach influence the decision making process?

These questions are will be part of our further research. As a next step we will verify the proposed criteria by interviewing experts from business practice. To this end an online questionnaire will be created. Subsequently, the approach will be implemented in @Risk in order to provide a software tool for sustainable partner selection. The instrument will then be tested by means of experiments which will also serve to investigate to what degree the approach influences the participants' decisions regarding sustainable partner selection. All these steps are currently in preparation.

ACKNOWLEDGEMENT

The authors are indebted to Ms Anja Grube and the anonymous reviewers for fruitful discussions and substantive comments relating to this paper.

This research is funded by the European Regional Development Fund (ERDF). The authors are pleased to acknowledge the support by ERDF and all involved project partners.

REFERENCES

- Akarte, M.M. and Ravi, B. 2007. "Casting product–process–producer compatibility evaluation and improvement, " International Journal of Production Research (45:21), 2007, pp. 4917-4936.
- Bayazit, O. 2006. "Use of analytic network process in vendor selection decisions; Benchmarking," An International Journal (13:5), pp. 556-579.
- Bevilacqua, M. and Petroni, A. 2002. "From Traditional Purchasing to Supplier Management. A Fuzzy Logic-based Approach to Supplier Selection," International Journal of Logistics Research and Applications. A Leading Journal of Supply Chain Management (5:3), pp. 235-255.
- Bos-Brouwers, H.E.J. 2010. "Corporate sustainability and innovation in SMEs. evidence of themes and activities in practice," Business Strategy and the Environment (19:7), 2010, pp. 417-435.
- Bottani, E. and Rizzi, A. 2005. "A fuzzy multi-attribute framework for supplier selection in an e-procurement environment," International Journal of Logistics Research and Applications. A Leading Journal of Supply Chain Management (8:3), 2005, pp. 249-266.
- Chan, F.T.S. and Chan, H.K., 2004. "Development of the supplier selection model¬ a case study in the advanced technology industry," Proceedings of the Institution of Mechanical Engineers - Part B - Engineering Manufacture (21:8), pp. 1807-1824.
- Chan, F.T.S., Kumar, N., Tiwari, M.K., Lau, H.C.W. and Choy, K.L. 2008. "Global supplier selection. a fuzzy-AHP - approach," International Journal of Production Research (46:14), pp. 3825-3857.

- Carter, C. and Rogers, D. 2008. "A framework of sustainable supply chain management: moving toward new theory," International Journal of Physical Distribution and Logistics Management (38:5), pp. 56-68.
- Choi, T.Y. and Hartley, J.L. 1996. "An exploration of supplier selection practices across the supply chain, " Journal of Operations Management (14:4), pp. 333-343.
- Chou, S., Shen, C. and Chang, Y. 2007. "Vendor selection in a modified re-buy situation using a strategy-aligned fuzzy approach," International Journal of Production Research (45:14), pp. 3113-3133.
- Choy, K., Lee, W. 2003. "A generic supplier management tool for outsourcing manufacturing," Supply Chain Management. An International Journal (8:2), pp. 140-154.
- Dibbern, J., Goles, T., Hirschheim, R. and Jayatilaka, B. 2004. "Information systems outsourcing: a survey and analysis of the literature," The DATA BASE for Advances in Information Systems (35:4), pp. 6-102.
- Dickson, G.W. 1966. "An analysis of vendor selection systems and decisions," Journal of Purchasing (2:8), pp. 5-17.
- Dogan, I. and Sahin, U. 2003. "Supplier selection using activity-based costing and fuzzy present-worth techniques," Logistics Information Management (16:6), pp. 420-426.
- Elkington, J. 2004. "Enter the triple bottom line. In The Triple Bottom Line: Does It All Add up?," Henriques, A., Richardson, J. (eds). Earthscan, London, pp. 1-16.
- Gaudenzi, B. and Borghesi, A. 2006. "Managing risks in the supply chain using the AHP method", International Journal of Logistics Management (17:1), pp. 114-136.
- Gustin, C.M. and Daugherty, P.J., Ellinger, A.E. 1997. "Supplier Selection Decisions In Systems/Software Purchases," The Journal of Supply Chain Management (33:4), pp. 41-46.
- Harland, C.M. 1996. "Supply chain management: relationships, chains and networks," British Journal of Management (7:1), pp. 63-80.
- Harzing, A.W. 2009. "Journal quality list, thirty-fourth edition.," http://www.harzing.com. [accessed 2011-01-30].
- Haq, A.N. and Kannan, G. 2006. "Design of an integrated supplier selection and multi-echelon distribution inventory model in a built-to-order supply chain environment," International Journal of Production Research (44:10), pp. 1963-1985.
- Hevner, A. R. and March, S. T., Park, J., and Ram, S. 2004. "Design Science in Information Systems Research," MIS Quarterly (28:1), pp. 75-105.
- Jain, V., Tiwari, M. and Chan, F. 2004. "Evaluation of the supplier performance using an evolutionary fuzzy-based approach," Journal of Manufacturing Technology Management (15:8), pp. 735-744.
- Jain, V., Wadhwa, S. and Deshmukh, S.G. 2007. "Supplier selection using fuzzy association rules mining approach," International Journal of Production Research (45:6), pp. 1323-1353.
- Javalgi, R.G. and Jain, H.K. 1988. "Integrating multiple criteria decision making models into the decision support system framework for marketing decisions," Naval Research Logistics (35:6), pp. 575-596.
- Kahraman, C., Cebeci, U. and Ulukan, Z. 2003. "Multi-criteria supplier selection using fuzzy AHP," Logistics Information Management (16:6), pp. 382-394.
- Kang, H.Y., Lee, A.H.I. and Yang, C.Y. 2010. "A fuzzy ANP model for supplier selection as applied to IC packaging," Journal of Intelligent Manufacturing (21:1), pp 1-12.
- Kannan, V.R. and Tan, K.C. 2002. "Supplier Selection and Assessment. Their Impact on Business Performance," The Journal of Supply Chain Management (38:4), pp. 11-21.
- Keeney, R.L.; Raiffa, H. "Decisions with Multiple Objectives; Preferences and Value Tradeoffs", Cambridge University Press, 1993.

- Kim, D. and Kumar, V.K.A.U. 2010. "Performance assessment framework for supply chain partnership," Supply Chain Management. An International Journal (15:3), pp. 187-195.
- Kirytopoulos, K., Leopoulos, V., Mavrotas, G. and Voulgaridou, D. 2010. "Multiple sourcing strategies and order allocation. an ANP-AUGMECON meta-model," Supply Chain Management. An International Journal (15:4), pp. 263-276.
- Kuoa, R. J.; Leeb, L. Y.; Huc and Tung-Lai 2008. "Developing a supplier selection system through integrating fuzzy AHP and fuzzy DEA - a case study on an auto lighting System Company in Taiwan," Production Planning & Control (21:3), pp. 468-484.
- Kwong, C., I, W. and Chan, J. 2002. "Combining scoring method and fuzzy expert systems approach to supplier assessment a case study," Integrated Manufacturing Systems (13:7), pp. 512-519.
- Lee, A.H.I. 2009. "A fuzzy AHP evaluation model for buyer–supplier relationships with the consideration of benefits, opportunities, costs and risks," International Journal of Production Research (47:15), pp. 4255-4280.
- Li, S., Madhok, A., Plaschka, G. and Verma, R. 2006. "Supplier-Switching Inertia and Competitive Asymmetry. A Demand-Side Perspective," Decision Sciences (37:4), pp. 547-576.
- Liu, L., Berger, P., Zeng, A. and Gerstenfeld, A. 2008. "Applying the analytic hierarchy process to the offshore outsourcing location decision", Supply Chain Management. An International Journal (13:6), pp. 435-449.
- Lu, L.Y.Y., Wu, C.H. and Kuo, T.C. 2007. "Environmental principles applicable to green supplier evaluation by using multi-objective decision analysis," International Journal of Production Research (45:18–19), pp. 4317-4331.
- Macharis, C., Springael, J., De Brucker K. and Verbeke, A. 2004. "PROMETHEE and AHP. The design of operational synergies in multi-criteria analysis. Strengthening PROMETHEE with ideas of AHP," European Journal of Operational Research (153:2), pp. 307-317.
- Muralidharan, C., Anantharaman, N. and Deshmukh, S. 2002. "A Multi-Criteria Group Decisionmaking Model for Supplier Rating," The Journal of Supply Chain Management (38:4), pp. 22-33.
- Nassimbeni, G. and Battain, F. 2003. "Evaluation of supplier contribution to product development. Fuzzy and neuro-fuzzy based approaches," International Journal of Production Research (41:13), pp. 2933-2956.
- Ordoobadi, S. 2009. "Application of Taguchi loss functions for supplier selection," Supply Chain Management. An International Journal (14:1), pp. 22-30.
- Pagell, M. and Wu, Z. 2009. "Building an more complete Theory of Sustainable Supply Chain Management Using Case Studies of 10 Exemplars," Journal of Supply Chain Management (45:2), pp. 37-56.
- Park, D. and Krishnan, H.A. 2001. "Understanding supplier selection practices. Differences between U.S. and Korean executives," Thunderbird International Business Review (43:2), pp. 243-256.
- Perçin, S. 2009. "Evaluation of third-party logistics 3PL providers by using a two-phase AHP and TOPSIS methodology," Benchmarking. An International Journal (16:5), pp. 588-604.
- Petroni, A. and Braglia, M. 2000. "Vendor Selection Using Principal Component Analysis," The Journal of Supply Chain Management (36:2), pp. 63-69.
- Pochampally, K. K. and Gupta, S.M. 2009. "Reverse Supply Chain Design. A Neural Network Approach," in Web-Based Green Products Life Cycle Management Systems. Reverse Supply Chain Utilization, Wang, H.-F.; Hua, T. (Edt.), pp. 283-300.

- Ramanathan, R. 2007. "Supplier selection problem. integrating DEA with the approaches of total cost of ownership and AHP," Supply Chain Management. An International Journal (12:4), pp. 258-261.
- T. L. Saaty 1980. "The analytic hierarchy process," New York. McGraw-Hill.
- Sarkis, J. 1998. "Evaluating environmentally conscious business practices," European Journal of Operational Research (107:1), pp. 159-174.
- Sarkis, J. and Talluri, S. 2002. "A Model for Strategic Supplier Selection," The Journal of Supply Chain Management (38:1), pp. 18-28.
- Sarmiento, R. and Thomas, A. 2010. "Identifying improvement areas when implementing green initiatives using a multitier AHP approach," Benchmarking. An International Journal (17:3), pp. 452-463.
- Sharland, A., Eltantawy, R.A. and Giunipero, L.C. 2003. "The Impact of Cycle Time on Supplier Selection and Subsequent Performance Outcomes," The Journal of Supply Chain Management (39:3), pp. 4-12.
- Shrivastava, S.K. 2007. "Green supply-chain management: a state-of-the-art literature review," International Journal of Management Reviews (9:1), pp. 53-80.
- Sikdar, S.K. 2003. "Sustainable development and sustainability metrics," AIChE Journal (49:8), pp. 1928-1932.
- Simpson, P.M., Siguaw, J.A. and White, S.C. 2002. "Measuring the Performance of Suppliers. An Analysis of Evaluation Processes," The Journal of Supply Chain Management (38:1), pp. 29-41.
- Sridhar CNV, Vijayakumar Reddy K and Venugopal R.V. 2010. "Investigations on Supplier Selection for e-Manufacturing. A Case study," International Journal of Business Insights and Transformation (3:2), pp. 63-77.
- Su, Y., Jin, Z. and Yang, L. 2010. "System Dynamics Modeling for Strategic Management of Green Supply Chain," in Strategic Information Systems. Concepts, Methodologies, Tools, and Applications, Hunter, M.G.; pp. 2617-2649.
- Sun, S., Hsu, M. and Hwang, W. 2009. "The impact of alignment between supply chain strategy and environmental uncertainty on SCM performance," Supply Chain Management. An International Journal (14:3), pp. 201-212.
- Swanson, E.B. and Ramiller, N.C. 1993. "Information systems thematics: submissions to a new journal," Information Systems Research (4:4), pp. 299-330.
- Ting, S. and Cho, D.I. 2008. "An integrated approach for supplier selection and purchasing decisions," Supply Chain Management. An International Journal (13:2), pp. 116-127.
- Torabi, S.A. and Hassini, E. 2009. "Multi-site production planning integrating procurement and distribution plans in multi-echelon supply chains an interactive fuzzy goal programming approach," International Journal of Production Research (47:19), pp. 5475-5499.
- Towers, N. and Song, Y. 2010. "Assessing the future challenges in strategic sourcing commodity from China. a case-study analysis," Asia Pacific Business Review (16:4), pp. 527-544.
- Tsai, W. and Hung, S. 2009. "A fuzzy goal programming approach for green supply chain optimisation under activity-based costing and performance evaluation with a value-chain structure," International Journal of Production Research (47:18), pp. 4991-5017.
- Ustun, O. and Demirtas, E.A. 2008. "An integrated multi-objective decision-making process for multi-period lot-sizing with supplier selection," Omega (36:4), pp. 509-521.
- Vonderembse, M.A. and Tracey, M. 1999. "The Impact of Supplier Selection Criteria and Supplier Involvement on Manufacturing Performance," The Journal of Supply Chain Management (35:3), pp. 33-39.

- Walton, S.V., Handfield, R.B. and Melnyk, S.A. 1998. "The Green Supply Chain. Integrating Suppliers into Environmental Management Processes," The Journal of Supply Chain Management (34:2), pp. 2-11.
- Wang, E.J., Chen, Y.C., Wang, W.S. and Su, T.S. 2010. "Analysis of outsourcing costeffectiveness using a linear programming model with fuzzy multiple goals," International Journal of Production Research (48:2), pp. 501-523.
- Weber, C.A., Current, J.R. and Benton, W.C. 1991. "Vendor selection criteria and methods," European Journal of Operational Research (50:1), pp. 2-18.
- Webster, J. and Watson, R. 2002. "Analyzing the past to prepare for the future: writing a literature review," Management Information Systems Quarterly (26:2), pp. 13-23.
- Wittstruck, D. and Teuteberg, F. 2010. "Sustainable Supply Chain Management in Recyclingnetzwerken der Elektro- und Elektroindustrie," in Schumann, M. et al. H. Proceedings of Multikonferenz Wirtschaftsinformatik, Goettingen, 2010, pp. 1029-1043.
- Zarvić, N., Seifert, M. and Thoben, K.-D. 2010. "A task-resource dependency perspective on partner selection during the formation of networked business constellations," International Journal of Networking and Virtual Organisations, (7:5), pp. 399-414.
- Zhu, Q., Dou, Y. and Sarkis, J. 2010. "A portfolio-based analysis for green supplier management using the analytical network process," Supply Chain Management. An International Journal (15:4), pp. 306-319.

AUTHOR BIOGRAPHIES

David Wittstruck is an external research associate at the Chair in Accounting and Information Systems led by Prof. Frank Teuteberg. His research interests lie in the realm of Sustainable Supply Chain Management and Supply Chain Performance Management. Since 2008 David Wittstruck has been working as a consultant at the Advisory Services Department of Ernst&Young GmbH in Düsseldorf.

Since 2007 **Prof. Dr. Frank Teuteberg** has been head of the subject area "Accounting and Information Systems", which is part of the Institute of Information Management and Corporate Governance at the University of Osnabrueck. Prof. Teuteberg is founder of the innovation network ertemis (www.ertemis.eu) which is supported by the European Fund for Regional Development (EFRE) and the State of Lower Saxony. His main research interests are Corporate Environmental Management Information Systems, Sustainable Supply Chain Management, Cloud Computing, Green Logistics and IT Risk Management.