

# Evaluation Model of Tea Industry Information Service Quality

Xiaohui Shi, Tian'en Chen

# ▶ To cite this version:

Xiaohui Shi, Tian'en Chen. Evaluation Model of Tea Industry Information Service Quality. 9th International Conference on Computer and Computing Technologies in Agriculture (CCTA), Sep 2015, Beijing, China. pp.320-329, 10.1007/978-3-319-48354-2\_33. hal-01614192

# HAL Id: hal-01614192 https://inria.hal.science/hal-01614192

Submitted on 10 Oct 2017

HAL is a multi-disciplinary open access archive for the deposit and dissemination of scientific research documents, whether they are published or not. The documents may come from teaching and research institutions in France or abroad, or from public or private research centers. L'archive ouverte pluridisciplinaire **HAL**, est destinée au dépôt et à la diffusion de documents scientifiques de niveau recherche, publiés ou non, émanant des établissements d'enseignement et de recherche français ou étrangers, des laboratoires publics ou privés.



# **Evaluation Model of Tea Industry Information Service Quality**

Xiaohui Shi<sup>1,2,3,4,a</sup>, Tian' en Chen<sup>1,2,3,4,b,\*</sup>

<sup>1</sup> Beijing Research Center for Information Technology in Agriculture, Beijing 100097, China; <sup>2</sup>National Engingneering Research Center of Information Technology in Agriculture, Beijing 100097, China; <sup>3</sup>Key Laboratory of Agri-informatics, Ministry of Agriculture, Beijing 100097, China; <sup>4</sup>Beijing Engineering Research Center of Agricultural Internet of Things, Beijing 100097, China <sup>a</sup>shixh@nercita.org.cn, <sup>b</sup>chente@nercita.org.cn

**Abstract.** According to characteristics of tea industry information service, this paper have built service quality evaluation index system for tea industry information service quality, R-cluster analysis and multiple regression have been comprehensively used to contribute evaluation model with a high practice and credibility. Proved by the experiment, the evaluation model of information service quality has a good precision, which has guidance significance to a certain extent to enhance the information service quality of tea industry information website.

**Keywords:** tea industry, information service quality evaluation, multiple regression; R-cluster

#### 1 Introduction

According to characteristics of tea industry information service, and based on analysis of the evaluation goal for tea industry information service quality, the typicality of index system as the main direction, also takes the information requirements characteristic of users into account, the key factors influencing the quality of information service have been analyzed from platform function, platform information, platform design, platform framework and platform efficiency, then select 5 first grades and 30 second grades. 30 second grades are clustered by R-cluster analysis, finally forming an evaluation index system consists of 5 first grades and 17 second grades. Based on the influence factor of information service quality analyzed by information service quality evaluation model built with multiple regression, which will give a scientific guidance for tea industry information service.

# 2 Analysis Methods

#### 2.1 R-cluster

R-cluster[1] is one kinds of the cluster analysis method, is adequate for lots of variable, and variable with a high correlation, its purpose is to cluster the variables in the same group, and find the representative variables to achieve the purpose of dimension reduction. In R-cluster theory, N objects are treated as N groups, the correlation coefficient around the groups is R, two groups having the biggest related coefficient are clustered in one groups, until all groups are clustered in one big group.

## 2.2 Multiple Linear Regression

#### 2.2.1 Brief Introduction for Multiple Linear Regression Model

Multiple linear regression[2] model is one kinds of math model to consider the relationship around variable  $x_1, x_2, ..., x_p$  and variable y. Assuming y is change along with the changes of  $x_1, x_2, ..., x_p$ .

The mathematical expression of multiple linear regression is  $Y=W^{(3)}*X+C.$   $W^{(3)}$  is weight matrix, C is constant term.

# 2.2.2 Selection Criteria of Independent Variable for Multiple Linear Regression Model

Multiple linear regression model has advantages, such as simple method and high precision, when it simulate the data owning pure linear relationship, but having bad results in this situation of data is nonlinear relationship or data missing. In order to guarantee the excellent predictive results, the selection criteria of independent variable are summarized as follows: 1) independent variable has a outstanding influence with dependent variable, and there is a close linear relationship; 2) linear relationship between independent variable and dependent variable is true, not in form; 3) a certain mutual exclusion between the independent variables is necessary; 4) independent variable must have integrated data [3].

# 3 Index System

# 3.1 Preliminary Index System

Selecting platform function, platform information, platform design, platform framework and platform efficiency as the first grade indexes[4], and every index is further segmented, finally forming 30 second grade indexes, which forms the service quality index system for tea industry information platform, the specific indexes are listed as follows:

Table 1 Service quality evaluation index system of information platform for tea industry

	First index	Second index	After R-cluster
$X_1$ Service		Function comprehensiveness	$X_1$
		Service interactivity	$X_2$
	Platform	Operation convenience	
	function	Service individuation	$X_4$
		Service professionalism	$X_5$
		Platform popularity	
		Information accuracy	
Q		Information authority	
uali		Information vividness	$X_9$
ty I	Platform	Information comprehensiveness	$X_{10}$
nde	information	Content uniqueness	
X S	imormation	Organization orderliness	
ystı		Information timeliness	
em for		Retrieval convenience	
		Retrieval effectiveness	
Te		Interface friendly	$X_{16}$
ı İn		Design standardization	
dusi	Platform	Creativity uniqueness	
try	design	Column novelty	X <sub>19</sub>
Inform	design	Structure clarity	
		Style unity	
atic		Color coordination	$X_{22}$
$X_1Service\ Quality\ Index\ System\ for\ Tea\ Industry\ Information\ Platform$		Platform stabilization	$X_{23}$
	Platform	Platform compatibility	$X_{24}$
	framework	Platform safety	$X_{25}$
	Tunie work	Platform adaptability	$X_{26}$
		Platform expansibility	$X_{27}$
	Platform	Software deployment simplicity	$X_{28}$
	efficiency	Software operation shortcut	$X_{29}$
	cincione	Demand response timeliness	

## 3.2 Index System Selection

Normally, the method of principal component analysis is used to solve a problem which contains lots of evaluation indexes, but the results from principal component analysis depend on measured value of primitive index, so principal component

analysis only solve simplification of quantitative index, not the descriptive index before quantitative[5].

In this paper, R-cluster is adopted. According to the correlation coefficient in indexes, all indexes are clustered by R-cluster, the demand of accuracy finally determines how many groups will be segmented, select the typical index in one group represent multiple indexes to achieve the purpose of simplified index[6].

Assuming there are P indexes  $u_1$ ,  $u_2$ ,  $u_3$ , ...,  $u_p$ ; N experts score for the relative coefficient among the indexes, the relative coefficient matrix after scoring is expressed in following table, and the cluster results are expressed in.

Table 2. Related coefficient matrix

	X1	X2	X3	X4	X5	 X30
X1: Function comprehensiveness	1					
X2: Service interactivity	0.15	1				
X3: Operation convenience	0.12	0.14	1			
X4: Service individuation	0.11	0.32	0.18	1		
X5: Service professionalism	0.47	0.41	0.56	0.24	1	
X6: Platform popularity	0.12	0.13	0.68	0.05	0.87	
X7: Information accuracy	0.21	0.89	0.12	0.98	0.94	
X8: Information authority	0.45	0.86	0.11	0.84	0.92	
X9: Information vividness	0.13	0.97	0.13	0.86	0.94	
X10:Information comprehensiveness	0.97	0.75	0.08	0.88	0.96	
X11: Content uniqueness	0.12	0.85	0.14	0.99	0.92	
X12: Organization orderliness	0.65	0.82	0.84	0.15	0.87	
X13: Information timeliness	0.78	0.94	0.89	0.98	0.82	
X14: Retrieval convenience	0.56	0.93	0.97	0.97	0.84	
X15: Retrieval effectiveness	0.42	0.84	0.85	0.99	0.86	
X16: Interface friendly	0.01	0.95	0.89	0.85	0.12	
X17: Design standardization	0.75	0.12	0.84	0.12	0.98	
X18: Creativity uniqueness	0.15	0.78	0.12	0.86	0.12	
X19: Column novelty	0.12	0.86	0.11	0.87	0.15	
X20: Structure clarity	0.32	0.81	0.84	0.98	0.56	
X21: Style unity	0.15	0.14	0.91	0.15	0.86	
X22: Color coordination	0.11	0.23	0.56	0.12	0.14	
X23: Platform stabilization	0.12	0.45	0.98	0.11	0.86	
X24: Platform compatibility	0.11	0.21	0.94	0.15	0.14	
X25: Platform safety	0.11	0.12	0.12	0.12	0.86	
X26: Platform adaptability	0.92	0.15	0.84	0.87	0.84	
X27: Platform expansibility	0.95	0.34	0.23	0.56	0.85	
X28: Software deployment simplicity	0.87	0.87	0.86	0.87	0.85	
X29: Software operation shortcut	0.12	0.15	0.92	0.86	0.92	
X30: Demand response timeliness	0.23	0.97	0.76	0.82	0.85	 1

To combine the results of cluster, comprehensively considering the simplicity, representation and feasibility of indexes, analysis results are carried out as follows: when the minimum distance of correlation coefficients is under 0.03, the jumping points are obvious, indexes are clustered 17 groups. So, the results represented as follows:  $R_1$ :4, 11, 15, 7, 13, 20, 8, 18, 21;  $R_2$ : 3, 23;  $R_3$ : 5, 17;  $R_4$ : 6, 10, 14, 30;  $R_5$ : 1;  $R_6$ : 2:  $R_7$ : 9;  $R_8$ : 12;  $R_9$ : 24;  $R_{10}$ : 28;  $R_{11}$ : 19;  $R_{12}$ : 27;  $R_{13}$ : 16;  $R_{14}$ : 21;  $R_{15}$ : 22;  $R_{16}$ : 26;  $R_{17}$ : 29.




Fig. 1. Result of R-mode clustering

## 4 Data Acquisition

#### 4.1 Experts Estimation

After the establishment of indexes system, expert estimation has two parts:

- (1) General part indexes existing in traditional information service website or system. After the establishment of indexes system, select the typical tea information website, then let the experts who is good at agricultural informationization estimate the quality of information service websites and the indexes that influencing the quality of information service.
- (2) The indexes part reflecting the characteristics of cloud service platform. Because of tea industry information cloud service platform in domestic is still blank, there is no quantitative index to be verified, only the experts' view as the reference, that is means, when tea industry information cloud service platform is built, the 7 indexes, such as X23: Platform stabilization, X24: Platform compatibility, X25: Platform safety, X26: Platform adaptability, X27: Platform expensibility, X28: Software deployment simplicity and X29: Software operation shortcut will be fully considered.

#### 4.2 Data Processing

First step: website selection. Tea information websites are divided into two groups: one group is comprehensive agriculture websites but covering content of tea industry information, another group is the professional tea information websites. The objects

of this experiment are 40 websites in two groups, 18 comprehensive websites, such as agriculture information websites belong to province and municipal district, and 22 professional tea information websites, specific situation is listed in table 3.

Table 3. Objects of experimental evaluation for tea information sites.

Groups	Website	Website				
	http://www.ymt360.com	http://tea.fjsen.com				
	http://www.teauo.com	http://www.zgchawang.com				
т	http://www.i-tea.cn	http://tea.ahnw.gov.cn				
Professional(22)	http://cy.zgny.com.cn	http://www.t0001.com				
fess	http://www.teatea.co	http://www.fjteaw.cn				
<u>sio</u>	http://www.tea160.com	http://www.chawh.net				
all	http://www.b-tea.com	http://www.puercn.com				
22	http://www.hbteainfo.com	http://www.qspg.cn				
19	http://www.cyppw.com	http://www.bjhjcha.com				
	http://www.cs12396.cn	http://www.ctma.com.cn				
	http://www.cluyu.cn	http://www.paicw.com				
	http://bb.ahnw.gov.cn	http://www.xinnong.com				
_	http://www.ynagri.gov.cn	http://www.sbny.cn				
Cor	http://www.cnsp.org.cn	http://www.tech-food.com				
npr	http://www.cnluye.com	http://www.farmers.org.cn				
Comprehensive(18)	http://www.yuanlin365.com	http://www.8658.cn				
	http://nc.mofcom.gov.cn	http://video.1kejian.com				
ve(	http://www.scnjw.gov.cn	http://www.xxsagri.gov.cn				
(8)	http://www.agronet.com.cn	http://www.qzny.gov.cn				
	http://www.eagric.com	http://www.foodmate.net				

Second step: data acquisition. Experts estimate the 10 second indexes belong to Platform function, Platform information and Platform design in table 9, information service quality and indexes estimated by quantitative evaluation, the scores are during 0-1, adopt the method of integrating multiple scores, the data is listed as table 4 after data processing.

Table 4. Experimental data

Y	$X_1$	$X_2$	$X_4$	$X_5$	$X_9$	$X_{10}$	$X_{12}$	$X_{16}$	$X_{19}$	X <sub>22</sub>
0.84	0.77	0.81	0.80	0.81	0.68	0.74	0.88	0.44	0.55	0.88
0.39	0.77	0.36	0.35	0.37	0.25	0.29	0.88	0.04	0.16	0.88
0.38	0.75	0.35	0.34	0.35	0.25	0.28	0.86	0.04	0.14	0.86
0.60	0.74	0.61	0.56	0.56	0.52	0.50	0.88	0.21	0.32	0.88
0.73	0.72	0.69	0.69	0.69	0.61	0.63	0.86	0.32	0.43	0.86
0.35	0.71	0.31	0.31	0.31	0.22	0.25	0.82	0.03	0.13	0.82
0.31	0.71	0.27	0.26	0.27	0.15	0.22	0.80	0.01	0.09	0.80
0.74	0.71	0.71	0.70	0.71	0.62	0.65	0.84	0.34	0.44	0.84
0.52	0.71	0.50	0.47	0.49	0.40	0.42	0.84	0.12	0.23	0.84
0.85	0.70	0.82	0.82	0.82	0.68	0.75	0.80	0.45	0.56	0.80
0.54	0.70	0.52	0.50	0.51	0.43	0.44	0.80	0.14	0.26	0.80
0.48	0.70	0.47	0.44	0.45	0.35	0.37	0.80	0.09	0.19	0.80
0.35	0.70	0.34	032	0.32	0.23	0.25	0.80	0.03	0.13	0.80
0.31	0.69	0.27	0.27	0.27	0.14	0.21	0.78	0.01	0.08	0.78
0.50	0.69	0.47	0.43	0.46	0.38	0.39	0.82	0.10	0.20	0.82

_											
	0.63	0.68	0.62	0.59	0.60	0.52	0.53	0.78	0.24	0.34	0.78
	0.41	0.68	0.37	0.37	0.38	0.28	0.31	0.78	0.04	0.17	0.78
	0.30	0.68	0.26	0.25	0.26	0.14	0.20	0.76	0.01	0.07	0.76
	0.50	0.67	0.48	0.44	0.46	0.39	0.40	0.80	0.11	0.22	0.80
	0.74	0.66	0.70	0.70	0.69	0.61	0.64	0.78	0.33	0.43	0.78
	0.51	0.66	0.49	0.46	0.47	0.40	0.41	0.78	0.11	0.22	0.78
	0.79	0.64	0.76	0.75	0.76	0.63	0.69	0.74	0.40	0.50	0.74
	0.62	0.64	0.62	0.58	0.58	0.52	0.51	0.74	0.22	0.32	0.74
	0.53	0.64	0.51	0.49	0.50	0.41	0.43	0.76	0.13	0.23	0.76
	0.82	0.63	0.78	0.78	0.78	0.66	0.72	0.72	0.43	0.53	0.72
	0.31	0.62	0.27	0.28	0.28	0.18	0.22	0.70	0.02	0.09	0.70
	0.88	0.61	0.84	0.84	0.85	0.70	0.79	0.70	0.49	0.58	0.70
	0.33	0.52	0.29	0.30	0.29	0.20	0.25	0.58	0.02	0.11	0.58
	0.33	0.51	0.29	0.29	0.29	0.19	0.24	0.58	0.02	0.11	0.58
	0.32	0.51	0.29	0.27	0.28	0.19	0.23	0.58	0.02	0.10	0.58
	0.69	0.50	0.67	0.65	0.65	0.57	0.60	0.58	0.30	0.39	0.58
	0.47	0.50	0.46	0.43	0.44	0.34	0.36	0.58	0.07	0.19	0.58
	0.64	0.50	0.62	0.61	0.60	0.55	0.54	0.58	0.25	0.35	0.58
	0.34	0.49	0.30	0.30	0.30	0.21	0.24	0.56	0.02	0.12	0.56
	0.64	0.49	0.62	0.60	0.60	0.54	0.54	0.56	0.24	0.34	0.56
	0.55	0.49	0.58	0.51	0.51	0.42	0.45	0.58	0.19	0.29	0.58
	0.34	0.49	0.30	0.31	0.30	0.22	0.24	0.56	0.02	0.12	0.56
	0.83	0.48	0.79	0.79	0.80	0.67	0.73	0.55	0.43	0.54	0.55
	0.58	0.47	0.60	0.54	0.55	0.46	0.48	0.56	0.19	0.30	0.56
	0.56	0.47	0.59	0.53	0.53	0.44	0.46	0.56	0.16	0.29	0.56

Indexes' corresponding relation are:  $X_1$ : Function comprehensiveness,  $X_2$ : Service interactivity,  $X_4$ : Service individuation,  $X_5$ : Service professionalism,  $X_9$ : Information vividness,  $X_{10}$ : Information comprehensiveness;  $X_{12}$ : Organization orderliness,  $X_{16}$ : Interface friendly;  $X_{19}$ : Column novelty,  $X_{22}$ : Color coordination, Y: information service quality.

# **5 Evaluation Model**

# 5.1 Experiment Data Processing

In experiment, 30 data before in table 4 as the training sample, 11 data after in table 4 as the test sample.

#### 5.2 Selection of influencing factors

Before the influencing factors are finally selected, the correlation between information service quality and influencing factors needed to be analyzed respectively. The purpose of correlation analysis is to represent the correlation situation and its change rule between variables, and find the correlation model with each other, which can provide references for making the next decision.

Null hypothesis of test is correlation coefficient of two variables expressing 0 in totality. The process of correlation analysis in SPSS shows the probability of hypothesis formation[7].

On the SPSS 18 platform, data correlation analysis respectively is produced between Y and X<sub>1</sub>, X<sub>2</sub>, X<sub>4</sub>, X<sub>5</sub>, X<sub>9</sub>, X<sub>10</sub>, X<sub>12</sub>, X<sub>16</sub>, X<sub>19</sub>, X<sub>22</sub>. Correlation between Y and X<sub>2</sub>, X<sub>4</sub>, X<sub>5</sub>, X<sub>9</sub>, X<sub>10</sub>, X<sub>16</sub>, X<sub>19</sub>, respectively is obvious, and shows linear relationship, and these indexes can be selected as the influencing factors for Y, so multiple regression model is established.

#### 5.3 Experiment Analysis

On the platform SPSS 18, multiple regression model has been established,  $X_2$ ,  $X_4$ ,  $X_5$ ,  $X_9$ ,  $X_{10}$ ,  $X_{16}$  and  $X_{19}$  as independent variables, Y as dependent variable. Results of multiple linear regression show that X2, X4, X5, X9, X10, X16, with Y shows the positive correlation respectively, but the estimated value of regression coefficient for  $X_{19}$  shows negative correlation, which is not fact, so estimated value of  $X_{19}$  is not believable [8], then eliminate variable  $X_{19}$ . Second regression is carried out.

R<sup>2</sup> of model is 0.999, adjusted R<sup>2</sup> also is 0.999. Value of F tends to rationality. To a certain extent, model reflect the relationship for information service quality and influencing factors, finally the influencing factors model of information service quality is carried out as follows:

 $Y = 0.075 + 0.100 * X_2 + 0.005 * X_4 + 0.368 * X_5 + 0.025 * X_9 + 0.481 * X_{10} + 0.020 * X_{16}.$ 

#### 5.4 Model Test

The established multiple regression model is tested by test data.

Sequence True value Predictive number Relative error number 0.69 0.694392 0.64 1 2 0.47 0.466296 1.63 3 0.640351 0.05 0.64 0.34 0.336517 1.60 0.64 0.639849 0.02 6 0.55 0.555037 0.44 7 0.34 0.336832 2.31 8 0.83 0.829506 0.54 9 0.58 0.586938 1.90

Table 5. Relative errors between predicted and actual values

10	0.56	0.567998	0.96	

Table 5 shows that results of 10 test data present ideal results, relative errors between predictive value and real value all are less than 3%, and average error is only 1.01%. Experiment demonstrates that the established model is multiple fitted equation having a good reliability[9].

#### 6 Conclusions

All study above shows that two aspects will be paid more attention to during the building of cloud service platform:

- (1) In the process of construction for information service system, these indexes such as service interactivity, service individuation, service professionalism, information vividness, information comprehensiveness and interface friendly, are important to influence information service quality.
- (2) During the process of building for cloud service platform, these 7 indexes such as platform stabilization, platform compatibility, platform safety, platform adaptability, platform expansibility, software deployment simplicity and software operation shortcut should be fully considered.

# Acknowledgment

Financial supports from the National Science and Technology Support Project of China (Grant No. 2013BAD15B05) and the Natural Science Foundation of Beijing, China (Grant No. 4151001) are sincerely acknowledged.

#### References

- Meimei Chen, Jianguo Deng. Website quality evaluation optimization based R-cluster [J]. INFORMATION SCIENCE, 2006(9): 40-42.
- Hongwei Sun, Fang Jiancheng, Li Jianli. Temperature Errors Modeling for Micro Inertial Measurement Unit Using Multiple Regression Method[C]. Proceedings of the International Symposium on Intelligent Information Systems and Applications, 2009:411-415.
- 3. Y. Sadhuram, T. V. Ramana Murthy. Simple Multiple Regression Model for long range forecasting of Indian Summer Monsoon Rainfall[J]. Meteorol Atmos Phys, 2009, 99:17-24.
- 4. Weijun Wang. Analysis and Comment on Study and Application of EC Websites Evaluation [J]. INFORMATION SCIENCE,2006,21(6):640-642.
- 5. Yang Zhao. Information service quality evaluation for industry information center website [J]. Information Resource Study, 2009, (6):32-37.
- Ling Pei, Jintao Wang. Research on User -Oriented Appraisal Framework of Website Information Service Quality [J]. INFORMATION SCIENCE, 2009, 28(5):60-64.
- Fa Zhi, Jingyu Zhou. Multidimensional Statistic Analysis [M]. Beijing: Science publisher, 2002, 188-230.

- 8. Cheng Chen, Huarui Wu. Agricultural Information Service Quality Evaluation Model Based on Factor Analysis and Multiple Regression[J]. Journal of Agricultural Mechanization Research, 2014, 09:11-17.
- 9. Wei Zhou. Research On the Quality Evaluation Model of Mobile Information Service Based on the Consumer Satisfaction[J]. Journal of Academic Library and Information Science, 2015, 02:74-78.