

# Monitoring Testbed Experiments with MonEx

Abdulqawi Saif, Alexandre Merlin, Lucas Nussbaum, Ye-Qiong Song

# ▶ To cite this version:

Abdulqawi Saif, Alexandre Merlin, Lucas Nussbaum, Ye-Qiong Song. Monitoring Testbed Experiments with MonEx. Grid5000-FIT Spring School, SILECS project, INRIA, Apr 2018, Sophia Antipolis, France. hal-01793507

# HAL Id: hal-01793507 https://inria.hal.science/hal-01793507v1

Submitted on 16 May 2018

**HAL** is a multi-disciplinary open access archive for the deposit and dissemination of scientific research documents, whether they are published or not. The documents may come from teaching and research institutions in France or abroad, or from public or private research centers. L'archive ouverte pluridisciplinaire **HAL**, est destinée au dépôt et à la diffusion de documents scientifiques de niveau recherche, publiés ou non, émanant des établissements d'enseignement et de recherche français ou étrangers, des laboratoires publics ou privés.

# Monitoring Testbed Experiments with MonEx

<u>Abdulqawi Saif<sup>1,2</sup></u> Alexandre Merlin<sup>1</sup> Lucas Nussbaum<sup>1</sup> Ye-Qiong Song<sup>1</sup>

 $^1 \rm Universit\acute{e}$  de Lorraine, CNRS, Inria, LORIA, F-54000 Nancy, France  $^2 \rm Qwant$  Entreprise, Épinal, France

April 04, 2018 1<sup>st</sup> Grid'5000-FIT School - Sophia Antipolis, France











#### **Computer system experiments**

- Diversity of environments
- Variety of contexts
- Many kinds of outputs

#### **Computer system experiments**

- Diversity of environments
- Variety of contexts
- Many kinds of outputs

#### Experiments' data is often collected via:

- Ad-hoc solutions (e.g. combining multiple scripts)
- Manual actions (e.g. manipulating some missed values)
- Portability and reproducibility aware-less methods

#### **Computer system experiments**

- Diversity of environments
- Variety of contexts
- Many kinds of outputs

#### Experiments' data is often collected via:

- Ad-hoc solutions (e.g. combining multiple scripts)
- Manual actions (e.g. manipulating some missed values)
- Portability and reproducibility aware-less methods

#### How to overcome these challenges?

#### Our aim: having an Experiment Monitoring Framework

- Monitoring?, Yes!, but from experimenters perspective
- Easily collection of experiments' data
- Reducing experimenters effort during experimentation e.g. facilitating analysis by drawing figures
- Permit to repeat experiment analysis and comparisons

#### **Open questions:**

- What should be targeted by EMFs?
- What needed to build an EMF?
- Do we need to build EMFs from scratch?

#### Our aim: having an Experiment Monitoring Framework

- Monitoring?, Yes!, but from experimenters perspective
- Easily collection of experiments' data
- Reducing experimenters effort during experimentation e.g. facilitating analysis by drawing figures
- Permit to repeat experiment analysis and comparisons

#### **Open questions:**

- What should be targeted by EMFs?
- What needed to build an EMF?
- Do we need to build EMFs from scratch?



- EMF requirements
- EMF requirements Vs related work
- MonEx EMF design
- Use case experiments of MonEx
- Grid'5000 and MonEx
- Conclusions

- Target: torrent completion
- 100 peers & one seeder
- Dynamic growth of network → adding a peer after *n sec*
- Emulated bandwidth of peers



- Target: torrent completion
- 100 peers & one seeder
- Dynamic growth of network → adding a peer after *n sec*
- Emulated bandwidth of peers



- Target: torrent completion
- 100 peers & one seeder
- Dynamic growth of network → adding a peer after *n sec*
- Emulated bandwidth of peers



- Target: torrent completion
- 100 peers & one seeder
- Dynamic growth of network → adding a peer after *n sec*
- Emulated bandwidth of peers



- Target: torrent completion
- 100 peers & one seeder
- Dynamic growth of network → adding a peer after *n sec*
- Emulated bandwidth of peers



#### Experiment Monitoring Framework (EMF) requirements

- Experiment-focused
- Independent of experiments
- Independent of testbed services and man. frameworks
- Scalable

- Low impact
- Controllable by users
- Real-time monitoring
- Publishable figures
- Archival of experiments data

	Infrastructure monitoring tools e.g. Munin	Testbed-provided measurement services	Vendetta[1]	OML[2]
Experiment-focused	-	-	-	-

## EMF requirements vs related works

 $\label{eq:Vendetta} \begin{array}{l} \mbox{Vendetta} \rightarrow \mbox{code modification is necessary} \\ \mbox{OML} \rightarrow \mbox{def. of measurement points, compilation with} \\ \mbox{OML code,} \end{array}$ 

	Infrastructure monitoring tools e.g. Munin	Testbed-provided measurement services	Vendetta[1]	OML[2]
Experiment-focused	-	-	-	-
Independent of experiments	+	+	-	-

#### $Vendetta \rightarrow also a management tool$

	Infrastructure monitoring tools e.g. Munin	Testbed-provided measurement services	Vendetta[1]	OML[2]
Experiment-focused	-	-	-	-
Independent of experiments	+	+	-	-
Independent of testbeds services	+	+	-	+

# Inf. mon. $\rightarrow$ typical for 5-10 m measurements Vendetta $\rightarrow$ no info. about the measurement frequency

	Infrastructure monitoring tools e.g. Munin	Testbed-provided measurement services	Vendetta[1]	OML[2]
Experiment-focused	-	-	-	-
Independent of experiments	+	+	-	-
Independent of testbeds services	+	+	-	+
Scalability	+-	+	+-	+

# Inf. mon. $\rightarrow$ some with heavy nature (threads, ...) Vendetta $\rightarrow$ parsing events in-place

	Infrastructure monitoring tools e.g. Munin	Testbed-provided measurement services	Vendetta[1]	OML[2]
Experiment-focused	-	-	-	-
Independent of experiments	+	+	-	-
Independent of testbeds services	+	+	-	+
Scalability	+-	+	+-	+
Low impact	-	+	-	+

#### Testbed-provided services $\rightarrow$ specific infrastructure

	Infrastructure monitoring tools e.g. Munin	Testbed-provided measurement services	Vendetta[1]	OML[2]
Experiment-focused	-	-	-	-
Independent of experiments	+	+	-	-
Independent of testbeds services	+	+	-	+
Scalability	+-	+	+-	+
Low impact	-	+	-	+
Easy deployment	+	-	+	+

# Inf. mon. & Testbed-provided services $\rightarrow$ only by infrastructure operators

	Infrastructure monitoring tools e.g. Munin	Testbed-provided measurement services	Vendetta[1]	OML[2]
Experiment-focused	-	-	-	-
Independent of experiments	+	+	-	-
Independent of testbeds services	+	+	-	+
Scalability	+-	+	+-	+
Low impact	-	+	-	+
Easy deployment	+	-	+	+
Controllable	-	-	+	+

	Infrastructure monitoring tools e.g. Munin	Testbed-provided measurement services	Vendetta[1]	OML[2]
Experiment-focused	-	-	-	-
Independent of experiments	+	+	-	-
Independent of testbeds services	+	+	-	+
Scalability	+-	+	+-	+
Low impact	-	+	-	+
Easy deployment	+	-	+	+
Controllable	-	-	+	+
Real-time monitoring	+	+	-	-

#### Inf. mon. & Testbed-provided services $\rightarrow$ RRDtool

	Infrastructure monitoring tools e.g. Munin	Testbed-provided measurement services	Vendetta[1]	OML[2]
Experiment-focused	-	-	-	-
Independent of experiments	+	+	-	-
Independent of testbeds services	+	+	-	+
Scalability	+-	+	+-	+
Low impact	-	+	-	+
Easy deployment	+	-	+	+
Controllable	-	-	+	+
Real-time monitoring Producing publication-quality figures	+	+	-	-

	Infrastructure monitoring tools e.g. Munin	Testbed-provided measurement services	Vendetta[1]	OML[2]
Experiment-focused	-	-	-	-
Independent of experiments	+	+	-	-
Independent of testbeds services	+	+	-	+
Scalability	+-	+	+-	+
Low impact	-	+	-	+
Easy deployment	+	-	+	+
Controllable	-	-	+	+
Real-time monitoring Producing publication-quality figures	+	+	Ξ	-
Archival of data	+	+	-	+



	MonEx
Experiment-focused	+
Independent of experiments	+
Independent of testbeds services	+
Scalability	+
Low impact	+
Easy deployment	+
Controllable	+
Real-time monitoring	+
Producing publication-quality figures	+
Archival of data	+



	MonEx
Experiment-focused	+
Independent of experiments	+
Independent of testbeds services	+
✓ Scalability	+
✓ Low impact	+
Easy deployment	+
Controllable	+
Real-time monitoring	+
Producing publication-quality figures	+
<ul> <li>Archival of data</li> </ul>	+

#### Prometheus

- Up-to 1 sec as a polling interval ©
- A lot of data exporters
  - e.g. node spec, specific app.
- Fixed-interval polling 🙁
- InfluxDB
  - Suitable for pushing data ©
  - Variated interval measurements ©



	MonEx
Experiment-focused	+
Independent of experiments	+
Independent of testbeds services	+
✓ Scalability	+
✓ Low impact	+
Easy deployment	+
Controllable	+
/ Real-time monitoring	+
Producing publication-quality figures	+
✓ Archival of data	+



	MonEx
Experiment-focused	+
Independent of experiments	+
Independent of testbeds services	+
✓ Scalability	+
✓ Low impact	+
Easy deployment	+
Controllable	+
✓ Real-time monitoring	+
<ul> <li>Producing publication-quality figures</li> </ul>	+
✓ Archival of data	+

- Create figures that respect publication aspects e.g. X-Y figures, Y-figures, multiple Y-figures, stack figures, ...



	MonE
<ul> <li>Experiment-focused</li> </ul>	+
Independent of experiments	+
Independent of testbeds services	+
<ul> <li>Scalability</li> </ul>	+
<ul> <li>Low impact</li> </ul>	+
Easy deployment	+
✓ Controllable	+
✓ Real-time monitoring	+
<ul> <li>Producing publication-quality figures</li> </ul>	+
<ul> <li>Archival of data</li> </ul>	+

- Handle experiments by name
- Specify experiment time boundaries
- Allow interacting with experiments metrics



	MonEx
✓ Experiment-focused	+
<ul> <li>Independent of experiments</li> </ul>	+
<ul> <li>Independent of testbeds services</li> </ul>	+
✓ Scalability	+
✓ Low impact	+
✓ Easy deployment	+
✓ Controllable	+
✓ Real-time monitoring	+
Producing publication-quality figures	+
✓ Archival of data	+





#### **Experimenter responsibilities:**

- Make a usual experiment deployment
- 2 Communicate data with MonEx → Expose it for Prom. or push it into InfluxDB
  - $\rightarrow$  Use or write your own exporter(s)

#### Three different experiments

- Highlighting MonEx ability to cover EMF requirements
- Performed on the Grid'5000 testbed

#### First Experiment: many-nodes Bittorrent Download

- One seeder & 100 peers
- Transmission as torrent client
- Distem for emulating slow peers (30KB/s)
- Dedicated VLAN for monitoring traffic
- Prometheus as a MonEx data collector
- We use our *own exporter*<sup>1</sup> (tens LOC)



[1] https://github.com/madynes/monex/blob/master/Artifacts\_and\_datasets/many-nodes\_bittorrent/exporter.py

#### First Experiment: workflow







#### First Experiment: workflow



#### Make a usual deployment and install MonEx

Δn

#### First Experiment: workflow



#### curl -X POST MonEx\_IP:5000/exp/Exp\_A

#### First Experiment: workflow



#### Run experiments' workload

#### First Experiment: workflow



#### curl -X PUT MonEx\_IP:5000/exp/Exp\_A

#### First Experiment: workflow





./monex-draw -S M\_IP:5000 -exp
"Exp\_A" -metric "completion" -type
"duration" -t "Torrent ..." -y
"Completion (%)" -x "Time (sec)" -n



#### Second Experiment: metrics diversity

- Metrics: HDD Util & power of a MongoDB cluster
- Three-shard nodes & 80 GB of total data
- Prometheus as a data collector & Grafana for visualization
- Two default node-exporters of Prometheus
  - $\Rightarrow$  node-exporter  $\rightarrow$  nodes spec.
  - $\Rightarrow$  SNMP-exporter  $\rightarrow$  PDUs data





#### Third Experiment: time-dependent & heavy-measurement

- Metric : file offsets vs sequences of I/O requests
- High-frequency measurement (thousands of I/O) → pushing data to InfluxDB
- Generate I/O traces using an eBPF tool
- Fio benchmark generates rand. read workload

#### Third Experiment: results

Get data

```
curl -X GET 127.1:5000/exp/accessPattern -H
"Content-Type: application/json" -d
'"measurement":"ebpf","server":"influx",
"database":"monex","type":"sample"' > d.csv
Draw-it!
./monex-draw -F d.csv -x "I/O request
(sample)" -y "Offset (bytes)" -p -r "random"
```



## Grid'5000 and MonEx

#### MonEx leverages several features of Grid'5000:

- Monitoring traffic on separate LAN or another NIC
  - Targeting scalable experiments e.g. torrent experiment
- Up-to-date docs and rich API
  - e.g. We automated the power experiment thanks to a Grid'5000 wiki page
- Co-operating easily with outside environment e.g. placing MonEx outside the testbed
- Deploying customized images with root privileges e.g. with built-in node-exporters

# Conclusions

#### Conclusions:

- We defined the minimal requirements of EMFs
- Absence of related work with full coverage of requirements
- We designed MonEx EMF on top of Prometheus and InfluxDB monitoring systems
  - Usable on various experimentations' context
  - Efficient for analysis repetition and metrics comparisons
  - First step to unifying experiments' data collection methods
  - Towards experiments portability and reproducibility

#### Future prospects:

- MonEx maturity?
- Monitoring experiments on federated testbeds



# Conclusions

### Conclusions:

- We defined the minimal requirements of EMFs
- Absence of related work with full coverage of requirements
- We designed MonEx EMF on top of Prometheus and InfluxDB monitoring systems
  - Usable on various experimentations' context
  - Efficient for analysis repetition and metrics comparisons
  - First step to unifying experiments' data collection methods
  - Towards experiments portability and reproducibility

#### Future prospects:

- MonEx maturity?
- Monitoring experiments on federated testbeds

# Any Questions?