



Duploid situations in concurrent games

Pierre Clairambault, Guillaume Munch-Maccagnoni

► To cite this version:

Pierre Clairambault, Guillaume Munch-Maccagnoni. Duploid situations in concurrent games. 12th Workshop on Games for Logic and Programming Languages (GaLoP XII), Juha Kontinen, Marina Lenisa, Apr 2017, Uppsala, Sweden. hal-01991555

HAL Id: hal-01991555

<https://inria.hal.science/hal-01991555v1>

Submitted on 15 Dec 2022

HAL is a multi-disciplinary open access archive for the deposit and dissemination of scientific research documents, whether they are published or not. The documents may come from teaching and research institutions in France or abroad, or from public or private research centers.

L'archive ouverte pluridisciplinaire **HAL**, est destinée au dépôt et à la diffusion de documents scientifiques de niveau recherche, publiés ou non, émanant des établissements d'enseignement et de recherche français ou étrangers, des laboratoires publics ou privés.

Duploid situations in concurrent games

Pierre Clairambault¹ Guillaume Munch-Maccagnoni²

¹: Univ Lyon, CNRS, ENS de Lyon, UCB Lyon 1, LIP, Lyon, France

²: Team Gallinette, Inria Bretagne, Univ Nantes, LINA, Nantes, France

Impossibility results in denotational semantics

- Classical logic ($\text{CCC} + 0^0 \cong \text{Id}$)
- Untyped λ -calculus with sums ($\text{Bi-CCC} + U^U \cong U$)

⇒ Preorders

Adjunction models (Call-by-push-value)

Impossibility results in denotational semantics

- Classical logic ($\text{CCC} + 0^0 \cong \text{Id}$)
- Untyped λ -calculus with sums ($\text{Bi-CCC} + U^U \cong U$)

\Rightarrow Preorders

Adjunction models (Call-by-push-value)

Deductive systems (\mathcal{D})

- $A, B \dots \in |\mathcal{D}|, f, g \dots \in \mathcal{D}(A, B)$
- $\circ : \mathcal{D}(B, C) \times \mathcal{D}(A, B) \rightarrow \mathcal{D}(A, C), \text{id}_A \in \mathcal{D}(A, A)$ neutral

Impossibility results in denotational semantics

- Classical logic ($\text{CCC} + 0^0 \cong \text{Id}$)
- Untyped λ -calculus with sums ($\text{Bi-CCC} + U^U \cong U$)

\Rightarrow Preorders

Adjunction models (Call-by-push-value)

Deductive systems (\mathcal{D})

- $A, B \dots \in |\mathcal{D}|, f, g \dots \in \mathcal{D}(A, B)$
- $\circ : \mathcal{D}(B, C) \times \mathcal{D}(A, B) \rightarrow \mathcal{D}(A, C), \text{id}_A \in \mathcal{D}(A, A)$ neutral

Associativity of composition vs. evaluation order

- $\exists N, \exists f, f \circ^N \perp \neq \perp$ (lazy evaluation)
- $\exists P, \forall g, g \circ^P \perp = \perp$ (strict evaluation)
- $f \circ^N (g \circ^P \perp) \neq \perp$
- $(f \circ^N g) \circ^P \perp = \perp$

Impossibility results in denotational semantics

- Classical logic ($\text{CCC} + 0^0 \cong \text{Id}$)
- Untyped λ -calculus with sums ($\text{Bi-CCC} + U^U \cong U$)

\Rightarrow Preorders

Adjunction models (Call-by-push-value)

Deductive systems (\mathcal{D})

- $A, B \dots \in |\mathcal{D}|, f, g \dots \in \mathcal{D}(A, B)$
- $\circ : \mathcal{D}(B, C) \times \mathcal{D}(A, B) \rightarrow \mathcal{D}(A, C), \text{id}_A \in \mathcal{D}(A, A)$ neutral

Associativity of composition vs. evaluation order

- $\exists N, \exists f, f \circ^N \perp \neq \perp$ (lazy evaluation)
- $\exists P, \forall g, g \circ^P \perp = \perp$ (strict evaluation)
- $f \circ^N (g \circ^P \perp) \neq \perp$
- $(f \circ^N g) \circ^P \perp = \perp$ “Blass problem” (Abramsky, Melliès)

Deductive systems from adjunctions

$$\mathcal{V}(P, GN) \cong S(FP, N) \cong \mathcal{O}(P, N)$$

Deductive systems from adjunctions

$$\mathcal{V}(P, GN) \cong S(FP, N) \cong O(P, N)$$

- $|\mathcal{D}| \stackrel{\text{def}}{=} \{P, Q \dots \in |\mathcal{V}|\} \uplus \{N, M \dots \in |\mathcal{S}|\}$
- $\mathcal{D}(A, B) \stackrel{\text{def}}{=} O(A^+, B^\ominus) = \begin{cases} O(P, N), O(P, FQ) \\ O(GN, M), O(GN, FQ) \end{cases}$

Deductive systems from adjunctions

$$\mathcal{V}(P, GN) \cong S(FP, N) \cong O(P, N)$$

- $|\mathcal{D}| \stackrel{\text{def}}{=} \{P, Q \dots \in |\mathcal{V}|\} \uplus \{N, M \dots \in |S|\}$
- $\mathcal{D}(A, B) \stackrel{\text{def}}{=} O(A^+, B^\ominus) = \begin{cases} O(P, N), O(P, FQ) \\ O(GN, M), O(GN, FQ) \end{cases}$
- $\circ^N : \mathcal{D}(N, B) \times \mathcal{D}(A, N) \rightarrow \mathcal{D}(A, B)$
 $(\mathcal{V}(GN, GB^\ominus) \times \mathcal{V}(A^+, GN) \rightarrow \mathcal{V}(A^+, GB^\ominus))$
- $\circ^P : \mathcal{D}(P, B) \times \mathcal{D}(A, P) \rightarrow \mathcal{D}(A, B)$
 $(S(FP, B^\ominus) \times S(FA^+, FP) \rightarrow S(FA^+, B^\ominus))$

Girard's LC (1992)

Deductive systems from adjunctions

$$\mathcal{V}(P, GN) \cong S(FP, N) \cong O(P, N)$$

- $|\mathcal{D}| \stackrel{\text{def}}{=} \{P, Q \dots \in |\mathcal{V}|\} \uplus \{N, M \dots \in |S|\}$
- $\mathcal{D}(A, B) \stackrel{\text{def}}{=} O(A^+, B^\ominus) = \begin{cases} O(P, N), O(P, FQ) \\ O(GN, M), O(GN, FQ) \end{cases}$
- $\circ^N : \mathcal{D}(N, B) \times \mathcal{D}(A, N) \rightarrow \mathcal{D}(A, B)$
 $(\mathcal{V}(GN, GB^\ominus) \times \mathcal{V}(A^+, GN) \rightarrow \mathcal{V}(A^+, GB^\ominus))$
- $\circ^P : \mathcal{D}(P, B) \times \mathcal{D}(A, P) \rightarrow \mathcal{D}(A, B)$
 $(S(FP, B^\ominus) \times S(FA^+, FP) \rightarrow S(FA^+, B^\ominus))$

Girard's LC (1992)

$$(f \circ^P g) \circ^A h = f \circ^P (g \circ^A h)$$

$$(f \circ^A g) \circ^N h = f \circ^A (g \circ^N h)$$

Deductive systems from adjunctions

$$\mathcal{V}(P, GN) \cong S(FP, N) \cong O(P, N)$$

- $|\mathcal{D}| \stackrel{\text{def}}{=} \{P, Q \dots \in |\mathcal{V}|\} \uplus \{N, M \dots \in |S|\}$
- $\mathcal{D}(A, B) \stackrel{\text{def}}{=} O(A^+, B^\ominus) = \begin{cases} O(P, N), O(P, FQ) \\ O(GN, M), O(GN, FQ) \end{cases}$
- $\circ^N : \mathcal{D}(N, B) \times \mathcal{D}(A, N) \rightarrow \mathcal{D}(A, B)$
 $(\mathcal{V}(GN, GB^\ominus) \times \mathcal{V}(A^+, GN) \rightarrow \mathcal{V}(A^+, GB^\ominus))$
- $\circ^P : \mathcal{D}(P, B) \times \mathcal{D}(A, P) \rightarrow \mathcal{D}(A, B)$
 $(S(FP, B^\ominus) \times S(FA^+, FP) \rightarrow S(FA^+, B^\ominus))$

Girard's LC (1992)

$$(f \circ^P g) \circ^A h = f \circ^P (g \circ^A h) \quad \left(\begin{array}{l} (f \bullet g) \bullet h = f \bullet (g \bullet h) \\ (f \circ g) \circ h = f \circ (g \circ h) \\ (f \bullet g) \circ h = f \bullet (g \circ h) \\ \text{cf. duplcial algebras (Loday)} \end{array} \right)$$

$$(f \circ^A g) \circ^N h = f \circ^A (g \circ^N h)$$

Duploids: a characterisation

In \mathcal{D} a deductive system

- f is *linear* $\Leftrightarrow \forall g, h : (f \circ g) \circ h = f \circ (g \circ h)$
- h is *thunkable* $\Leftrightarrow \forall f, g : (f \circ g) \circ h = f \circ (g \circ h)$
- A is *positive* $\Leftrightarrow \forall B, \forall f \in \mathcal{D}(A, B), f$ is linear
- B is *negative* $\Leftrightarrow \forall A, \forall f \in \mathcal{D}(A, B), f$ is thunkable

Duploids: a characterisation

In \mathcal{D} a deductive system

- f is *linear* $\Leftrightarrow \forall g, h : (f \circ g) \circ h = f \circ (g \circ h)$
- h is *thunkable* $\Leftrightarrow \forall f, g : (f \circ g) \circ h = f \circ (g \circ h)$
- A is *positive* $\Leftrightarrow \forall B, \forall f \in \mathcal{D}(A, B), f$ is linear
- B is *negative* $\Leftrightarrow \forall A, \forall f \in \mathcal{D}(A, B), f$ is thunkable

Definition

A **duploid** is a deductive system

where:

1. every object has a polarity;
2. for every object, there is a negative object to which it is linearly isomorphic; and
3. for every object, there is a positive object to which it is thunkably isomorphic.

Duploids: a characterisation

In \mathcal{D} a deductive system

- f is *linear* $\Leftrightarrow \forall g, h : (f \circ g) \circ h = f \circ (g \circ h)$
- h is *thunkable* $\Leftrightarrow \forall f, g : (f \circ g) \circ h = f \circ (g \circ h)$
- A is *positive* $\Leftrightarrow \forall B, \forall f \in \mathcal{D}(A, B), f$ is linear
- B is *negative* $\Leftrightarrow \forall A, \forall f \in \mathcal{D}(A, B), f$ is thunkable

Definition

A **duploid** is a deductive system where:

1. every object has a polarity;
2. for every object, there is a negative object to which it is linearly isomorphic; and
3. for every object, there is a positive object to which it is thunkably isomorphic.

$$\begin{cases} (f \bullet g) \bullet h = f \bullet (g \bullet h) \\ (f \circ g) \circ h = f \circ (g \circ h) \\ (f \bullet g) \circ h = f \bullet (g \circ h) \end{cases}$$

$$\begin{cases} \delta_P \in \mathcal{D}(P, \uparrow P), \delta_P^* \in \mathcal{D}(\uparrow P, P) \\ \delta_P^* \circ (\delta_P \bullet f) = f \\ \delta_P \bullet \delta_P^* = \text{id}_{\uparrow P} \end{cases}$$

$$\begin{cases} \omega_N \in \mathcal{D}(N, \downarrow N), \omega_N^* \in \mathcal{D}(\downarrow N, N) \\ (f \circ \omega_N^*) \bullet \omega_N = f \\ \omega_N \circ \omega_N^* = \text{id}_{\downarrow N} \end{cases}$$

Duploid Situations

Theorem

$$\mathcal{D}upl \sim \mathcal{A}dj_{eq} \triangleleft \mathcal{A}dj$$

Duploid Situations

Theorem

$$\mathcal{D}upl \sim \mathcal{A}dj_{eq} \triangleleft \mathcal{A}dj$$

How can we spot duploids *in vivo*?

Duploid Situations

Theorem

$$\mathcal{D}upl \sim \mathcal{Adj}_{eq} \triangleleft \mathcal{Adj}$$

How can we spot duploids *in vivo*?

1. $\Downarrow \vdash \Uparrow : \mathcal{P} \rightarrow \mathcal{N}$
2. η is pointwise a split mono: $\rho_N \circ \eta_N = \text{id}_N$
3. ε is pointwise a split epi: $\varepsilon_P \bullet \theta_P = \text{id}_P$
4. ρ (*run*) and θ (*thunk*), as non-natural families, must satisfy:
 - 4.1 $\rho_{\Uparrow} = \Uparrow \varepsilon$ and $\theta_{\Downarrow} = \Downarrow \eta$
 - 4.2 $\rho \circ \rho_{\Uparrow \Downarrow} = \rho \circ \Uparrow \Downarrow \rho$ and $\theta_{\Downarrow \Uparrow} \bullet \theta = \Downarrow \Uparrow \theta \bullet \theta$

Duploid Situations

Theorem

$$\mathcal{D}upl \sim \mathcal{Adj}_{eq} \triangleleft \mathcal{Adj}$$

How can we spot duploids *in vivo*?

1. $\Downarrow \vdash \Uparrow : \mathcal{P} \rightarrow \mathcal{N}$
2. η is pointwise a split mono: $\rho_N \circ \eta_N = \text{id}_N$
3. ε is pointwise a split epi: $\varepsilon_P \bullet \theta_P = \text{id}_P$
4. ρ (*run*) and θ (*thunk*), as non-natural families, must satisfy:
 - 4.1 $\rho_{\Uparrow} = \Uparrow \varepsilon$ and $\theta_{\Downarrow} = \Downarrow \eta$
 - 4.2 $\rho \circ \rho_{\Uparrow \Downarrow} = \rho \circ \Uparrow \Downarrow \rho$ and $\theta_{\Downarrow \Uparrow} \bullet \theta = \Downarrow \Uparrow \theta \bullet \theta$

Duploid Situation

Duploid Situations

Definition (Duploid Situation)

- 1.** $\Downarrow \vdash_{(\eta, \varepsilon)} \Uparrow : \mathcal{P} \rightarrow \mathcal{N}$
- 2.** η is pointwise a split mono: $\rho_N \circ \eta_N = \text{id}_N$
- 3.** ε is pointwise a split epi: $\varepsilon_P \bullet \theta_P = \text{id}_P$
- 4.** ρ (*run*) and θ (*thunk*), as non-natural families, must satisfy:
 - 4.1** $\rho_{\Uparrow} = \Uparrow \varepsilon$ and $\theta_{\Downarrow} = \Downarrow \eta$
 - 4.2** $\rho \circ \rho_{\Uparrow \Downarrow} = \rho \circ \Uparrow \Downarrow \rho$ and $\theta_{\Downarrow \Uparrow} \bullet \theta = \Downarrow \Uparrow \theta \bullet \theta$

Duploid Situations

Definition (Duploid Situation)

1. $\Downarrow \vdash_{(\eta, \varepsilon)} \Uparrow : \mathcal{P} \rightarrow \mathcal{N}$
2. η is pointwise a split mono: $\rho_N \circ \eta_N = \text{id}_N$
3. ε is pointwise a split epi: $\varepsilon_P \bullet \theta_P = \text{id}_P$
4. ρ (*run*) and θ (*thunk*), as non-natural families, must satisfy:
 - 4.1 $\rho_{\Uparrow} = \Uparrow \varepsilon$ and $\theta_{\Downarrow} = \Downarrow \eta$
 - 4.2 $\rho \circ \rho_{\Uparrow \Downarrow} = \rho \circ \Uparrow \Downarrow \rho$ and $\theta_{\Downarrow \Uparrow} \bullet \theta = \Downarrow \Uparrow \theta \bullet \theta$

Definition

- $f \in \mathcal{N}(N, M)$ is *linear* if $\rho_M \circ \Uparrow \Downarrow f = f \circ \rho_N$
- $f \in \mathcal{P}(P, Q)$ is *thunkable* if $\theta_Q \bullet f = \Downarrow \Uparrow f \bullet \theta_P$

Proposition: $\Uparrow \vdash_{(\theta, \rho)} \Downarrow : \mathcal{N}_l \rightarrow \mathcal{P}_t$

Duploid Situations

Theorem

Any duploid situation conservatively extends into a duploid satisfying:

$$\Downarrow f = \omega \circ f \circ \omega^* , \quad \eta = \delta \bullet \omega , \quad \rho = \omega^* \bullet \delta^*$$

$$\Uparrow f = \delta \bullet f \bullet \delta^* , \quad \varepsilon = \delta^* \circ \omega^* , \quad \theta = \omega \circ \delta$$

Duploid Situations

Theorem

Any duploid situation conservatively extends into a duploid satisfying:

$$\begin{aligned}\Downarrow f &= \omega \circ f \circ \omega^* & , & \quad \eta = \delta \bullet \omega & , & \quad \rho = \omega^* \bullet \delta^* \\ \Uparrow f &= \delta \bullet f \bullet \delta^* & , & \quad \varepsilon = \delta^* \circ \omega^* & , & \quad \theta = \omega \circ \delta\end{aligned}$$

Consider the collage of the adjunction $\Downarrow \vdash \Uparrow : \mathcal{P} \rightarrow \mathcal{N}$:

$$\mathcal{D}(P, Q) \stackrel{\text{def}}{=} \mathcal{P}(P, Q)$$

$$\mathcal{D}(N, M) \stackrel{\text{def}}{=} \mathcal{N}(N, M)$$

$$\mathcal{D}(N, P) \stackrel{\text{def}}{=} \mathcal{P}(\Downarrow N, P) \cong \mathcal{N}(N, \Uparrow P)$$

and extend it as follows

$$\mathcal{D}(P, N) \stackrel{\text{def}}{=} \mathcal{P}_t(P, \Downarrow N) \cong \mathcal{N}_l(\Uparrow P, N)$$

Duploid Situations

Theorem

Any duploid situation conservatively extends into a duploid satisfying:

$$\begin{aligned}\Downarrow f &= \omega \circ f \circ \omega^* & , & \quad \eta = \delta \bullet \omega & , & \quad \rho = \omega^* \bullet \delta^* \\ \Uparrow f &= \delta \bullet f \bullet \delta^* & , & \quad \varepsilon = \delta^* \circ \omega^* & , & \quad \theta = \omega \circ \delta\end{aligned}$$

Consider the collage of the adjunction $\Downarrow \vdash \Uparrow : \mathcal{P} \rightarrow \mathcal{N}$:

$$\begin{aligned}\mathcal{D}(P, Q) &\stackrel{\text{def}}{=} \mathcal{P}(P, Q) \\ \mathcal{D}(N, M) &\stackrel{\text{def}}{=} \mathcal{N}(N, M) \\ \mathcal{D}(N, P) &\stackrel{\text{def}}{=} \mathcal{P}(\Downarrow N, P) \cong \mathcal{N}(N, \Uparrow P)\end{aligned}$$

and extend it as follows

$$\mathcal{D}(P, N) \stackrel{\text{def}}{=} \mathcal{P}_t(P, \Downarrow N) \cong \mathcal{N}_l(\Uparrow P, N)$$

Conjecture: $\mathbf{Dupl} \sim \mathbf{DS} \simeq \mathbf{Adj}_{\text{eq}} \triangleleft \mathbf{Adj}$

CBN: alternating negative strategies between negative arenas

A **term**:


$$\lambda f^{\mathbf{com} \rightarrow \mathbf{com}}. \mathbf{newref}\ r\ \mathbf{in}\ f\ (r := \mathbf{tt}); !r : (\mathbf{com} \rightarrow \mathbf{com}) \rightarrow \mathbb{B}$$

CBN: alternating negative strategies between negative arenas

A **term**:

$$\lambda f^{\text{com} \rightarrow \text{com}}. \text{newref } r \text{ in } f(r := \text{tt}); !r : (\text{com} \rightarrow \text{com}) \rightarrow \mathbb{B}$$

An **arena**:




CBN: alternating negative strategies between negative arenas

A **term**:

$$\lambda f^{\text{com} \rightarrow \text{com}}. \text{newref } r \text{ in } f(r := \text{tt}); !r : (\text{com} \rightarrow \text{com}) \rightarrow \mathbb{B}$$

An **arena**:




CBN: alternating negative strategies between negative arenas

A **term**:

$$\lambda f^{\text{com} \rightarrow \text{com}}. \text{newref } r \text{ in } f(r := \text{tt}); !r : (\text{com} \rightarrow \text{com}) \rightarrow \mathbb{B}$$

An **arena**:




CBN: alternating negative strategies between negative arenas

A **term**:

$$\lambda f^{\text{com} \rightarrow \text{com}}. \text{newref } r \text{ in } f(r := \text{tt}); !r : (\text{com} \rightarrow \text{com}) \rightarrow \mathbb{B}$$

An **arena**:




CBN: alternating negative strategies between negative arenas

A **term**:

$$\lambda f^{\text{com} \rightarrow \text{com}}. \text{newref } r \text{ in } f(r := \text{tt}); !r : (\text{com} \rightarrow \text{com}) \rightarrow \mathbb{B}$$

An **arena**:



CBN: alternating negative strategies between negative arenas


A **term**:

$$\lambda f^{\text{com} \rightarrow \text{com}}. \text{newref } r \text{ in } f(r := \text{tt}); !r : (\text{com} \rightarrow \text{com}) \rightarrow \mathbb{B}$$

A **play**:

$$(\text{com} \rightarrow \text{com}) \rightarrow \mathbb{B}$$

An **arena**:



CBN: alternating negative strategies between negative arenas

A **term**:


$$\lambda f^{\text{com} \rightarrow \text{com}}. \text{newref } r \text{ in } f (r := \text{tt}); !r : (\text{com} \rightarrow \text{com}) \rightarrow \mathbb{B}$$

A **play**:

$$(\text{com} \rightarrow \text{com}) \rightarrow \mathbb{B}$$

\mathbf{q}^-

An **arena**:



CBN: alternating negative strategies between negative arenas

A **term**:

$$\lambda f^{\text{com} \rightarrow \text{com}}. \text{newref } r \text{ in } f(r := \text{tt}); !r : (\text{com} \rightarrow \text{com}) \rightarrow \mathbb{B}$$


A **play**:

$$(\text{com} \rightarrow \text{com}) \rightarrow \mathbb{B}$$

q^-

run^+

An **arena**:



CBN: alternating negative strategies between negative arenas


A **term**:

$$\lambda f^{\text{com} \rightarrow \text{com}}. \text{newref } r \text{ in } f (r := \text{tt}); !r : (\text{com} \rightarrow \text{com}) \rightarrow \mathbb{B}$$

A **play**:

$$\begin{array}{c}
 (\text{com} \rightarrow \text{com}) \rightarrow \mathbb{B} \\
 \qquad\qquad\qquad \text{q}^- \\
 \text{run}^+ \\
 \\
 \text{run}^- \\
 \end{array}$$

An **arena**:



CBN: alternating negative strategies between negative arenas


A **term**:

$$\lambda f^{\text{com} \rightarrow \text{com}}. \text{newref } r \text{ in } f (r := \text{tt}); !r : (\text{com} \rightarrow \text{com}) \rightarrow \mathbb{B}$$

A **play**:

$$\begin{array}{c}
 (\text{com} \rightarrow \text{com}) \rightarrow \mathbb{B} \\
 \qquad\qquad\qquad \text{q}^- \\
 \text{run}^+ \\
 \\
 \text{run}^- \\
 \text{done}^+
 \end{array}$$

An **arena**:



CBN: alternating negative strategies between negative arenas


A **term**:

$$\lambda f^{\text{com} \rightarrow \text{com}}. \text{newref } r \text{ in } f(r := \text{tt}); !r : (\text{com} \rightarrow \text{com}) \rightarrow \mathbb{B}$$

A **play**:

$$\begin{array}{c}
 (\text{com} \rightarrow \text{com}) \rightarrow \mathbb{B} \\
 \qquad\qquad\qquad \text{q}^- \\
 \text{run}^+ \\
 \\
 \text{run}^- \\
 \text{done}^+ \\
 \\
 \text{done}^- \\
 \end{array}$$

An **arena**:




CBN: alternating negative strategies between negative arenas


A **term**:

$$\lambda f^{\text{com} \rightarrow \text{com}}. \text{newref } r \text{ in } f(r := \text{tt}); !r : (\text{com} \rightarrow \text{com}) \rightarrow \mathbb{B}$$

A **play**:



An **arena**:



CBN: alternating negative strategies between negative arenas

A **term**:

$$\lambda f^{\text{com} \rightarrow \text{com}}. \text{newref } r \text{ in } f(r := \text{tt}); !r : (\text{com} \rightarrow \text{com}) \rightarrow \mathbb{B}$$


A **play**:

$$(\text{com} \rightarrow \text{com}) \rightarrow \mathbb{B}$$

q^-

run^+

An **arena**:



CBN: alternating negative strategies between negative arenas


A **term**:

$$\lambda f^{\text{com} \rightarrow \text{com}}. \text{newref } r \text{ in } f(r := \text{tt}); !r : (\text{com} \rightarrow \text{com}) \rightarrow \mathbb{B}$$

A **play**:

$$\begin{array}{c}
 (\text{com} \rightarrow \text{com}) \rightarrow \mathbb{B} \\
 \text{q}^- \\
 \text{run}^+ \\
 \text{done}^-
 \end{array}$$

An **arena**:



CBN: alternating negative strategies between negative arenas


A **term**:

$$\lambda f^{\text{com} \rightarrow \text{com}}. \text{newref } r \text{ in } f(r := \text{tt}); !r : (\text{com} \rightarrow \text{com}) \rightarrow \mathbb{B}$$

A **play**:

$$\begin{array}{ccccc}
 (\text{com} & \rightarrow & \text{com}) & \rightarrow & \mathbb{B} \\
 & & & & \text{q}^- \\
 & \text{run}^+ & & & \\
 & \text{done}^- & & & \\
 & & & & \text{ff}^+
 \end{array}$$

An **arena**:



CBN: alternating negative strategies between negative arenas


A **term**:

$$\lambda f^{\text{com} \rightarrow \text{com}}. \text{newref } r \text{ in } f(r := \text{tt}); !r : (\text{com} \rightarrow \text{com}) \rightarrow \mathbb{B}$$

A **play**:

$$\begin{array}{c}
 (\text{com} \rightarrow \text{com}) \rightarrow \mathbb{B} \\
 \qquad\qquad\qquad \text{q}^- \\
 \text{run}^+ \\
 \text{done}^- \\
 \qquad\qquad\qquad \text{ff}^+
 \end{array}$$

An **arena**:



CBN: alternating negative strategies between negative arenas


A **term**:

$$\lambda f^{\text{com} \rightarrow \text{com}}. \text{newref } r \text{ in } f(r := \text{tt}); !r : (\text{com} \rightarrow \text{com}) \rightarrow \mathbb{B}$$

A **play**:

$$\begin{array}{c}
 (\text{com} \rightarrow \text{com}) \rightarrow \mathbb{B} \\
 \qquad\qquad\qquad \text{q}^- \\
 \text{run}^+ \\
 \text{done}^- \\
 \qquad\qquad\qquad \text{ff}^+
 \end{array}$$

An **arena**:



Alternating plays: alternating, linear orderings of a prefix of the arena, compatible with the order of the arena.

CBN: alternating negative strategies between negative arenas


A **term**:

$$\lambda f^{\text{com} \rightarrow \text{com}}. \text{newref } r \text{ in } f(r := \text{tt}); !r : (\text{com} \rightarrow \text{com}) \rightarrow \mathbb{B}$$

A **play**:

$$\begin{array}{c}
 (\text{com} \rightarrow \text{com}) \rightarrow \mathbb{B} \\
 \qquad\qquad\qquad \text{q}^- \\
 \text{run}^+ \\
 \text{done}^- \\
 \qquad\qquad\qquad \text{ff}^+
 \end{array}$$

An **arena**:



Alternating plays: alternating, linear orderings of a prefix of the arena, compatible with the order of the arena.

Negative, alternating strategy: certain sets of alternating plays.

CBV: alternating negative strategies between positive arenas

A **term**:


$$\lambda f^{\text{com} \rightarrow \text{com}}. \text{newref } r \text{ in } f(r := \mathbf{t}; !r) : (\text{com} \rightarrow \text{com}) \rightarrow \mathbb{B}$$

CBV: alternating negative strategies between positive arenas

A **term**:

$$\lambda f^{\text{com} \rightarrow \text{com}}. \text{newref } r \text{ in } f(r := \text{tt}); !r : (\text{com} \rightarrow \text{com}) \rightarrow \mathbb{B}$$

An **arena**:




CBV: alternating negative strategies between positive arenas

A **term**:

$$\lambda f^{\text{com} \rightarrow \text{com}}. \text{newref } r \text{ in } f(r := \text{tt}); !r : (\text{com} \rightarrow \text{com}) \rightarrow \mathbb{B}$$

An **arena**:




CBV: alternating negative strategies between positive arenas

A **term**:

$$\lambda f^{\text{com} \rightarrow \text{com}}. \text{newref } r \text{ in } f(r := \text{tt}); !r : (\text{com} \rightarrow \text{com}) \rightarrow \mathbb{B}$$

An **arena**:




CBV: alternating negative strategies between positive arenas

A **term**:

$$\lambda f^{\text{com} \rightarrow \text{com}}. \text{newref } r \text{ in } f(r := \text{tt}); !r : (\text{com} \rightarrow \text{com}) \rightarrow \mathbb{B}$$

An **arena**:




CBV: alternating negative strategies between positive arenas

A **term**:

$$\lambda f^{\text{com} \rightarrow \text{com}}. \text{newref } r \text{ in } f(r := \text{tt}); !r : (\text{com} \rightarrow \text{com}) \rightarrow \mathbb{B}$$

An **arena**:




CBV: alternating negative strategies between positive arenas

A **term**:

$$\lambda f^{\text{com} \rightarrow \text{com}}. \text{newref } r \text{ in } f(r := \text{tt}); !r : (\text{com} \rightarrow \text{com}) \rightarrow \mathbb{B}$$

An **arena**:



CBV: alternating negative strategies between positive arenas


A **term**:

$$\lambda f^{\text{com} \rightarrow \text{com}}. \text{newref } r \text{ in } f(r := \text{tt}); !r : (\text{com} \rightarrow \text{com}) \rightarrow \mathbb{B}$$

A **play**:

$$\vdash (\text{com} \rightarrow \text{com}) \rightarrow \mathbb{B}$$

An **arena**:



CBV: alternating negative strategies between positive arenas

A **term**:


$$\lambda f^{\text{com} \rightarrow \text{com}}. \text{newref } r \text{ in } f(r := \text{tt}); !r : (\text{com} \rightarrow \text{com}) \rightarrow \mathbb{B}$$

A **play**:

$$\vdash (\text{com} \rightarrow \text{com}) \rightarrow \mathbb{B}$$

\bullet^-

An **arena**:



CBV: alternating negative strategies between positive arenas

A **term**:

$$\lambda f^{\text{com} \rightarrow \text{com}}. \text{newref } r \text{ in } f(r := \text{tt}); !r : (\text{com} \rightarrow \text{com}) \rightarrow \mathbb{B}$$


A **play**:

$$\vdash (\text{com} \rightarrow \text{com}) \rightarrow \mathbb{B}$$

\bullet^-

λ^+

An **arena**:



CBV: alternating negative strategies between positive arenas

A **term**:

$$\lambda f^{\text{com} \rightarrow \text{com}}. \text{newref } r \text{ in } f (r := \text{tt}); !r : (\text{com} \rightarrow \text{com}) \rightarrow \mathbb{B}$$

A **play**:


$$\vdash (\text{com} \rightarrow \text{com}) \rightarrow \mathbb{B}$$

\bullet^-

λ^+

λ^-

An **arena**:



CBV: alternating negative strategies between positive arenas

A **term**:

$$\lambda f^{\text{com} \rightarrow \text{com}}. \text{newref } r \text{ in } f (r := \text{tt}); !r : (\text{com} \rightarrow \text{com}) \rightarrow \mathbb{B}$$

A **play**:

$$\vdash (\text{com} \rightarrow \text{com}) \rightarrow \mathbb{B}$$


\bullet^-

λ^+

λ^-

done⁺

An **arena**:




CBV: alternating negative strategies between positive arenas


A **term**:

$$\lambda f^{\text{com} \rightarrow \text{com}}. \text{newref } r \text{ in } f(r := \text{tt}); !r : (\text{com} \rightarrow \text{com}) \rightarrow \mathbb{B}$$

A **play**:



An **arena**:




CBV: alternating negative strategies between positive arenas


A **term**:

$$\lambda f^{\text{com} \rightarrow \text{com}}. \text{newref } r \text{ in } f(r := \text{tt}); !r : (\text{com} \rightarrow \text{com}) \rightarrow \mathbb{B}$$

A **play**:



An **arena**:




CBV: alternating negative strategies between positive arenas


A **term**:

$$\lambda f^{\text{com} \rightarrow \text{com}}. \text{newref } r \text{ in } f(r := \text{tt}); !r : (\text{com} \rightarrow \text{com}) \rightarrow \mathbb{B}$$

A **play**:



An **arena**:




CBV: alternating negative strategies between positive arenas


A **term**:

$$\lambda f^{\text{com} \rightarrow \text{com}}. \text{newref } r \text{ in } f(r := \text{tt}); !r : (\text{com} \rightarrow \text{com}) \rightarrow \mathbb{B}$$

A **play**:



An **arena**:



Negative, alternating strategies between positive arenas.

CBN, non-alternating


A **term**:

$$\lambda f^{\text{com} \rightarrow \text{com}}. \text{newref } r \text{ in } f(r := \text{tt}); !r : (\text{com} \rightarrow \text{com}) \rightarrow \mathbb{B}$$

A **play**:

$$(\text{com} \rightarrow \text{com}) \rightarrow \mathbb{B}$$

An **arena**:



CBN, non-alternating

A **term**:


$$\lambda f^{\text{com} \rightarrow \text{com}}. \text{newref } r \text{ in } f(r := \text{tt}); !r : (\text{com} \rightarrow \text{com}) \rightarrow \mathbb{B}$$

A **play**:

$$(\text{com} \rightarrow \text{com}) \rightarrow \mathbb{B}$$

q^-

An **arena**:



CBN, non-alternating

A **term**:

$$\lambda f^{\text{com} \rightarrow \text{com}}. \text{newref } r \text{ in } f(r := \text{tt}); !r : (\text{com} \rightarrow \text{com}) \rightarrow \mathbb{B}$$


A **play**:

$$(\text{com} \rightarrow \text{com}) \rightarrow \mathbb{B}$$

q^-

run^+

An **arena**:



CBN, non-alternating

A **term**:

$$\lambda f^{\text{com} \rightarrow \text{com}}. \text{newref } r \text{ in } f(r := \text{tt}); !r : (\text{com} \rightarrow \text{com}) \rightarrow \mathbb{B}$$

A **play**:


$$(\text{com} \rightarrow \text{com}) \rightarrow \mathbb{B}$$

run^+

run^-

q^-

An **arena**:



CBN, non-alternating

A **term**:

$$\lambda f^{\text{com} \rightarrow \text{com}}. \text{newref } r \text{ in } f(r := \text{tt}); !r : (\text{com} \rightarrow \text{com}) \rightarrow \mathbb{B}$$

A **play**:

$$(\text{com} \rightarrow \text{com}) \rightarrow \mathbb{B}$$


q^-

run^+

run^-

done^-

An **arena**:



CBN, non-alternating

A **term**:

$$\lambda f^{\text{com} \rightarrow \text{com}}. \text{newref } r \text{ in } f(r := \text{tt}); !r : (\text{com} \rightarrow \text{com}) \rightarrow \mathbb{B}$$

A **play**:

$$\begin{array}{c}
 (\text{com} \rightarrow \text{com}) \rightarrow \mathbb{B} \\
 \qquad\qquad\qquad \text{q}^- \\
 \text{run}^+ \\
 \text{done}^- \\
 \text{run}^- \\
 \end{array}$$

An **arena**:

```

graph TD
    q["q-"] --- tt["tt+"]
    q --- ff["ff+"]
    tt --- run["run+"]
    tt --- done1["done-"]
    run --- run1["run-"]
    run1 --- done2["done+"]
    done1 --- done2
  
```

CBN, non-alternating

A **term**:

$$\lambda f^{\text{com} \rightarrow \text{com}}. \text{newref } r \text{ in } f(r := \text{tt}); !r : (\text{com} \rightarrow \text{com}) \rightarrow \mathbb{B}$$

A **play**:

$$(\text{com} \rightarrow \text{com} \rightarrow \mathbb{B} \quad \text{q}^- \\ \text{run}^+ \\ \text{run}^- \\ \text{done}^- \\ \text{done}^+)$$

An **arena**:

```

graph TD
    q["q-"] --- tt["tt+"]
    tt --- ff["ff+"]
    run["run+"] --- done["done-"]
    done --- done["done+"]
  
```

CBN, non-alternating

A **term**:

$$\lambda f^{\text{com} \rightarrow \text{com}}. \text{newref } r \text{ in } f(r := \text{tt}); !r : (\text{com} \rightarrow \text{com}) \rightarrow \mathbb{B}$$

A **play**:

$$\begin{array}{c}
 (\text{com} \rightarrow \text{com}) \rightarrow \mathbb{B} \\
 \qquad\qquad\qquad \text{q}^- \\
 \text{run}^+ \\
 \text{run}^- \\
 \text{done}^- \\
 \text{done}^+
 \end{array}$$

An **arena**:

$$\begin{array}{c}
 \text{q}^- \\
 | \\
 \text{run}^+ \\
 | \\
 \text{tt}^+ \\
 | \\
 \text{ff}^+
 \end{array}$$

CBN, non-alternating

A **term**:

$$\lambda f^{\text{com} \rightarrow \text{com}}. \text{newref } r \text{ in } f(r := \text{tt}); !r : (\text{com} \rightarrow \text{com}) \rightarrow \mathbb{B}$$

A **play**:

$$\begin{array}{c}
 (\text{com} \rightarrow \text{com}) \rightarrow \mathbb{B} \\
 \qquad\qquad\qquad \text{q}^- \\
 \text{run}^+ \\
 \text{run}^- \\
 \text{done}^- \\
 \text{done}^+ \\
 \qquad\qquad\qquad \text{tt}^+
 \end{array}$$

An **arena**:

```

graph TD
    q[q-] --- run[run+]
    q --- tt[tt+]
    run --- done[done-]
    done --- done[done+]
  
```

CBN, non-alternating


A **term**:

$$\lambda f^{\text{com} \rightarrow \text{com}}. \text{newref } r \text{ in } f(r := \text{tt}); !r : (\text{com} \rightarrow \text{com}) \rightarrow \mathbb{B}$$

A **play**:

$$\begin{array}{ccccc}
 (\text{com} & \rightarrow & \text{com}) & \rightarrow & \mathbb{B} \\
 & & & & \text{q}^- \\
 & & \text{run}^+ & & \\
 & \text{run}^- & & & \\
 & & \text{done}^- & & \\
 & \text{done}^+ & & & \text{ff}^+
 \end{array}$$

An **arena**:



CBN, non-alternating

A **term**:

$$\lambda f^{\text{com} \rightarrow \text{com}}. \text{newref } r \text{ in } f(r := \text{tt}); !r : (\text{com} \rightarrow \text{com}) \rightarrow \mathbb{B}$$

A **play**:

$$\begin{array}{c}
 (\text{com} \rightarrow \text{com}) \rightarrow \mathbb{B} \\
 \qquad\qquad\qquad \text{q}^- \\
 \text{run}^+ \\
 \text{run}^- \\
 \text{done}^- \\
 \text{done}^+
 \end{array}$$

An **arena**:

```

graph TD
    q[q^-] --- run[run^+]
    q --- done[done^-]
    run --- doneP[done^+]
    done --- tt[tt^+]
    tt --- ff[ff^+]
  
```

CBN, non-alternating

A **term**:

$$\lambda f^{\text{com} \rightarrow \text{com}}. \text{newref } r \text{ in } f(r := \text{tt}); !r : (\text{com} \rightarrow \text{com}) \rightarrow \mathbb{B}$$

A **play**:

$$\begin{array}{ccccc}
 (\text{com} & \rightarrow & \text{com}) & \rightarrow & \mathbb{B} \\
 & & & & \text{q}^- \\
 & & \text{run}^+ & & \\
 \text{run}^- & & & & \\
 \text{done}^+ & & & & \\
 & & \text{done}^- & &
 \end{array}$$

An **arena**:

```

graph TD
    q["q-"] --- run["run+"]
    run --- run["run-"]
    run --- done["done-"]
    done --- done["done+"]
    tt["tt+"]
    ff["ff+"]
  
```

CBN, non-alternating


A **term**:

$$\lambda f^{\text{com} \rightarrow \text{com}}. \text{newref } r \text{ in } f(r := \text{tt}); !r : (\text{com} \rightarrow \text{com}) \rightarrow \mathbb{B}$$

A **play**:

$$\begin{array}{ccccc}
 (\text{com} & \rightarrow & \text{com}) & \rightarrow & \mathbb{B} \\
 & & & & \text{q}^- \\
 & & \text{run}^+ & & \\
 & \text{run}^- & & & \\
 & \text{done}^+ & & & \\
 & & \text{done}^- & & \\
 & & & & \text{tt}^+
 \end{array}$$

An **arena**:



CBN, non-alternating

A **term**:

$$\lambda f^{\text{com} \rightarrow \text{com}}. \text{newref } r \text{ in } f(r := \text{tt}); !r : (\text{com} \rightarrow \text{com}) \rightarrow \mathbb{B}$$

A **play**:

$$\begin{array}{ccccc}
 (\text{com} & \rightarrow & \text{com}) & \rightarrow & \mathbb{B} \\
 & & & & \text{q}^- \\
 & & \text{run}^+ & & \\
 & \text{run}^- & & & \\
 & \text{done}^+ & & & \\
 & & \text{done}^- & & \\
 & & & & \text{tt}^+
 \end{array}$$

An **arena**:

```

graph TD
    q["q-"] --- tt["tt+"]
    q --- ff["ff+"]
    tt --- run["run+"]
    tt --- done1["done-"]
    done1 --- done2["done+"]
    done2 --- done3["done-"]
  
```

Negative, non-alternating strategies: certain sets of non-alternating plays.

Duploids situations in toy categories of games

The **alternating world**:

$$\mathcal{G}_{\text{alt}}^-$$

neg. arenas

neg. strat


$$\mathcal{G}_{\text{alt}}^+$$

pos. arenas

neg. strats


Duploids situations in toy categories of games

The **alternating world**:



Duploids situations in toy categories of games

The **alternating world**:




Down-shift on arenas


$$\mathbb{B} = \begin{matrix} & q^- \\ tt^+ & \swarrow \quad \searrow \\ & ff^+ \end{matrix}$$

Duploids situations in toy categories of games

The **alternating world**:




Down-shift on arenas




Duploids situations in toy categories of games


The **alternating world**:



Down-shift on arenas




Down-shift on strategies




Duploids situations in toy categories of games


The **alternating world**:



Down-shift on arenas




Down-shift on strategies




Duploids situations in toy categories of games

The **alternating world**:




Duploids situations in toy categories of games

The **alternating world**:




Duploids situations in toy categories of games

The **alternating world**:



Duploids situations in toy categories of games

The **alternating world**:



Unit in $\mathcal{G}_{\text{alt}}^-$ (natural)


$$\begin{array}{ccc}
 \mathbb{B} & \longrightarrow & \uparrow\downarrow \mathbb{B} \\
 & & \bullet^- \\
 & & \bullet^+ \\
 \eta_{\mathbb{B}} = & & \mathbf{q}^- \\
 & \mathbf{q}^+ & \\
 & \mathbf{t}^- & \\
 & & \mathbf{t}\mathbf{t}^+
 \end{array}$$

Co-unit in $\mathcal{G}_{\text{alt}}^+$ (natural)

$$\begin{array}{ccc}
 \Downarrow\uparrow \mathbb{B}^\perp & \longrightarrow & \mathbb{B}^\perp \\
 \bullet^- & & \\
 \bullet^+ & & \\
 \epsilon_{\mathbb{B}^\perp} = & & \mathbf{q}^- \\
 & \mathbf{q}^+ & \\
 & \mathbf{t}^- & \\
 & & \mathbf{t}\mathbf{t}^+
 \end{array}$$

Duploids situations in toy categories of games

The **alternating world**:



Unit in $\mathcal{G}^-_{\text{alt}}$ (natural)

$$\begin{aligned}
 \mathbb{B} &\longrightarrow \uparrow\downarrow \mathbb{B} \\
 &\bullet^- \\
 &\bullet^+ \\
 \eta_{\mathbb{B}} = & q^- \\
 &\mathbf{q}^+ \\
 &\mathbf{t}^- \\
 &\mathbf{t}\mathbf{t}^+
 \end{aligned}$$


Co-unit in $\mathcal{G}^+_{\text{alt}}$ (natural)

$$\begin{aligned}
 \Downarrow\uparrow \mathbb{B}^\perp &\longrightarrow \mathbb{B}^\perp \\
 &\bullet^- \\
 &\bullet^+ \\
 \epsilon_{\mathbb{B}^\perp} = & q^- \\
 &\mathbf{q}^+ \\
 &\mathbf{t}^- \\
 &\mathbf{t}\mathbf{t}^+
 \end{aligned}$$

Variations at the heart of: work by Laurent (LLP), Levy (CBPV), Melliès (analysis of the Blass phenomenon).


Duploids situations in toy categories of games

The **alternating world**:




Duploids situations in toy categories of games

The **alternating world**:



Duploids situations in toy categories of games

The **alternating world**:



Execution in $\mathcal{G}_{\text{alt}}^-$ (not natural)

$$\rho_{\mathbb{B}} = \begin{array}{c} \uparrow\downarrow \mathbb{B} \longrightarrow \mathbb{B} \\ \bullet^+ \\ \bullet^- \\ \mathbf{q}^+ \\ \mathbf{t}\mathbf{t}^- \\ \mathbf{t}\mathbf{t}^+ \end{array}$$


Thunking in $\mathcal{G}_{\text{alt}}^+$ (not natural)

$$\theta_{\mathbb{B}^\perp} = \begin{array}{c} \mathbb{B}^\perp \longrightarrow \downarrow\uparrow \mathbb{B}^\perp \\ \bullet^+ \\ \bullet^- \\ \mathbf{q}^+ \\ \mathbf{t}\mathbf{t}^- \\ \mathbf{t}\mathbf{t}^+ \end{array}$$

Naturality: no, except in the subcategories of **linear** and **thunkable** strategies.


Duploids situations in toy categories of games

The **alternating world**:



Duploids situations in toy categories of games

The **alternating world**:




The **non-alternating world**:




Duploids situations in toy categories of games

The **alternating world**:




The **non-alternating world**:



Duploids situations in toy categories of games

The **alternating world**:




The **non-alternating world**:



Duploids situations in toy categories of games

The **alternating world**:




The **non-alternating world**:




Duploids situations in toy categories of games

The **alternating world**:




The **non-alternating world**:




Duploids situations in toy categories of games

The **alternating world**:




The non-alternating world:




Duploids situations in toy categories of games

The **alternating world**:




The **non-alternating world**:




Duploids situations in toy categories of games

The **alternating world**:




The **non-alternating world**:




Note: This works in **non-alternating play-based games**, but also some **event-structure** based games (including edcs).

Duploids situations in toy categories of games

The **alternating world**:




The **non-alternating world**:




Note: This works in **non-alternating play-based games**, but also some **event-structure based games** (including edcs). **Not** in Conway games.


Duploids in non-alternating/concurrent games



Duploids in non-alternating/concurrent games



Duploids in non-alternating/concurrent games




Unit in \mathcal{G}^- (natural)

$$N \longrightarrow \uparrow N$$

$$\eta_N =$$

Duploids in non-alternating/concurrent games




Unit in \mathcal{G}^- (natural)

$$N \longrightarrow \uparrow_{\bullet^-} N$$

$$\eta_N =$$

Duploids in non-alternating/concurrent games



Unit in \mathcal{G}^- (natural)


$$N \longrightarrow \uparrow_{\bullet^-} N$$

\bullet^-

n_1^-

$$\eta_N =$$


Duploids in non-alternating/concurrent games



Unit in \mathcal{G}^- (natural)

$$\begin{array}{ccc}
 N & \longrightarrow & \uparrow N \\
 & & \bullet^- \\
 & & n_1^- \\
 & n_1^+ & \\
 \eta_N = & &
 \end{array}$$


Duploids in non-alternating/concurrent games



Unit in \mathcal{G}^- (natural)

$$\eta_N = \begin{matrix} N & \longrightarrow & \uparrow N \\ & & \bullet^- \\ & & n_1^- \\ & n_1^+ & n_2^- \\ & & n_3^- \end{matrix}$$


Duploids in non-alternating/concurrent games



Unit in \mathcal{G}^- (natural)

$$\eta_N = \begin{array}{ccc} N & \longrightarrow & \uparrow N \\ & & \bullet^- \\ & & n_1^- \\ & n_1^+ & n_2^- \\ & & n_3^- \\ & n_3^+ & n_2^+ \end{array}$$

Duploids in non-alternating/concurrent games




Unit in \mathcal{G}^- (natural)

$$\eta_N = \begin{array}{ccc} N & \xrightarrow{\quad \uparrow \quad} & \uparrow N \\ & \bullet^- & \\ & n_1^- & \\ n_1^+ & & n_2^- \\ & n_2^+ & n_3^- \\ & n_3^+ & \\ & n_2^+ & \end{array}$$

Co-unit in \mathcal{G} (natural)

$$\epsilon_A = \uparrow A \longrightarrow A$$

Duploids in non-alternating/concurrent games



Unit in \mathcal{G}^- (natural)


$$\eta_N = \begin{matrix} N & \xrightarrow{\quad \uparrow \quad} & N \\ & \bullet^- & \\ & n_1^- & \\ n_1^+ & & n_2^- \\ & & n_3^- \\ & n_3^+ & \\ & n_2^+ & \end{matrix}$$

Co-unit in \mathcal{G} (natural)

$$\uparrow A \longrightarrow A^-_{a_1^-}$$

$$\epsilon_A =$$

Duploids in non-alternating/concurrent games



Unit in \mathcal{G}^- (natural)


$$\begin{array}{ccc} N & \xrightarrow{\quad} & \uparrow\downarrow N \\ & & \bullet^- \\ & & n_1^- \\ & n_1^+ & n_2^- \\ \eta_N = & & n_3^- \\ & & n_2^+ \\ & n_3^+ & \end{array}$$

Co-unit in \mathcal{G} (natural)

$$\begin{array}{ccc} \uparrow\downarrow A & \longrightarrow & A^- \\ & & a_1^- \\ & \bullet^+ & \end{array}$$

$$\epsilon_A =$$

Duploids in non-alternating/concurrent games




Unit in \mathcal{G}^- (natural)

$$\eta_N = \begin{array}{ccc} N & \xrightarrow{\quad \uparrow \quad} & \uparrow N \\ & \bullet^- & \\ & n_1^- & \\ & n_2^- & \\ & n_3^- & \\ n_1^+ & & \\ & n_2^+ & \\ & n_3^+ & \end{array}$$

Co-unit in \mathcal{G} (natural)

$$\epsilon_A = \begin{array}{ccc} \uparrow A & \longrightarrow & A \\ & \bullet^+ & \\ & a_1^+ & \end{array}$$

Duploids in non-alternating/concurrent games




Unit in \mathcal{G}^- (natural)

$$\eta_N = \begin{array}{ccc} N & \xrightarrow{\quad \uparrow \quad} & \uparrow N \\ & \bullet^- & \\ & n_1^- & \\ & n_2^- & \\ & n_3^- & \\ n_1^+ & & \\ & n_2^+ & \\ & n_3^+ & \end{array}$$

Co-unit in \mathcal{G} (natural)

$$\epsilon_A = \begin{array}{ccc} \uparrow A & \longrightarrow & A \\ & \bullet^+ & \\ & a_1^+ & \\ & a_2^+ & \\ & a_3^- & \end{array}$$

Duploids in non-alternating/concurrent games




Unit in \mathcal{G}^- (natural)

$$\eta_N = \begin{array}{ccc} N & \xrightarrow{\quad \uparrow \quad} & \uparrow N \\ & \bullet^- & \\ & n_1^- & \\ & n_2^- & \\ & n_3^- & \\ n_1^+ & & \\ & n_2^+ & \\ & n_3^+ & \end{array}$$

Co-unit in \mathcal{G} (natural)

$$\epsilon_A = \begin{array}{ccc} \uparrow A & \longrightarrow & A \\ & a_1^- & \\ & \bullet^+ & \\ & a_1^+ & \\ & a_2^- & \\ & a_3^+ & \\ & a_3^- & \end{array}$$

Duploids in non-alternating/concurrent games




Unit in \mathcal{G}^- (natural)

$$\eta_N = \begin{array}{ccc} N & \xrightarrow{\quad \uparrow \quad} & \uparrow\downarrow N \\ & \bullet^- & \\ & n_1^- & \\ & n_2^- & \\ & n_3^- & \\ n_1^+ & & \\ & n_2^+ & \\ & n_3^+ & \end{array}$$


Co-unit in \mathcal{G} (natural)

$$\epsilon_A = \begin{array}{ccc} \uparrow\downarrow A & \longrightarrow & A^- \\ \bullet^+ & & a_1^- \\ a_1^+ & & \\ a_2^- & & \\ a_3^- & & \\ a_3^+ & & \\ & a_2^+ & \end{array}$$


Duploids in non-alternating/concurrent games



Duploids in non-alternating/concurrent games



Duploids in non-alternating/concurrent games




Execution in \mathcal{G}^- (not natural)

$$\uparrow N \longrightarrow N$$

$$\rho_N =$$

Duploids in non-alternating/concurrent games




Execution in \mathcal{G}^- (not natural)

$$\uparrow N \longrightarrow N$$

n_1^-

$$\rho_N =$$


Duploids in non-alternating/concurrent games



Execution in \mathcal{G}^- (not natural)

$$\rho_N = \begin{array}{c} \uparrow N \longrightarrow N \\ n_1^- \\ \bullet^+ \\ n_1^+ \end{array}$$


Duploids in non-alternating/concurrent games



Execution in \mathcal{G}^- (not natural)

$$\rho_N = \begin{array}{ccc} \uparrow N & \longrightarrow & N \\ & n_1^- & \\ \bullet^+ & & \\ n_1^+ & & n_2^- \\ & n_3^- & \end{array}$$


Duploids in non-alternating/concurrent games



Execution in \mathcal{G}^- (not natural)

$$\rho_N = \begin{array}{ccc} \uparrow N & \longrightarrow & N \\ & & n_1^- \\ & \bullet^+ & \\ & n_1^+ & \\ & n_2^- & \\ & n_3^+ & \\ & n_2^+ & \\ & n_3^+ & \end{array}$$

Duploids in non-alternating/concurrent games



Execution in \mathcal{G}^- (not natural)


$$\rho_N = \begin{array}{ccc} \uparrow\!\! \uparrow N & \longrightarrow & N \\ & & n_1^- \\ & \bullet^+ & \\ & n_1^+ & \\ & n_2^- & \\ & n_3^- & \\ & n_2^+ & \\ & n_3^+ & \end{array}$$

Thunking in \mathcal{G} (not natural)

$$A \longrightarrow \uparrow\!\! \uparrow A$$

$$\theta_A =$$

Duploids in non-alternating/concurrent games



Execution in \mathcal{G}^- (not natural)

$$\rho_N = \begin{array}{ccc} \uparrow N & \longrightarrow & N \\ & & n_1^- \\ & \bullet^+ & \\ & n_1^+ & \\ & n_2^- & \\ & n_3^- & \\ & n_2^+ & \\ & n_3^+ & \end{array}$$


Thunking in \mathcal{G} (not natural)

$$A \longrightarrow \uparrow A$$

$$a_1^-$$

$$\theta_A =$$

Duploids in non-alternating/concurrent games



Execution in \mathcal{G}^- (not natural)


$$\rho_N = \begin{array}{ccc} \uparrow\downarrow N & \longrightarrow & N \\ & & n_1^- \\ \bullet^+ & & \\ n_1^+ & & n_2^- \\ & & \\ n_3^- & & \\ n_2^+ & & n_3^+ \end{array}$$

Thunking in \mathcal{G} (not natural)

$$\begin{array}{ccc} A & \longrightarrow & \uparrow\downarrow A \\ a_1^- & & \bullet^- \end{array}$$

$$\theta_A =$$

Duploids in non-alternating/concurrent games




Execution in \mathcal{G}^- (not natural)

$$\rho_N = \begin{array}{ccc} \uparrow N & \longrightarrow & N \\ & n_1^- & \\ \bullet^+ & & \\ n_1^+ & & \\ & n_2^- & \\ & & \\ & n_3^- & \\ & n_2^+ & \\ & n_3^+ & \end{array}$$

Thunking in \mathcal{G} (not natural)

$$\theta_A = \begin{array}{ccc} A & \longrightarrow & \uparrow A \\ a_1^- & & \\ \bullet^- & & \\ a_1^+ & & \end{array}$$

Duploids in non-alternating/concurrent games




Execution in \mathcal{G}^- (not natural)

$$\rho_N = \begin{array}{ccc} \uparrow\downarrow N & \longrightarrow & N \\ & & n_1^- \\ & \bullet^+ & \\ & n_1^+ & \\ & n_2^- & \\ & n_3^+ & \\ & n_2^+ & \\ & n_3^+ & \end{array}$$

Thunking in \mathcal{G} (not natural)

$$\theta_A = \begin{array}{ccc} A & \longrightarrow & \uparrow\downarrow A \\ & a_1^- & \\ & \bullet^- & \\ & a_1^+ & \\ & a_2^- & \end{array}$$

Duploids in non-alternating/concurrent games




Execution in \mathcal{G}^- (not natural)

$$\rho_N = \begin{array}{ccc} \uparrow\downarrow N & \longrightarrow & N \\ & & n_1^- \\ \bullet^+ & & \\ n_1^+ & & \\ & & n_2^- \\ & & n_3^- \\ & & n_2^+ \\ & & n_3^+ \end{array}$$

Thunking in \mathcal{G} (not natural)

$$\theta_A = \begin{array}{ccc} A & \longrightarrow & \uparrow\downarrow A \\ & & a_1^- \\ & & \bullet^- \\ & & a_1^+ \\ & & a_2^- \\ & & a_2^+ \end{array}$$

Duploids in non-alternating/concurrent games




Execution in \mathcal{G}^- (not natural)

$$\rho_N = \begin{array}{ccc} \uparrow\downarrow N & \longrightarrow & N \\ & & n_1^- \\ \bullet^+ & & \\ n_1^+ & & \\ & & n_2^- \\ & & \\ & & n_3^- \\ & & n_2^+ \\ & & n_3^+ \end{array}$$

Thunking in \mathcal{G} (not natural)

$$\theta_A = \begin{array}{ccc} A & \longrightarrow & \uparrow\downarrow A \\ & & a_1^- \\ & & \bullet^- \\ & & a_1^+ \\ & & a_2^- \\ & & a_2^+ \\ & & a_3^- \end{array}$$

Duploids in non-alternating/concurrent games




Execution in \mathcal{G}^- (not natural)

$$\rho_N = \begin{array}{ccc} \uparrow N & \longrightarrow & N \\ & & n_1^- \\ \bullet^+ & & \\ n_1^+ & & \\ & & n_2^- \\ & & n_3^+ \\ & & n_2^+ \\ & & n_3^+ \end{array}$$

Thunking in \mathcal{G} (not natural)

$$\theta_A = \begin{array}{ccc} A & \longrightarrow & \uparrow A \\ a_1^- & & \\ & & \bullet^- \\ & & a_1^+ \\ & & a_2^- \\ & & a_2^+ \\ & & a_3^- \\ & & a_3^+ \end{array}$$

Duploids in non-alternating/concurrent games




Execution in \mathcal{G}^- (not natural)

$$\rho_N = \begin{array}{ccc} \uparrow N & \longrightarrow & N \\ & & n_1^- \\ & \bullet^+ & \\ & n_1^+ & \\ & & n_2^- \\ & n_3^- & \\ & n_2^+ & \\ & & n_3^+ \end{array}$$

Proposition

A strategy $\sigma \in \mathcal{G}^-(M, N)$ is **linear** if it commutes with ρ

Duploids in non-alternating/concurrent games



Execution in \mathcal{G}^- (not natural)


$$\rho_N = \begin{array}{ccc} \uparrow N & \longrightarrow & N \\ & n_1^+ & \\ \bullet & n_1^+ & \\ & n_2^- & \\ \rho_N = & & \\ & n_3^- & \\ & n_2^+ & \\ & n_3^+ & \end{array}$$

Proposition

A strategy $\sigma \in \mathcal{G}^-(M, N)$ is **linear** if it commutes with ρ

\Leftrightarrow

Duploids in non-alternating/concurrent games



Execution in \mathcal{G}^- (not natural)


$$\rho_N = \begin{array}{ccc} \uparrow\downarrow N & \longrightarrow & N \\ & n_1^- & \\ \bullet^+ & n_1^+ & \\ & n_2^- & \\ & n_3^- & \\ & n_2^+ & \\ & n_3^+ & \end{array}$$

Proposition

A strategy $\sigma \in \mathcal{G}^-(M, N)$ is **linear** if it commutes with ρ

$$\begin{array}{ccc} \Leftrightarrow & & \\ M & \longrightarrow & N \end{array}$$

Duploids in non-alternating/concurrent games



Execution in \mathcal{G}^- (not natural)


$$\rho_N = \begin{array}{ccc} \uparrow N & \longrightarrow & N \\ & n_1^- & \\ \bullet^+ & n_1^+ & \\ & n_2^- & \\ & n_3^- & \\ & n_2^+ & \\ & n_3^+ & \end{array}$$

Proposition

A strategy $\sigma \in \mathcal{G}^-(M, N)$ is **linear** if it commutes with ρ

$$\begin{array}{ccc} \Leftrightarrow & & \\ M & \longrightarrow & N \\ & n_1 & \end{array}$$

Duploids in non-alternating/concurrent games



Execution in \mathcal{G}^- (not natural)


$$\rho_N = \begin{array}{ccc} \uparrow\downarrow N & \longrightarrow & N \\ & n_1^- & \\ \bullet^+ & n_1^+ & \\ & n_2^- & \\ & n_3^- & \\ & n_2^+ & \\ & n_3^+ & \end{array}$$

Proposition

A strategy $\sigma \in \mathcal{G}^-(M, N)$ is **linear** if it commutes with ρ

$$\begin{array}{ccc} \Leftrightarrow & & \\ M & \longrightarrow & N \\ & n_1 & \\ & \dots & \\ & n_k & \end{array}$$

Duploids in non-alternating/concurrent games



Execution in \mathcal{G}^- (not natural)


$$\rho_N = \begin{array}{ccc} \uparrow N & \longrightarrow & N \\ & n_1^- & \\ \bullet^+ & n_1^+ & \\ & n_2^- & \\ & n_3^- & \\ & n_2^+ & \\ & n_3^+ & \end{array}$$

Proposition

A strategy $\sigma \in \mathcal{G}^-(M, N)$ is **linear** if it commutes with ρ

$$\begin{array}{ccc} \Leftrightarrow & & \\ M & \longrightarrow & N \\ & n_1 & \\ & \dots & \\ & n_k & \\ & m^+ & \end{array}$$


Duploids in non-alternating/concurrent games



Thunking in \mathcal{G} (not natural)

$$\begin{array}{ccc}
 A & \longrightarrow & \uparrow A \\
 a_1^- & & \bullet^- \\
 & & a_1^+ \\
 \theta_A = & a_2^- & \\
 & & a_2^+ \\
 & & a_3^- \\
 & & a_3^+
 \end{array}$$

Duploids in non-alternating/concurrent games




Proposition

A strategy $\sigma : A \rightarrow B$ is **thunkable** if it commutes with θ

Thunking in \mathcal{G} (not natural)

$$\begin{array}{ccc} A & \longrightarrow & \uparrow A \\ a_1^- & & \bullet^- \\ & & a_1^+ \\ \theta_A = & a_2^- & a_2^+ \\ & & a_3^- \\ & & a_3^+ \end{array}$$

Duploids in non-alternating/concurrent games



Proposition


A strategy $\sigma : A \rightarrow B$ is **thunkable** if it commutes with θ

\Leftrightarrow

Thunking in \mathcal{G} (not natural)

$$\begin{array}{ccc} A & \longrightarrow & \uparrow A \\ a_1^- & & \bullet^- \\ & & a_1^+ \\ \theta_A = & a_2^- & a_2^+ \\ & & a_3^- \\ & & a_3^+ \end{array}$$

Duploids in non-alternating/concurrent games



Proposition


A strategy $\sigma : A \rightarrow B$ is **thunkable** if it commutes with θ

$$A \xrightarrow{\Leftrightarrow} B$$

Thunking in \mathcal{G} (not natural)

$$\begin{array}{ccc} A & \longrightarrow & \uparrow A \\ & a_1^- & \bullet^- \\ & & a_1^+ \\ \theta_A = & a_2^- & a_2^+ \\ & & a_3^- \\ & & a_3^+ \end{array}$$

Duploids in non-alternating/concurrent games



Proposition


A strategy $\sigma : A \rightarrow B$ is **thunkable** if it commutes with θ

$$\begin{array}{ccc} & \Leftrightarrow & \\ A & \longrightarrow & B \\ & a^+ & \end{array}$$

Thunking in \mathcal{G} (not natural)

$$\begin{array}{c} A \longrightarrow \uparrow A \\ a_1^- \\ \bullet^- \\ a_1^+ \\ \theta_A = a_2^- \\ a_2^+ \\ a_3^- \\ a_3^+ \end{array}$$

Duploids in non-alternating/concurrent games



Proposition


A strategy $\sigma : A \rightarrow B$ is **thunkable** if it commutes with θ

$$\begin{array}{ccc}
 & \Leftrightarrow & \\
 A & \xrightarrow{\hspace{2cm}} & B \\
 & \dots & \\
 & \dots & \\
 a^+ & &
 \end{array}$$

Thunking in \mathcal{G} (not natural)

$$\begin{array}{c}
 A \longrightarrow \uparrow A \\
 a_1^- \\
 \bullet^- \\
 a_1^+ \\
 \theta_A = a_2^- \\
 a_2^+ \\
 a_3^- \\
 a_3^+
 \end{array}$$

Duploids in non-alternating/concurrent games



Proposition


A strategy $\sigma : A \rightarrow B$ is **thunkable** if it commutes with θ

$$\begin{array}{ccc}
 & \Leftrightarrow & \\
 A & \xrightarrow{\hspace{2cm}} & B \\
 & \dots & \\
 & & b^- \\
 & \dots & \\
 & a^+ &
 \end{array}$$


Thunking in \mathcal{G} (not natural)

$$\begin{array}{c}
 A \longrightarrow \uparrow A \\
 a_1^- \\
 \bullet^- \\
 a_1^+ \\
 \theta_A = a_2^- \\
 a_2^+ \\
 a_3^- \\
 a_3^+
 \end{array}$$


Duploids in non-alternating/concurrent games




Duploids in non-alternating/concurrent games




Duploids in non-alternating/concurrent games



Duploids in non-alternating/concurrent games




Duploids in non-alternating/concurrent games



$$\begin{aligned}
 |\mathcal{D}| &= |\mathcal{G}^-| + |\mathcal{G}| \\
 \mathcal{D}(A, B) &= \mathcal{G}(A, B) \\
 \mathcal{D}(N, M) &= \mathcal{G}(N, M) \\
 \mathcal{D}(N, P) &= \mathcal{G}(N, P) \quad \cong \quad \mathcal{G}^-(N, \uparrow P) \\
 \mathcal{D}(P, N) &= \mathcal{G}_t(P, N) \quad \cong \quad \mathcal{G}_t^-(\uparrow P, N)
 \end{aligned}$$

Duploids in non-alternating/concurrent games



$$\begin{aligned}
 |\mathcal{D}| &= |\mathcal{G}^-| + |\mathcal{G}| \\
 \mathcal{D}(A, B) &= \mathcal{G}(A, B) \\
 \mathcal{D}(N, M) &= \mathcal{G}(N, M) \\
 \mathcal{D}(N, P) &= \mathcal{G}(N, P) \quad \cong \quad \mathcal{G}^-(N, \uparrow P) \\
 \mathcal{D}(P, N) &= \mathcal{G}_t(P, N) \quad \cong \quad \mathcal{G}_t^-(\uparrow P, N)
 \end{aligned}$$

Duality/composition: three duploids for the price of one!