



HAL
open science

Hierarchical Symbolic Factorization for Sparse Matrices

Aurélien Falco, Emmanuel Agullo, Luc Giraud, Guillaume Sylvand

► **To cite this version:**

Aurélien Falco, Emmanuel Agullo, Luc Giraud, Guillaume Sylvand. Hierarchical Symbolic Factorization for Sparse Matrices. Sparse Days 2018, Sep 2018, Toulouse, France. hal-01999895

HAL Id: hal-01999895

<https://inria.hal.science/hal-01999895v1>

Submitted on 30 Jan 2019

HAL is a multi-disciplinary open access archive for the deposit and dissemination of scientific research documents, whether they are published or not. The documents may come from teaching and research institutions in France or abroad, or from public or private research centers.

L'archive ouverte pluridisciplinaire **HAL**, est destinée au dépôt et à la diffusion de documents scientifiques de niveau recherche, publiés ou non, émanant des établissements d'enseignement et de recherche français ou étrangers, des laboratoires publics ou privés.

Hierarchical Symbolic Factorization for Sparse Matrices



Aurélien FALCO

joint work with:

Emmanuel AGULLO, Luc GIRAUD, Guillaume SYLVAND
(Airbus & Inria HiePACS team)



Sparse direct methods using low-rank compression

Nested dissection (ND) [George, 1973]





Sparse direct methods using low-rank compression

Nested dissection (ND) [George, 1973]





Sparse direct methods using low-rank compression

Nested dissection (ND) [George, 1973]





Sparse direct methods using low-rank compression

Nested dissection (ND) [George, 1973]




Sparse direct methods using low-rank compression

Symbolic Factorization




Quotient Graph



Matrix

Sparse direct methods using low-rank compression

- Multifrontal methods
 - Dense frontal matrices
[Ghysels et al., 2016, Xia, 2013, Xia et al., 2009, Amestoy et al., 2015, Aminfar et al., 2016, Mary, 2017]
- Supernodal methods
 - Dense (supernodal) sub-matrices
[Pichon et al., 2017a]




Sparse methods towards \mathcal{H}

- Advantages
 - Orderings
 - Symbolic factorization
- Hierarchical compression used locally on sub-matrices

Sparse direct methods using low-rank compression

- Multifrontal methods

- Dense frontal matrices
[Ghysels et al., 2016, Xia, 2013,
Xia et al., 2009,
Amestoy et al., 2015,
Aminfar et al., 2016, Mary, 2017]



- Supernodal methods

- Dense (supernodal)
sub-matrices
[Pichon et al., 2017a]

Sparse methods towards \mathcal{H}


- Advantages

- Orderings
- Symbolic factorization

- Hierarchical compression used locally on sub-matrices


Hierarchical methods for dense linear systems

- Many Formats:
 - \mathcal{H} -Matrix, \mathcal{H}^2 -matrix, HSS, HODLR, BLR
- Clustering method
 - Bisection
[Hackbusch, 1999, Hackbusch, 2015]




Hierarchical methods for dense linear systems

- Many Formats:
 - \mathcal{H} -Matrix, \mathcal{H}^2 -matrix, HSS, HODLR, BLR
- Clustering method
 - Bisection
[Hackbusch, 1999, Hackbusch, 2015]




Hierarchical methods for dense linear systems

- Many Formats:
 - \mathcal{H} -Matrix, \mathcal{H}^2 -matrix, HSS, HODLR, BLR
- Clustering method
 - Bisection
[Hackbusch, 1999, Hackbusch, 2015]




Hierarchical methods for dense linear systems

- Many Formats:
 - \mathcal{H} -Matrix, \mathcal{H}^2 -matrix, HSS, HODLR, BLR
- Clustering method
 - Bisection [Hackbusch, 1999, Hackbusch, 2015]



Hierarchical methods exploiting sparsity

- Many Formats:
 - \mathcal{H} -Matrix, \mathcal{H}^2 -matrix, HSS, HODLR, BLR
- Clustering method
 - Bisection
[Hackbusch, 1999, Hackbusch, 2015]



Hierarchical methods exploiting sparsity

- Many Formats:
 - \mathcal{H} -Matrix, \mathcal{H}^2 -matrix, HSS, HODLR, BLR
- Clustering method
 - Nested dissection [Le Borne et al., 2007, Grasedyck et al., 2008, Grasedyck et al., 2009, Kriemann, 2013]



\mathcal{H} -Matrices towards sparse

- Advantages
 - Global hierarchical structure
 - Compression
- How to manage and locate fill-in?

Problem formulation

Sparse methods towards \mathcal{H}

- Advantages
 - Orderings lead to less fill-in
 - Symbolic factorization
- Current limits?
 - Hierarchical compression used locally on sub-matrices

\mathcal{H} -Matrices towards sparse

- Advantages
 - Global hierarchical structure
 - Compression
- Current limits?
 - How to manage and locate fill-in?



Objectives

Combine hierarchical and sparse techniques

- Number of non-zeros as low as sparse direct methods
- A global hierarchical structure



→ Hierarchical Symbolic Factorization

Nested dissection clustering [George, 1973]





[Le Borne et al., 2007, Grasedyck et al., 2008,
Grasedyck et al., 2009, Kriemann, 2013]

Nested dissection clustering [George, 1973]





[Le Borne et al., 2007, Grasedyck et al., 2008,
Grasedyck et al., 2009, Kriemann, 2013]

Nested dissection clustering [George, 1973]






[Le Borne et al., 2007, Grasedyck et al., 2008,
Grasedyck et al., 2009, Kriemann, 2013]

Nested dissection clustering [George, 1973]






[Le Borne et al., 2007, Grasedyck et al., 2008,
Grasedyck et al., 2009, Kriemann, 2013]

Hierarchical Block Symbolic Factorization (TD-HBSF)





Quotient Graph

Hierarchical Block Symbolic Factorization (TD-HBSF)




Quotient Graph



Hierarchical Block Symbolic Factorization (TD-HBSF)





Quotient Graph





Hierarchical Block Symbolic Factorization (TD-HBSF)




Hierarchical Block Symbolic Factorization (BU-HBSF)






Hierarchical Block Symbolic Factorization (BU-HBSF)



Quotient Graph





Hierarchical Block Symbolic Factorization (BU-HBSF)







Quotient Graph

Hierarchical Block Symbolic Factorization (BU-HBSF)







Quotient Graph



Separator Division



Separator Division







Separator Division



Minimizing extra-diagonal blocks is NP-hard
[Pichon et al., 2017b]



Interactions-Oblivious Separator Bisection





3	2					9				10	100	100	100	100	100	100	
							2	1			10	10	100	100	100	100	
11	9	9	8							97	98	100	100	100	100	100	
							11	9	9	10		97	100	100	100	98	100

[Le Borne et al., 2007, Grasedyck et al., 2008,
Grasedyck et al., 2009, Kriemann, 2013]

Interactions-Aware Flat Separator Division (IA-FSD)







Interactions-Aware Flat Separator Division (IA-FSD)






Related to T4 supernodes [Demmel et al., 1999] but too rare and therefore usually rejected

Interactions-Aware Hierarchical Separator Division (IA-HSD)




Interactions-Aware Hierarchical Separator Division (IA-HSD)




TD-HBSF Memory Profile

$N = 1e^6$



BU-HBSF Memory Profile

$N = 1e^6$



Conclusions




- Performing a (bottom-up) hierarchical symbolic factorization is nearly costless
- Possible divisions of separators
 - Bisection
 - Interactions-Aware Flat Separator Division (IA-FSD)
 - Interactions-Aware Hierarchical Separator Division (IA-HSD)
 - Interactions-Aware Leaf Separator Division (IA-LSD)

Perspectives & Work in Progress



- Extensive comparison between separator division methods
- Study the impact of each algorithm on numerical factorization
- Parallel implementation
- Extensive comparison with reference sparse solvers

Thank you for your attention!




Bibliographie I

-  Amestoy, P., Ashcraft, C., Boiteau, O., Buttari, A., L'Excellent, J.-Y., and Weisbecker, C. (2015).
Improving multifrontal methods by means of block low-rank representations.
SIAM Journal on Scientific Computing, 37(3):A1451–A1474.
-  Aminfar, A., Ambikasaran, S., and Darve, E. (2016).
A fast block low-rank dense solver with applications to finite-element matrices.
Journal of Computational Physics, 304:170–188.
-  Demmel, J. W., Eisenstat, S. C., Gilbert, J. R., Li, X. S., and Liu, J. W. H. (1999).
A supernodal approach to sparse partial pivoting.
SIAM J. Matrix Analysis and Applications, 20(3):720–755.




Bibliographie II

-  George, A. (1973).
Nested dissection of a regular finite element mesh.
SIAM Journal on Numerical Analysis, 10(2):345–363.
-  Ghysels, P., Li, X. S., Rouet, F.-H., Williams, S., and Napov, A. (2016).
An efficient multicore implementation of a novel
HSS-structured multifrontal solver using randomized
sampling.
SIAM Journal on Scientific Computing, 38(5):S358–S384.


Bibliographie III

-  Grasedyck, L., Kriemann, R., and Le Borne, S. (2008).
Parallel black box \mathcal{H} -LU preconditioning for elliptic boundary value problems.
Computing and Visualization in Science, 11:273–291.
10.1007/s00791-008-0098-9.
-  Grasedyck, L., Kriemann, R., and Le Borne, S. (2009).
Domain decomposition based \mathcal{H} -LU preconditioning.
Numerische Mathematik, 112:565–600.
-  Hackbusch, W. (1999).
A sparse matrix arithmetic based on \mathcal{H} -matrices. part I:
Introduction to \mathcal{H} -matrices.
Computing, 62:89–108.
10.1007/s006070050015.



Bibliographie IV

-  Hackbusch, W. (2015).
Hierarchical matrices: Algorithms and analysis, volume 49.
Springer.
-  Kriemann, R. (2013).
 \mathcal{H} -LU factorization on many-core systems.
Computing and Visualization in Science, 16(3):105–117.
-  Le Borne, S., Grasedyck, L., and Kriemann, R. (2007).
Domain-decomposition Based \mathcal{H} -LU Preconditioners.
In *Domain decomposition methods in science and engineering XVI*, pages 667–674. Springer.


Bibliographie V

-  Mary, T. (2017).
Block Low-Rank multifrontal solvers: complexity, performance, and scalability.
PhD thesis, Université de Toulouse.
-  Pichon, G., Darve, E., Faverge, M., Ramet, P., and Roman, J. (2017a).
Sparse Supernodal Solver Using Block Low-Rank Compression.
In *PDSEC'2017 workshop of IPDPS*, Orlando, United States.

Bibliographie VI

-  Pichon, G., Faverge, M., Ramet, P., and Roman, J. (2017b). Reordering strategy for blocking optimization in sparse linear solvers.
SIAM Journal on Matrix Analysis and Applications, 38(1):226–248.
-  Xia, J. (2013). Randomized sparse direct solvers.
SIAM Journal on Matrix Analysis and Applications, 34(1):197–227.

Bibliographie VII

-  Xia, J., Chandrasekaran, S., Gu, M., and Li, X. S. (2009). Superfast multifrontal method for large structured linear systems of equations. *SIAM Journal on Matrix Analysis and Applications*, 31(3):1382–1411.