



HAL
open science

A Probabilistic Estimation of Perfect Order Parameters

Valery Lukinskiy, Vladislav Lukinskiy, Boris Sokolov, Darya Bazhina

► **To cite this version:**

Valery Lukinskiy, Vladislav Lukinskiy, Boris Sokolov, Darya Bazhina. A Probabilistic Estimation of Perfect Order Parameters. IFIP International Conference on Advances in Production Management Systems (APMS), Sep 2021, Nantes, France. pp.447-454, 10.1007/978-3-030-85874-2_47 . hal-04030418

HAL Id: hal-04030418

<https://inria.hal.science/hal-04030418v1>

Submitted on 16 Mar 2023

HAL is a multi-disciplinary open access archive for the deposit and dissemination of scientific research documents, whether they are published or not. The documents may come from teaching and research institutions in France or abroad, or from public or private research centers.

L'archive ouverte pluridisciplinaire **HAL**, est destinée au dépôt et à la diffusion de documents scientifiques de niveau recherche, publiés ou non, émanant des établissements d'enseignement et de recherche français ou étrangers, des laboratoires publics ou privés.



Distributed under a Creative Commons Attribution 4.0 International License



This document is the original author manuscript of a paper submitted to an IFIP conference proceedings or other IFIP publication by Springer Nature. As such, there may be some differences in the official published version of the paper. Such differences, if any, are usually due to reformatting during preparation for publication or minor corrections made by the author(s) during final proofreading of the publication manuscript.

A Probabilistic Estimation of Perfect Order Parameters

Valery Lukinskiy^{1,*}, Vladislav Lukinskiy¹, Boris Sokolov², Darya Bazhina¹

¹ National Research University Higher School of Economics (HSE University),
St. Petersburg, Russia

² Saint Petersburg Institute for Informatics and Automation of the Russian Academy
of Sciences, St. Petersburg, Russia
lukinskiy@mail.ru

Abstract. In the digital economy, information systems have a significant impact on supply chain management. However, there is a need for further development of theoretical knowledge and mathematical models, including methods for managing risk in complex supply networks to best serve customer orders. In the supply chain operations reference (SCOR) model, reliability is assessed by calculating perfect order parameters. The component/process reliability is calculated as the product of the weighted averages of the perfect order parameters, and possible combinations of failure features are not taken into account. This paper presents an approach to probabilistic estimation of perfect order parameters based on the general theorem on the repetition of experiments, and proposes to use a binomial distribution to approximate the values obtained. The obtained results make it possible to assess the efficiency of possible measures (increasing the insurance stock, replacing the carrier, etc.) to improve the reliability of perfect order fulfilment.

Keywords: Supply Chain Management, Perfect Order Fulfilment, Combinations of Failure Features.

1 Introduction

Considerable attention is now being paid to the study of technologies and concepts such as artificial intelligence (AI), blockchain, Industry 4.0, big data, and several others [1-4]. However, there is a need to further develop theoretical knowledge and mathematical models to assess the impact of information systems on supply chain management [5-7]. This is necessary to achieve the primary goal of the supply chain – customer satisfaction [8-11]. Recent literature suggests some indicators to evaluate the impacts of uncertainty on supply chain (SC) execution. Most popular are reliability, robustness, stability and resilience [12]. In the supply chain operations reference (SCOR) model, reliability is assessed by calculating perfect order parameters [13-15]. Vishnu et al. [14] note that the reliability index of each supply chain component/process is calculated as a weighted average of the reliabilities of supplying the right quantity, the right quality, and at the right time. A similar approach to assessing the perfect order is found in studies of Bowersox, Closs, and Cooper [16]; Christopher [17]; Ballou [18]; Cousins et al. [19]; Grant et al. [20]; and Heizer and Render [21].

Bowersox, Closs, and Cooper [16] claim that as many as 20 different logistic service elements may impact a perfect order. Ho et al. [22] emphasise that there is no research measuring the correlations between risk factors and the corresponding risk types, or the probability of occurrence of particular risk types associated with their factors. On the other hand, Walker [23] says that business has embraced the key performance indicator (KPI) for real-time process decision making. Unfortunately, KPIs multiply like rabbits, and unless they are properly managed, tend to be defined within the narrow context of functional silos.

Thus, the literature does not take into account possible combinations of failure features, and there is no probabilistic assessment of perfect order parameters. Consequently, to improve the reliability of perfect order parameter estimation, it is necessary to develop a new methodology that takes into account the specifics of supply chain operation.

This paper presents an approach to the probabilistic estimation of perfect order parameters based on the general theorem on the repetition of experiments, and proposes to use binomial distribution to approximate the obtained values. The obtained results make it possible to assess the efficiency of possible measures (increasing the insurance stock, replacing the carrier, etc.) to improve the reliability of perfect order fulfilment.

The paper is organised as follows. The methods for the probabilistic estimation of perfect order parameters are presented in Section 2. Section 3 lists the calculations used to test the suggested methods in different scenarios. Section 4 provides directions for future research.

2 Developing Methods for the Probabilistic Estimation of Perfect Order Parameters

To describe analytically the performance of a perfect order, a probabilistic model is used [16-21], which allows estimating the failure-free performance of the system in the form of the dependence

$$p_0 = \prod_{i=1}^n p_i, \quad (1)$$

where p_0 is the probability of a failure-free order, n is the number of parameters considered in the perfect order, and p_i is the probability of error-free execution of the i -th operation (the p_i probabilities are independent).

In most papers, the calculated dependence (1) includes three or four parameters: p_1 is the probability of delivery in-full (quantity); p_2 is the probability of delivery in perfect condition (quality); p_3 is the probability of ‘just in time’ (JIT) order performance; p_4 is the probability of error-free documentation.

However, experience with formula (1) has shown that it can lead to significant errors for the following reasons.

1. Formula (1) corresponds to one of the extreme cases of a combination of failures in a single order; i.e., it does not reflect the variety of possible options.

2. The p_i parameters are derived from statistical information, and the relationships and interactions between them are not represented or quantified.

3. Other statistical dependencies, such as the general theorem on the repetition of experiments [24-25], must be used to estimate the probability p_0 . The general theorem on the repetition of experiments describes the case when experiments are carried out under different conditions, and the probability of an event varies from experiment to experiment.

Let us consider versions of expert analysis of the occurrence of failures in supply chains. The essence of the problem of accounting for the number of parameters in a single order is presented in Table 1 for two extreme cases. The first case reflects the independence and uncorrelatedness of failure features in each order (of the eight orders, only orders 7 and 8 are perfect, and the probability of failure-free order formation is 0.250); the second case reflects the maximum possible combination of failure features in a single order (only orders 4, 5, 6, 7, and 8 are perfect, and the probability of failure-free order formation is 0.625). On the other hand, according to Bowersox, Closs, and Cooper [16], Christopher [17], and Ballou [18], the values of perfect order parameters are on-time $p_1 = 7/8 = 0.875$, in-full $p_2 = 6/8 = 0.75$, and error-free $p_3 = 5/8 = 0.625$. Then formula (1) yields the probability of failure-free order formation $p_0 = 0.875 \cdot 0.75 \cdot 0.625 = 0.41$ for both extreme cases.

Table 1. Possible combinations of failure features in a single order.

Case	Parameter	Order number								Number of failures	Probability of failure-free order
		1	2	3	4	5	6	7	8		
1	On-time	X	0	0	0	0	0	0	0	1	0.250
	In-full	0	X	X	0	0	0	0	0	2	
	Error-free	0	0	0	X	X	X	0	0	3	
2	On-time	X	0	0	0	0	0	0	0	1	0.625
	In-full	X	X	0	0	0	0	0	0	2	
	Error-free	X	X	X	0	0	0	0	0	3	

X: failure; 0: failure-free performance

The dependencies of all possible variations of a perfect order estimate can be calculated based on the general theorem on the repetition of experiments, according to which the probabilities of failure-free order fulfilment are determined by the formula

$$\prod_{i=1}^n (p_i + q_i z) = \sum_{m=0}^n P_{m,n} z^m, \quad (2)$$

where p_i is the probability of no failure in the i -th experiment, $q_i = 1 - p_i$; $P_{m,n}$ is the probability of no failure in n experiments exactly m times; and z is an arbitrary parameter.

After expanding equation (2), we find the sum of similar terms for each z^m , which represent probabilities $P_{0,n}, P_{1,n}, \dots, P_{m,n}$ and are the components of a perfect order with m simultaneously observed failures for different values of m . For example, equation (2) for calculating the probabilities of a perfect order when $n = 3$ and the number of failure features m is between 0 and 3 is written as

$$\prod_{i=1}^{n=3} (p_i + q_i z) = p_1 p_2 p_3 + (p_2 p_3 q_1 + p_1 p_3 q_2 + p_1 p_2 q_3) z + (p_3 q_1 q_2 + p_2 q_1 q_3 + p_1 q_2 q_3) z^2 + q_1 q_2 q_3 z^3 \quad (3)$$

If $n = 3$ and $m = 0$, we obtain $P_{0,3} = p_1 \cdot p_2 \cdot p_3$, i.e., formula (1); if $m = 2$, then $P_{2,3} = p_3 \cdot q_1 \cdot q_2 + p_2 \cdot q_1 \cdot q_3 + p_1 \cdot q_2 \cdot q_3$.

Our research has shown that the probabilities $P_{m,n}$ can be approximated by discrete probability distributions, in particular the binomial distribution

$$P_{m,n} = \frac{n!}{m!(n-m)!} q^m p^{n-m}, \quad (4)$$

where p is the average value of the probability of no failures; $q = 1 - p$.

The value p is calculated according to the formula

$$p = \frac{\sum_{i=1}^n p_i}{n} \quad (5)$$

Obtaining the values of probabilities $P_{m,n}$ makes it possible to assess comprehensively the impact of changes in probabilities p_i , as well as the efficiency of possible measures for improving reliability (increasing the insurance stock, replacing the carrier, etc.). According to Inman and Blumenfeld [26], countermeasures may be available to mitigate the impact – such as substituting a different part, installing a feature at a later date, or deleting a feature altogether – but countermeasures carry at least some additional cost or negative side-effect. While no firm wants to carry inventory, it may be a cost-effective strategy for reducing supply chain disruption risk.

Clearly, further research needs to consider the use of discrete distribution laws other than the binomial to approximate the probability (e.g., hypergeometric, Poisson, etc.).

3 Testing

We collected and processed statistical data on supplies for company X, which allowed us to determine the following values of perfect order parameters: on-time $p_1 = 0.90$,

in-full $p_2 = 0.80$, error-free $p_3 = 0.85$; number of failure features $n = 3$; simultaneous occurrence of failures m from 0 to 3.

Table 2 shows the results of calculations of probabilities $P_{m,3}$ using formula (3), e.g., $P_{0,3} = 0.9 \cdot 0.8 \cdot 0.85 = 0.612$. The probabilities of occurrence of one or two failures in an order are, respectively, $P_{1,3} = 0.329$ and $P_{2,3} = 0.056$.

To calculate $P_{m,3}$ under approximation by binomial distribution, we define the average value of the probability of no failures as $p = 0.85$. Then, using formula (4), we find the probability of the occurrence of, for example, one failure in the order ($m = 1$):

$$P_{1,3} = \frac{3!}{1!2!} \cdot 0.15 \cdot 0.85^2 = 0.325$$

The results of the remaining $P_{m,3}$ values are shown in Table 2. An analysis of Table 2 shows that there is good consistency between the $P_{m,3}$ values calculated by different methods.

After considering these results, the management of company X decided that it was necessary to improve delivery efficiency by selecting an alternative route ($p_{1+} = 0.95$), creating an insurance stock ($p_{2+} = 0.85$), and implementing e-documentation ($p_{3+} = 0.90$). The results of the calculations are shown in Table 2, which indicates that the probability of forming a perfect order has increased to $P_{0,3} = 0.729$, i.e., by 15.5%.

Table 2. The results of calculating the probabilities of a perfect order $P_{m,3}$.

Simultaneous occurrence of failures, m	Probabilities $P_{m,3}$		
	General theorem on the repetition of experiments	Binomial distribution	
		Before changes in the supply organisation*	After changes in supply organisation**
0	0.612	0.614	0.729
1	0.329	0.325	0.243
2	0.056	0.058	0.027
3	0.003	0.003	0.001

*on-time $p_1 = 0.90$, in-full $p_2 = 0.80$, error-free $p_3 = 0.85$; **on-time $p_{1+} = 0.95$, in-full $p_{2+} = 0.85$, error-free $p_{3+} = 0.90$.

A closer inspection revealed that in addition to the parameters mentioned above ($p_1 = 0.90$, $p_2 = 0.80$, $p_3 = 0.85$), three additional perfect order parameters were present ($p_4 = 0.99$, $p_5 = 0.97$, $p_6 = 0.95$). In order to assess the impact of these additional parameters on the formation of a perfect order, calculations were carried out using formulas (2) and (4), the results of which are shown in Table 3. An analysis of Table 3 shows that there is good consistency between the $P_{m,n}$ values calculated by different methods.

The results of calculations of $P_{m,n}$ show that an increase in the number of parameters of failure, taken into account in formulas (2) and (4), leads the probability of formation of the perfect order to decrease from 0.61 (at $n = 3$) to 0.56 (at $n = 6$), i.e., by

approximately 5%. Thus, even a slight decrease (by 1–2%) in the reliability of operations in supply chains (delay in transportation, errors in order picking, cargo damage, etc.) can have a significant impact on the formation of a perfect order.

It follows that the decrease in the probability of perfect order formation is much greater when the p_i values are below 0.8. This issue requires special attention and further research, because according to Bowersox, Closs, and Cooper [16], even the best logistics organisations report only 60 to 70% perfect order performance.

Table 3. The results of calculating the probabilities of a perfect order $P_{m,n}$ ($P_{m,4}$, $P_{m,5}$, and $P_{m,6}$).

Simultaneous occurrence of failures, m	Number of failure features and average value of the probability of no failures					
	$n = 4; p = 0.885$		$n = 5; p = 0.902$		$n = 6; p = 0.910$	
	1*	2**	1*	2**	1*	2**
0	0.60588	0.61344	0.58770	0.59708	0.55831	0.56786
1	0.33183	0.31881	0.34005	0.32149	0.35243	0.33698
2	0.05850	0.06214	0.06500	0.06487	0.07875	0.0833
3	0.00353	0.00538	0.00510	0.00766	0.00809	0.0110
4	0.00003	0.000175	0.00013	0.00045	0.00038	0.00081
5			$0.9 \cdot 10^{-6}$	$0.9 \cdot 10^{-5}$	$0.75 \cdot 10^{-5}$	0.00003
6					$0.45 \cdot 10^{-7}$	$0.5 \cdot 10^{-6}$

*General theorem on the repetition of experiments; **Binomial distribution

4 Conclusion

In the digital economy, information systems have a significant impact on supply chain management. However, there is a pressing need for further development of theoretical knowledge and mathematical models, including methods that enable risk management for complex supply chains to best serve customer orders. This paper presents an approach to the probabilistic estimation of perfect order parameters based on the general theorem on the repetition of experiments, and proposes to use binomial distribution to approximate the obtained values. In future research, three considerations will be important. The first is to investigate the interdependencies and interactions between the parameters of the perfect order p_i , which must be taken into account in formulas (2) and (4). The second is to pay attention to different types of reservations for reliable fulfilment of a perfect order, taking into account the quality values of the supply chain performance. The third is to carry out a cost analysis of the proposed approaches by taking into account transport, current and insurance stock costs, costs due to shortages, and various penalties in the case of an imperfect order.

Acknowledgments

The research described in this paper is partially supported by state research 0073–2019–0004.

References

1. Kakhki, M., Gargeya, V.: Information systems for supply chain management: a systematic literature analysis. *International Journal of Production Research* 57(15–16), 5318–5339 (2019)
2. Baryannis, G., Validi, S., Dani, S., Antoniou, G.: Supply chain risk management and artificial intelligence: state of the art and future research directions. *International Journal of Production Research* 57(7), 2179–2202 (2019)
3. Saberi, S., Kouhizadeh, M., Sarkis, J., Shen, L.: Blockchain technology and its relationships to sustainable supply chain management. *International Journal of Production Research* 57(7), 2117–2135 (2019)
4. Luthra, S., Kumar, A., Zavadskas, E., Mangla, S., Garza-Reyes, J.: Industry 4.0 as an enabler of sustainability diffusion in supply chain: an analysis of influential strength of drivers in an emerging economy. *International Journal of Production Research* 58(5), 1505–1521 (2020)
5. Ben-Daya, M., Hassini, E., Bahroun, Z.: Internet of things and supply chain management: a literature review. *International Journal of Production Research* 57(15–16), 4719–4742 (2019)
6. Battaia, O., Otto, A., Sgarbossa, F., Pesch, E.: Future trends in management and operation of assembly systems: from customized assembly systems to cyber-physical systems. *Omega* 78, 1–4 (2018)
7. Bier, T., Lange, A., Glock, C.: Methods for mitigating disruptions in complex supply chain structures: a systematic literature review. *International Journal of Production Research* 58(6), 1835–1856 (2020)
8. Chopra, S., Meindl, P.: *Supply chain management: Strategy, planning, and operation*, 5th ed. Harlow, Pearson Education Limited (2013)
9. Huang, H., He, Y., Li, D.: Coordination of pricing, inventory, and production reliability decisions in deteriorating product supply chains. *International Journal of Production Research* 56(18), 6201–6224 (2018)
10. Inman, R., Blumenfeld, D.: Product complexity and supply chain design. *International Journal of Production Research* 52(7), 1956–1969 (2014)
11. Zhang, L., Wang, S., Li, F., Wang, H., Wang, L., Tan, W.: A few measures for ensuring supply chain quality. *International Journal of Production Research* 49(1), 87–97 (2011)
12. Ivanov, D., Dolgui, A., Sokolov, B.: Scheduling of recovery actions in the supply chain with resilience analysis considerations. *International Journal of Production Research* 56(19), 6473–6490 (2018)
13. Sellitto, M., Pereira, G., Borchardt, M., Silva, R., Viegas, C.: A SCOR-based model for supply chain performance measurement: application in the footwear industry. *International Journal of Production Research* 53(16), 4917–4926 (2015)
14. Vishnu, C., Das, S., Sridharan, R., Kumar, P., Narahari, N.: Development of a reliable and flexible supply chain network design model: a genetic algorithm based approach. *International Journal of Production Research* (2020)
15. Chackelson, C., Errasti, A., Ciprés, D., Lahoz, F.: Evaluating order picking performance trade-offs by configuring main operating strategies in a retail distributor: A Design of Experiments approach. *International Journal of Production Research* 51(20), (2013)
16. Bowersox, D., Closs, D., Cooper, M.: *Supply chain logistics management*, 2nd ed. New York: McGraw-Hill (2007)
17. Christopher, M.: *Logistics and supply chain management*, 4th ed, Pearson Education Limited, Harlow (2011)

18. Ballou, R.: Business logistics management. Prentice-Hall International, Inc., New York (1999)
19. Cousins, P., Lamming, R., Lawson, B., Squire, B.: Strategic Supply Management: Principles, Theories and Practice. Pearson Education Limited, Harlow (2008)
20. Grant, D., Lambert, D., Stock, J., Ellram, L.: Fundamentals of logistics management. McGraw-Hill Companies, Inc. (2006)
21. Heizer, J., Render, B.: Operations management, 10th ed. Pearson Education Limited, Edinburgh Gate Harlow England (2011)
22. Ho, W., Zheng, T., Yildiz, H., Talluri, S.: Supply chain risk management: a literature review. *International Journal of Production Research* 53(16), 5031-5069 (2015)
23. Walker, W.: Emerging trends in supply chain architecture. *International Journal of Production Research* 43(16), 3517-3528 (2005)
24. Papoulis, A., Pillai, S.: Probability, random variables, and stochastic processes, 4th ed. New York: McGraw-Hill Companies, Inc. (2002)
25. Ventsel, E., Ovcharov, L.: Applied problems of probability theory. Moscow: Radio and communications (1983) (In Russian)
26. Inman, R., Blumenfeld, D.: Product complexity and supply chain design. *International Journal of Production Research* 52(7), 1956-1969 (2014)