



HAL
open science

Composition of Scheduling and Control Theory Techniques

Raphaël Bleuse, Éric Rutten

► **To cite this version:**

Raphaël Bleuse, Éric Rutten. Composition of Scheduling and Control Theory Techniques. JLESC 2023 - 15th Workshop Joint Laboratory for Extreme Scale Computing, Mar 2023, Bordeaux, France. pp.1-10. hal-04050732

HAL Id: hal-04050732

<https://inria.hal.science/hal-04050732>

Submitted on 29 Mar 2023

HAL is a multi-disciplinary open access archive for the deposit and dissemination of scientific research documents, whether they are published or not. The documents may come from teaching and research institutions in France or abroad, or from public or private research centers.

L'archive ouverte pluridisciplinaire **HAL**, est destinée au dépôt et à la diffusion de documents scientifiques de niveau recherche, publiés ou non, émanant des établissements d'enseignement et de recherche français ou étrangers, des laboratoires publics ou privés.


Composition of Scheduling and Control Theory Techniques

Raphaël BLEUSE, Éric RUTTEN

Univ. Grenoble Alpes, Inria, CNRS, Grenoble INP, LIG, France

15th JLESC workshop
2023-03-22

Scheduling (~ Resource Allocation)




platform

tasks/jobs

objective

⇒ where? & when?

Scheduling (~ Resource Allocation)



But simplistic models

Many sources of *extrinsic* variability:

Offline hardware spec., aging, ...

Online phases (e.g., I/O, compute), failures, temperature, ...

platform

tasks/jobs


objective

⇒ where? & when?

Feedback loops (*à la* Control Theory)

Autonomic Computing (Kephart et al. 2003)

- 1 monitor system state
- 2 choose (online) parameters
- 3 repeat



Control Theory

Challenges

- stability, accuracy, explainability
- transient vs. steady-state behavior


Gains

- simpler models
- adapt to actual behavior

Unexploited loops

Most scheduling approaches rely on an *unrealist* open-loop model. They struggle/fail to catch for example:




- congestion
- user behavior (Feitelson 2016)



Classic workarounds: “cyclic” scheduling, more variables (increases models’ complexity), . . .


Existing usages/compositions: RAPL \times NRM

(Cerf et al. 2021; Hawila et al. 2022), ongoing collab. ANL/Inria

Objective Reducing energy consumption while sustaining performance**Approach** Dynamic power regulation using Control Theory


Existing usages/compositions: Cigri

(Guilloteau et al. 2022)


Objective Minimize wasted resources (idle node, killed BE jobs)**Constraint** No (low?) impact on local users

Potential combinations

Scheduling × Control Theory




×




Open questions / Directions to explore

- what are the interesting properties to enforce?
- how to structure the loops?
- what to measure? what to control?
- what is the dynamic at play?



Backup slides

Control Theory Methodology



References I

- S. Cerf et al., “Sustaining Performance While Reducing Energy Consumption: A Control Theory Approach,” in *Euro-par*, Vol. 12820, *Lecture Notes in Computer Science* (2021), pp. 334–349.
- D. G. Feitelson, “Resampling with Feedback, A New Paradigm of Using Workload Data for Performance Evaluation,” in *Euro-par*, Vol. 9833, *Lecture Notes in Computer Science* (Aug. 2016), pp. 3–21.
- Q. Guilloteau, B. Robu, C. Join, M. Fliess, É. Rutten, and O. Richard, “Model-Free Control for Resource Harvesting in Computing Grids,” in *CCTA* (Aug. 2022), pp. 384–390.
- I. Hawila, S. Cerf, R. Bleuse, S. Perarnau, and É. Rutten, “Adaptive Power Control for Sober High-Performance Computing,” in *CCTA* (Aug. 2022), pp. 403–410.
- J. O. Kephart and D. M. Chess, “The Vision of Autonomic Computing,” *IEEE Computer* **36**, 41–50 (2003).