

The Brain Imaging Data Structure: Overview of the project and what BIDS does and allows to do

Camille Maumet

▶ To cite this version:

Camille Maumet. The Brain Imaging Data Structure: Overview of the project and what BIDS does and allows to do. GliMR Hybrid Networking Event, Sep 2021, Brno (hybrid), Czech Republic. , 2021. hal-04255147

HAL Id: hal-04255147 https://inria.hal.science/hal-04255147

Submitted on 23 Oct 2023

HAL is a multi-disciplinary open access archive for the deposit and dissemination of scientific research documents, whether they are published or not. The documents may come from teaching and research institutions in France or abroad, or from public or private research centers. L'archive ouverte pluridisciplinaire **HAL**, est destinée au dépôt et à la diffusion de documents scientifiques de niveau recherche, publiés ou non, émanant des établissements d'enseignement et de recherche français ou étrangers, des laboratoires publics ou privés.





The Brain Imaging Data Structure

Overview of the project and what BIDS does and allows to do



Camille Maumet

Univ Rennes, Inria, CNRS, Inserm



Glioma MR Imaging 2.0

- Build a pan-European and multidisciplinary network of international experts in glioma research, patient organisations, data scientists, and MR imaging scientists
- Use advanced MR imaging for improved decision making in diagnosis, patient monitoring, and assessment of treatment response in clinical trials and clinical practice.



Esther Warnert



Radim Jancalek



Lydiane Hirschler



Kyrre Emblem



Marion Smits



Fran Borovecki



WG1 - Advanced MRI biomarkers for glioma characterisation

Working Group 1 focusses on coordinating the identification and quantification of advanced MRI biomarkers for the application in the field of glioma.



WG4 - Stakeholder relations

Working Group 4 ensures representation of all relevant stakeholders within GliMR and acts as liaison from GliMR to all relevant stakeholders.



WG2 - Multi-site data integration

Working Group 2 coordinates multi-site data integration and enables the creation of large datasets in glioma diagnostics via the creation of common GDPR- and BIDScompliant forms and data structures.



WG5 - Dissemination

Working Group 5 disseminates the Action's goals and results in tailored manners to all relevant stakeholders.



WG3 - Clinical translation

Working Group 3 focusses on fostering cross-border information exchange about past and current clinical trials and studies of glioma.








Patricia Clement



Joana Pinto




Gliomas research in Europe



- 50,000 new cases of gliomas per year in Europe
- Low incidence rate
- >> Limited samples sizes

Why do we need large samples?



Reproducibility crisis

A Waste of 1,000 Research Papers

Decades of early research on the genetics of depression were built on nonexistent foundations. How did that happen?

ED YONG MAY 17, 2019



SEAN NEL / SHUTTERSTON

In 1996, a group of European researchers found that a certain gene, called *SLC6A4*, might influence a person's risk of depression.


It was a blockbuster discovery at the time. The team found that a less active version of the gene was more common among 454 people who had mood disorders than in 570 who did not. In theory, anyone who had this particular gene variant could be at higher risk for depression, and that finding, they said, might help in diagnosing such disorders, assessing suicidal behavior, or even

By Ed Yong, The Atlantic Science, May 2019, <u>link</u>.

Why do we need large samples?



Data preparation



Analysis



Reproducibility crisis

SCIENCE

A Waste of 1,000 Research Papers

Decades of early research on the genetics of depression were built on nonexistent foundations. How did that happen?

ED YONG MAY 17, 2019



SEAN NEL / SHUTTERSTOCK

In 1996, a group of European researchers found that a certain gene, called *SLC6A4*, might influence a person's risk of depression.

It was a blockbuster discovery at the time. The team found that a less active version of the gene was more common among 454 people who had mood disorders than in 570 who did not. In theory, anyone who had this particular gene variant could be at higher risk for depression, and that finding, they said, might help in diagnosing such disorders, assessing suicidal behavior, or even

By Ed Yong, The Atlantic Science, May 2019, <u>link</u>.

Algorithmic injustice

The New York Times

Many Facial-Recognition Systems Are Biased, Says U.S. Study

Algorithms falsely identified African-American and Asian faces 10 to 100 times more than Caucasian faces, researchers for the National Institute of Standards and Technology found.




Morning at Grand Central Terminal. Technology for facial recognition is frequently biased, a new study confirmed. Timothy A. Clary/Agence France-Presse — Getty Images

By Natasha Singer and Cade Metz, The New York Times, Dec. 2019, <u>link</u>.

Why do we need large samples?



Data preparation



Analysis



Reproducibility crisis

SCIENCE

A Waste of 1,000 Research Papers

Decades of early research on the genetics of depression were built on nonexistent foundations. How did that happen?

ED YONG MAY 17, 2019

Algorithmic injustice

The New York Times

Many Facial-Recognition Systems Are Biased, Says U.S. Study

Algorithms falsely identified African-American and Asian faces 10 to 100 times more than Caucasian faces, researchers for the National Institute of Standards and Technology found.



As a **community**, we need to create and work on **bigger** & more **representative and diverse** datasets

SEAN NEL / SHUTTERSTOCK

In 1996, a group of European researchers found that a certain gene, called *SLC6A4*, might influence a person's risk of depression.

It was a blockbuster discovery at the time. The team found that a less active version of the gene was more common among 454 people who had mood disorders than in 570 who did not. In theory, anyone who had this particular gene variant could be at higher risk for depression, and that finding, they said, might help in diagnosing such disorders, assessing suicidal behavior, or even

By Ed Yong, The Atlantic Science , May 2019, <u>link</u>.

 $\label{lem:monoptime} \begin{tabular}{ll} Morning at Grand Central Terminal. Technology for facial recognition is frequently biased, a new study confirmed. Timothy A. Clary/Agence France-Presse — Getty Images and Central Terminal. Timothy A. Clary/Agence France-Presse — Getty Images and Central Terminal. Timothy A. Clary/Agence France-Presse — Getty Images and Central Terminal. The confidence of the Central Terminal Technology for facial recognition is frequently biased, a new study confirmed. Timothy A. Clary/Agence France-Presse — Getty Images and Central Terminal Technology for facial recognition is frequently biased, a new study confirmed. Timothy A. Clary/Agence France-Presse — Getty Images and Central Terminal Technology for facial recognition is frequently biased, and the Confirmed Technology for facial recognition is frequently biased, and the Confirmed Technology for facial recognition is frequently biased, and the Confirmed Technology for facial recognition is frequently biased, and the Confirmed Technology for facial recognition is frequently biased to the Confirmed Technology for facial recognition is for facial recognition for facial recognition is frequently biased to the Confirmed Technology for facial recognition is for facial recognition for facial recognition is facial recognition for facial recognition facial recognition for facial recognition for facial recognition facial recognition for facial recognition facial recognition$

By Natasha Singer and Cade Metz, The New York Times, Dec. 2019, <u>link</u>.

GliMR WG2 Multi-site data integration

WG2 - Multi-site data integration

Working Group 2 coordinates multi-site data integration and enables the creation of large datasets in glioma diagnostics via the creation of common GDPR- and BIDS-compliant forms and data structures.



Camille Maumet

Cyril Pernet



Data Privacy



Data infrastructure



Data portability



WG2 - Multi-site data integration

Working Group 2 coordinates multi-site data integration and enables the creation of large datasets in glioma diagnostics via the creation of common GDPR- and BIDS-compliant forms and data structures.



Camille Maumet

Cyril Pernet



Data Privacy



Data infrastructure



Data portability



Data portability

How differences in acquisition parameters can be conveyed with enough details to support future post-processing?



• Extend the international BIDS standard in setting up the structures for sharing advanced MR imaging data.

Brain Imaging Data Structure (BIDS):

A global community of 200+ members!





Guiomar Niso



Melanie Ganz



Robert Oostenveld




Russ Poldrack



Kirstie Whitaker

Why BIDS?

- Data sharing and exchange
 - With other labs
 - Within your lab
 - With yourself in 6 months:)
- Automatic pipeline processing



- It's a data structure; nothing to do with format per se
- It's about: how you organize data in a folder
 - how you name files
 - how you document metadata
 - using community standards and dictionaries to do all the above
- It cares about imaging data but also behaviour/cognition

bids.neuroimaging.io

CREDITS

SCIENTIFIC DATA (1101) 1011

SUBJECT CATEGORIES

» Data publication and archiving » Research data

Received: 18 December 2015 Accepted: 19 May 2016 Published: 21 June 2016

OPEN The brain imaging data structure, a format for organizing and describing outputs of neuroimaging experiments

> Krzysztof J. Gorgolewski¹, Tibor Auer², Vince D. Calhoun^{3,4}, R. Cameron Craddock^{5,6}, Samir Das⁷, Eugene P. Duff⁸, Guillaume Flandin⁹, Satrajit S. Ghosh^{10,11}, Tristan Glatard^{7,12}, Yaroslav O. Halchenko¹³, Daniel A. Handwerker16, Michael Hanke15,16, David Keator17, Xiangrui Li18, Zachary Michael19, Camille Maumet²⁰, B. Nolan Nichols^{21,22}, Thomas E. Nichols^{20,23}, John Pellman⁶, Jean-Baptiste Poline²⁴, Ariel Rokem25, Gunnar Schaefer3,26, Vanessa Sochat27, William Triplett3, Jessica A. Turner3,28, Gaël Varoquaux29 & Russell A. Poldrack1



Data Sharing Task Force




The Poldrack Lab @ Stanford

Evolution of BIDS

- Kickoff meeting at Stanford in Spring 2015
- 2. Meeting at OHBM 2015 (June)
- Introduced to neuroinformatics community at INCF Congress 2015 (August)
- First release candidate and public call for comments (September)
- Version 1.0.0 published along the introductory paper
- → Initially covered structural MRI and fMRI, now all sort of MRI, PET, EEG, MEG, iEEG, extensions for animal, connectivity, imaging genomics ..

Essence of BIDS

- Directory hierarchy and file naming system
 - Conveys essential meta-data in filenames alone
- Remaining meta-data in "sidecar" files



Metadata as text files (tsv, json) with standard dictionary

Name	Date modified	Туре
). stimuli	21/03/2018 21:58	File folder
№ sub-002	24/03/2018 08:56	File folder
№ sub-003	24/03/2018 08:56	File folder
№ sub-004	24/03/2018 08:56	File folder
▶ sub-005	24/03/2018 08:56	File folder
№ sub-006	24/03/2018 08:56	File folder
№ sub-007	24/03/2018 08:56	File folder
▶ sub-008	24/03/2018 08:56	File folder
▶ sub-009	24/03/2018 08:56	File folder
▶ sub-010	24/03/2018 08:56	File folder
№ sub-011	24/03/2018 08:56	File folder
▶ sub-012	24/03/2018 08:56	File folder
▶ sub-013	24/03/2018 08:56	File folder
📗 sub-014	24/03/2018 08:56	File folder
▶ sub-015	24/03/2018 08:56	File folder
▶ sub-016	24/03/2018 08:56	File folder
▶ sub-017	24/03/2018 08:56	File folder
▶ sub-018	24/03/2018 08:56	File folder
№ sub-019	24/03/2018 08:56	File folder
dataset_description.json	15/03/2018 11:30	JSON File
participants.tsv —	19/03 /2018 20:21	TSV File
	15/03/2018 11:33	TXT File

Subjects info are shared at the root – easy to figure populations, age, and other basic demographics

What is BIDS? A community!



Technical challenges: Standards, Databases, Good practices (version control, etc.)


A culture change: towards community-driven research

- Making resources available to the scientific community
- Reusing existing resources (datasets, tools) that were created by others
- Developing tools collaboratively with a community of contributors

https://github.com/bids-standard

Extending BIDS: the BEPs

BIDS Extension Proposals



BIDS Extension Proposals: A Guide

Why contribute to BIDS?

- You can make something that is good even better without building it from scratch.
- · You can interact with and get to know other experts in the field.
- A more substantial extension can lead to standalone publications (see for instance BIDS MEG: https://www.nature.com/articles/sdata2018110)

Overarching principles in the design of BIDS

- Folder structure must be not only machine-readable but also easy to interpret by humans. In other words, readability is as important as the ability to programmatically traverse the folder structure.
- When it comes to file names within folders, redundancy trumps concision -- the files should be identifiable by their names even if removed from the folder structure.

When and how to start a BIDS Extension Proposal?

- Small contributions (typos, rephrasing of a description, adding a single new metadata field) can be just added as a <u>Pull Request on GitHub</u>
- . Larger contributions that are expected to involve longer and more involved discussions



The Brain Imaging Data Structure

Overview of the project and what BIDS does and allows to do



Camille Maumet

Thank you!

