



**HAL**  
open science

# AI-Driven Emergency Patient Flow Optimization is Both an Unmissable Opportunity and a Risk of Systematizing Health Disparities

Dylan Russon, Marta Avalos, Ariel Guerra-Adames, Cédric Gil-Jardiné,  
Emmanuel Lagarde

## ► To cite this version:

Dylan Russon, Marta Avalos, Ariel Guerra-Adames, Cédric Gil-Jardiné, Emmanuel Lagarde. AI-Driven Emergency Patient Flow Optimization is Both an Unmissable Opportunity and a Risk of Systematizing Health Disparities. Doug Talbert; Soon Ae Chun. FLAIRS-37 2024 - 37th International FLAIRS Conference, May 2024, Miramar Beach, United States. LibraryPress@UF; FLVC Library Services, Proceedings of FLAIRS-37, May 19-21, Sandestin Beach, FL, 37, pp.4, 2024, 10.32473/flairs.37 . hal-04575571

HAL Id: hal-04575571

<https://inria.hal.science/hal-04575571v1>

Submitted on 15 May 2024

**HAL** is a multi-disciplinary open access archive for the deposit and dissemination of scientific research documents, whether they are published or not. The documents may come from teaching and research institutions in France or abroad, or from public or private research centers.

L'archive ouverte pluridisciplinaire **HAL**, est destinée au dépôt et à la diffusion de documents scientifiques de niveau recherche, publiés ou non, émanant des établissements d'enseignement et de recherche français ou étrangers, des laboratoires publics ou privés.



Distributed under a Creative Commons Attribution 4.0 International License

# AI-Driven Emergency Patient Flow Optimization is Both an Unmissable Opportunity and a Risk of Systematizing Health Disparities

Dylan Russon<sup>1</sup>, Marta Avalos-Fernandez<sup>1,2</sup>, Ariel Guerra-Adames<sup>1</sup>,  
Cédric Gil-Jardiné<sup>1,3</sup>, Emmanuel Lagarde<sup>1</sup>

<sup>1</sup>University of Bordeaux, Bordeaux Population Health Research Center, UMR U1219, INSERM, F-33000, Bordeaux, France

<sup>2</sup>SISTM team, Inria centre at the University of Bordeaux, F-33405, Talence, France

<sup>3</sup>University Hospital of Bordeaux, Pole of Emergency Medicine, F-33000, Bordeaux, France  
{first name.last name}@u-bordeaux.fr

## Abstract

There is a burgeoning interest in harnessing artificial intelligence (AI) to enhance patient flow within emergency departments (EDs). However, this advancement is accompanied by a significant risk: by relying on historical healthcare data, these AI tools may perpetuate existing systemic biases associated with gender, age, ethnicity, and socioeconomic status. This paper surveys studies identifying biases in ED data, offering context for concern about these biases. These insights are valuable for researchers developing AI to optimize ED workflows while accounting for ethical considerations.

## Introduction

Improving patient flow in emergency departments (EDs) is crucial for reducing crowding and enhancing care quality. Factors influencing patient flow include department layout, staffing levels, waiting times, investigation turnaround times, disposition decision delays, exit block, limited inpatient bed availability, and fluctuations in patient demand (Ortiz-Barrios and Alfaro-Saiz 2020). There is a growing interest in utilizing artificial intelligence (AI) to enhance ED operations (Mueller et al. 2022; Taylor et al. 2022; Piliuk and Tomforde 2023; Emami and Javanmardi 2023; Maninchedda et al. 2023). However, integrating AI raises ethical and legal concerns (van der Stigchel et al. 2023). Another crucial consideration is the potential impact of biases in data and AI methodologies on perpetuating sociodemographic disparities in patient care. Biases in ED decision-making remain indeed problematic (Morisod et al. 2021).

We introduce AI-driven patient flow optimization with examples of recent advancements. Because AI models may inherit biases from their training data, potentially exacerbating health disparities, we survey studies on biases in ED across stages of the process and discuss potential consequences.

## AI-Driven Patient Flow Optimization in ED

AI-driven methods, alongside computer modeling and simulation tools, have been applied across various aspects of prehospital settings, emergency medical dispatch, and patient flow management (Arnaud et al. 2022; Alenany and

Ait El Cadi 2020; El-Bouri et al. 2021; Wang et al. 2021; Terning, Brun, and El-Thalji 2022; Shokouh, Mohammadi, and Yaghoubi 2022; Boonstra and Laven 2022; Rismanchian et al. 2023). Promising results in forecasting next-day ED patient arrivals have been observed (Tuominen et al. 2022).

In mental health, AI ranges from administrative task automation to real-time data analytics supporting clinical decisions (Dawoodbhoy et al. 2021). In radiology departments, a multi-model approach to forecasting emergency patient flow demonstrates the efficacy of diverse models (Zhang et al. 2020b). Additionally, AI's broader role in healthcare, like predicting ED patient inflow, aids in early admissions and resource optimization (Zhou et al. 2023; Kishore et al. 2023). Integration of genetic algorithms with deep neural networks emphasizes advanced feature selection and model accuracy in forecasting (Harrou et al. 2020).

AI-driven tools also assist in emergency triage, prioritizing patients based on medical urgency to ensure timely and effective care allocation (Vantu, Vasilescu, and Baicoianu 2023; Defilippo et al. 2023; Mutegeki et al. 2023; Sax et al. 2023; Yu et al. 2022; Gao et al. 2022; Kipourgos et al. 2022; Sanchez-Salmeron et al. 2022; Cho et al. 2022).

## Sociodemographic Disparities in ED

We conducted a non-systematic search in Medline/PubMed, targeting titles or abstracts. We employed broad terms like 'bias\*' and 'emergenc\*' (or related terms such as '\*equit\*', '\*equal\*', 'discrimin\*', or 'disparit\*'), as well as specific terms like 'ethnic\*', 'triage' or their synonyms. Snowballing was employed by reviewing papers' reference lists.

**Disparities in Access to Outpatient Care.** Territorial disparities in accessing outpatient care, including infrastructure, medical personnel distribution, and concentration of unfavorable socioeconomic conditions in specific areas, present a multifaceted challenge. Limited objective evidence exists due to the issue's complexity. Studies explore relationships between racial, socioeconomic, or geographical factors—which are often intertwined—and difficulty accessing emergency services (Verma et al. 2023; Wu et al. 2023). Research highlights socially differentiated pathways to emergency care access, perpetuating health inequalities (Morel 2019). Inequity indicators in outpatient care access link to socioeconomic factors such as insurance

Copyright © 2024 by the authors.

This open access article is published under the Creative Commons Attribution-NonCommercial 4.0 International License.

status and social deprivation (Morisod et al. 2021).

**Disparities in Emergency Triage.** Emergency triage rapidly categorizes patients based on their condition severity upon arrival at the ED. A triage nurse assesses vital signs, medical history, and reason for the visit, assigning a triage acuity score. External factors like ED location influence triage decisions (Gorick 2022; Suamchaiyaphum, Jones, and Markaki 2023). Sociodemographic factors, including ethnicity, sex/gender, age, and insurance coverage, also impact triage (Zhang et al. 2020a; Peitzman et al. 2023; Essa et al. 2023; Martin et al. 2023; Fekonja et al. 2023), disproportionately affecting certain groups (Banco et al. 2022). While age and ethnicity influence prioritization, findings on sex/gender (Arslanian-Engoren 2000; Onal et al. 2022) are less conclusive, with other factors interacting. Further analysis is available in (Avalos et al. 2024).

**Disparities in Quality of Emergency Care.** Even within the same triage level, where 'first come, first served' is the supposed principle, unexpected behaviors are observed, with over 10% of consultations not following arrival order, prioritizing older individuals and deprioritizing racialized individuals (Lin et al. 2022). A study found that ethnicity and insurance status were associated with being passed over by another patient with the same or lower triage score, with no such link found with sex (Sangal et al. 2023). Similarly, significant disparities in patient flow acceleration/deceleration based on racial, gender, age, and insurance status were revealed (Sharperson et al. 2023). Patients from more disadvantaged areas experienced slightly longer waits during the ED care pathway (Turner et al. 2022). Additionally, they noted that disadvantaged individuals received less complex ED care and were less likely to be admitted for inpatient care. It was also observed that black patients were less likely to undergo tests in the ED (Zhang et al. 2020a). Furthermore, disparities in racial/ethnic and language-based pain management in pediatric EDs were identified (Hartford et al. 2022).

**Disparities in post-ED follow-up.** Although some studies suggest that women may face disadvantages at various stages of care, these results do not consistently reach statistical significance (Onal et al. 2022; Mnatzaganian et al. 2020). (Preciado et al. 2021) demonstrate that women experience fewer hospitalizations and undergo fewer tests than men. In this context, disparities in the care of both genders inadvertently benefit women by preventing unnecessary hospitalizations or cardiac tests. In the specific case of mental health emergencies, (Han et al. 2023) suggest the possibility of underestimating the genuineness of suicide attempts in young females. On the other hand, (Zhang et al. 2020a) found that black patients were less likely to be admitted to the hospital and had a higher death rate in the ED and hospital. Some of these findings contrasted with those for Hispanic and Asian patients, who generally received equivalent or greater ED resources compared to white patients.

## Discussion

AI models may inherit biases from their training data, potentially exacerbating health disparities. Particularly, large

language models may exhibit biases aligned with stereotypes due to under-representation in training data (Kotek, Dockum, and Sun 2023; Buslon et al. 2023). Through a literature survey, we identified biases affecting different stages of a patient's journey in the ED, potentially influencing AI-driven patient flow optimization, that could be synthesized as follows:

- Biases during initial assessment, like triage decisions affected by sociodemographic factors, may create disparities in patient prioritization. AI algorithms trained on biased data may perpetuate these patterns, worsening existing outcome disparities.
- Moreover, biases in diagnostic and treatment decisions within the ED can impact patient flow. If AI algorithms do not account for these human errors, they may fail to accurately predict the demand for diagnostic resources or treatment pathways, leading to inefficiencies in patient flow management.
- Biases in disposition decisions, such as admitting patients to inpatient care, can also have a significant impact. Patients from disadvantaged backgrounds may be less likely to be admitted due to biases in clinical assessments or resource allocation. Failure to address these biases in AI algorithms may result in inaccurate predictions of the need for inpatient resources, leading to inefficiencies in bed management and discharge planning.

The awareness that biases can infiltrate AI systems through training data, and identifying sensitive points in the patient journey through the ED, is a crucial first step. That said, much work remains to ensure that AI systems can effectively assist ED professionals, all while upholding ethical standards. Governance overseeing the integration of AI-driven solutions for patient flow optimization in EDs must remain vigilant about potential vulnerable points.

Solutions for mitigating biases have emerged (Adam et al. 2022; Thakur et al. 2023), yet using fairness metrics isn't a cure-all. The prevailing computer science approach formalizes fairness as a mathematical constraint, imposed on AI decisions to minimize predictive accuracy loss. However, it relies on oversimplified/unrealistic assumptions, assuming that fairness can be mathematically formalized and considering only a single axis of discrimination. Additionally, measuring fairness necessitates access to sensitive data, resulting in incomplete assessment of discrimination effects (Buyl and De Bie 2024).

Educational computerized approaches involve preventing bias in medical decision-making, for example, through the use of serious games (Sader et al. 2021). Another approach involves a paradigm shift, precisely utilizing AI models to objectively detect human biases. This would entail using an AI system to detect outcome differences between patients based on sociodemographic characteristics that cannot otherwise be medically explained (Avalos et al. 2024).

## Acknowledgments

This work was conducted under the BPH Inserm's TARPON project, in collaboration with Bordeaux University Hospital.

## References

- Adam, H.; Balagopalan, A.; Alsentzer, E.; Fotini, C.; and Ghassemi, M. 2022. Mitigating the impact of biased artificial intelligence in emergency decision-making. *Commun. Med.* 2(1).
- Alenany, E., and Ait El Cadi, A. 2020. Modeling patient flow in the ED using machine learning and simulation. In *13th International Conference on Modelling, Optimization and Simulation*.
- Arnaud, E.; Elbattah, M.; Ammirati, C.; Dequen, G.; and Ghazali, D. A. 2022. Use of artificial intelligence to manage patient flow in emergency department during the Covid-19 pandemic: A prospective, single-center study. *Int J Environ Res Public Health* 19(15).
- Arslanian-Engoren, C. 2000. Gender and age bias in triage decisions. *J Emerg Nurs.* 26(2):117–124.
- Avalos, M.; Cohen, D.; Russon, D.; Davids, M.; Doremus, O.; Chenais, G.; Tellier, E.; Gil-Jardine, C.; and Lagarde, E. 2024. Detecting human bias in emergency triage using LLMs: Literature review, preliminary study, and experimental plan. In *Proceedings of the 37th International FLAIRS Conference*.
- Banco, D.; Chang, J.; Talmor, N.; Wadhera, P.; Mukhopadhyay, A.; and Lu, X. 2022. Sex and race differences in the evaluation and treatment of young adults presenting to the emergency department with chest pain. *J Am Heart Assoc.* 11(10).
- Boonstra, A., and Laven, M. 2022. Influence of artificial intelligence on the work design of emergency department clinicians a systematic literature review. *BMC Health Serv. Res* 22.
- Buslon, N.; Cortes, A.; Catuara-Solarz, S.; and Cirillo, D. R. M. 2023. Raising awareness of sex and gender bias in artificial intelligence and health. *Front Glob Womens Health* 4:970312.
- Buyl, M., and De Bie, T. 2024. Inherent limitations of AI fairness. *Commun. ACM* 67(2):48–55.
- Cho, A.; Min, I. K.; Hong, S.; Chung, H. S.; Lee, H. S.; and Kim, J. H. 2022. Effect of applying a real-time medical record input assistance system with voice artificial intelligence on triage task performance in the ED: Prospective interventional study. *JMIR Med Inform* 10(8):e39892.
- Dawoodbhoy, F.; Delaney, J.; Cecuła, P.; Yu, J.; Peacock, I.; Tan, J.; and Cox, B. 2021. AI in patient flow: applications of artificial intelligence to improve patient flow in NHS acute mental health inpatient units. *Heliyon* 7:e06993.
- Defilippo, A.; Bertucci, G.; Zurzolo, C.; Veltri, P.; and Guzzi, P. 2023. On the computational approaches for supporting triage systems. *Interdiscip Med* 1(3):e20230015.
- El-Bouri, R.; Taylor, T.; Youssef, A.; Zhu, T.; and Clifton, D. 2021. Machine learning in patient flow: A review. *Prog Biomed Eng.* 3.
- Emami, P., and Javanmardi, K. 2023. Enhancing emergency response through artificial intelligence in emergency medical services dispatching; a letter to editor. *Arch Acad Emerg Med.* 11(1):e60.
- Essa, C.; Victor, G.; Khan, S.; Ally, H.; and Khan, A. 2023. Cognitive biases regarding utilization of emergency severity index among emergency nurses. *Am J Emerg Med.* 73:63–68.
- Fekonja, Z.; Kmetec, S.; Fekonja, U.; Mlinar Reljić, N.; Pajnikhar, M.; and Strnad, M. 2023. Factors contributing to patient safety during triage process in the emergency department: A systematic review. *J Clin Nurs* 32.
- Gao, Z.; Qi, X.; Zhang, X.; Gao, X.; He, X.; Guo, S.; and Li, P. 2022. Developing and validating an emergency triage model using machine learning algorithms with medical big data. *Risk Manag Healthc Policy* 15:1545–1551.
- Gorick, H. 2022. Factors that affect nurses' triage decisions in the emergency department: a literature review. *Emerg. Nurse* 30:14–9.
- Han, N.; Jeong, S.; Lee, S.; and Kong, S. 2023. Gender and Age Bias in the Evaluation of Suicide Attempt Behavior in an Emergency Department. *Community Ment Health J.* 59(8):1521–31.
- Harrou, F.; Dairi, A.; Kadri, F.; and Sun, Y. 2020. Forecasting emergency department overcrowding: A deep learning framework. *Chaos, Solitons Fractals* 139:110247.
- Hartford, E. A.; Blume, H.; Barry, D.; Hauser Chatterjee, J.; and Law, E. 2022. Disparities in the emergency department management of pediatric migraine by race, ethnicity, and language preference. *Acad Emerg Med* 29(9):1057–1066.
- Kipourgos, G.; Tzenalis, A.; Koutsojannis, C.; and Hatzilygeroudis, I. 2022. An artificial intelligence based application for triage nurses in emergency department, using the emergency severity index protocol. *Int. J. Caring Sci.* 15:1764.
- Kishore, K.; Braitberg, G.; Holmes, N.; and Bellomo, R. 2023. Early prediction of hospital admission of emergency department patients. *Emerg Med Australas* 35(4):572–588.
- Kotek, H.; Dockum, R.; and Sun, D. 2023. Gender bias and stereotypes in large language models. In *Proceedings of The ACM Collective Intelligence Conference*, 12–24.
- Lin, P.; Argon, N.; Cheng, Q.; Evans, C.; Linthicum, B.; and Liu, Y. 2022. Disparities in emergency department prioritization and rooming of patients with similar triage acuity score. *Acad Emerg Med* 29(11):1320–8.
- Maninchedda, M.; Proia, A.; Bianco, L.; Aromatario, M.; Orsi, G.; and Napoli, C. 2023. Main features and control strategies to reduce overcrowding in emergency departments: A systematic review of the literature. *Risk Manag Healthc Policy* 16:255–66.
- Martin, S.; Heyming, T.; Kain, A.; Krauss, B.; and Campos, B. 2023. Eliminating pain disparities for children in the emergency department. *Acad Emerg Med.* 30(10):1075–1077.
- Mnatzaganian, G.; Hiller, J.; Braitberg, G.; Kingsley, M.; Putland, M.; and Bish, M. 2020. Sex disparities in the assessment and outcomes of chest pain presentations in emergency departments. *Heart* 106(2):111–8.
- Morel, S. 2019. Inequality and discrimination in access to urgent care in France ethnographies of three healthcare structures and their audiences. *Soc Sci Med* 232:25–32.
- Morisod, K.; Luta, X.; Marti, J.; Spycher, J.; Malebranche, M.; and Bodenmann, P. 2021. Measuring health equity in emergency care using routinely collected data: a systematic review. *Health Equity* 5(1):801–817.
- Mueller, B.; Kinoshita, T.; Peebles, A.; Graber, M.; and Lee, S. 2022. Artificial intelligence and machine learning in emergency medicine: a narrative review. *Acute Med Surg* 9.
- Mutegeki, H.; Nahabwe, A.; Nakatumba-Nabende, J.; and Marvin, G. 2023. Interpretable machine learning-based triage for decision support in emergency care. In *7th ICEI*, 983–90.
- Onal, E.; Knier, K.; Hunt, A.; Knudsen, J.; Nestler, D.; and Campbell, R. 2022. Comparison of emergency department

- throughput and process times between male and female patients: A retrospective cohort investigation by the reducing disparities increasing equity in emergency medicine study group. *J Am Coll Emerg Physicians Open* 3(5):e12792.
- Ortiz-Barrios, M., and Alfaro-Saiz, J. 2020. Methodological approaches to support process improvement in emergency departments: A systematic review. *Int J Environ Res Public Health* 17(8):2664.
- Peitzman, C.; Carreras Tartak, J.; Samuels-Kalow, M.; Raja, A.; and Macias-Konstantopoulos, W. 2023. Racial differences in triage for emergency department patients with subjective chief complaints. *West J Emerg Med.* 24(5):888–893.
- Piliuk, K., and Tomforde, S. 2023. Artificial intelligence in emergency medicine. a systematic literature review. *Int J Med Inform* 180:105274.
- Preciado, S.; Sharp, A.; Sun, B.; Baecker, A.; Wu, Y.; and Lee, M. 2021. Evaluating sex disparities in the emergency department management of patients with suspected acute coronary syndrome. *Ann Emerg Med* 77(4):416–24.
- Rismanchian, F.; Kassani, S. H.; Shavarani, S. M.; and Lee, Y. H. 2023. A data-driven approach to support the understanding and improvement of patients' journeys: A case study using electronic health records of an emergency department. *Value Health* 26(1):18–27.
- Sader, J.; Clavien, C.; Korris, J.; Hurst, S.; Nendaz, M.; and Audétat, M.-C. 2021. Serious game training in medical education: potential to mitigate cognitive biases of healthcare professionals. *Diagnosis* 8.
- Sanchez-Salmeron, R.; Gomez-Urquiza, J.; Albendin-Garcia, L.; Correa-Rodriguez, M.; Martos-Cabrera, M.; Velando-Soriano, A.; and Suleiman-Martos, N. 2022. Machine learning methods applied to triage in emergency services: A systematic review. *Int Emerg Nurs.* 60:101109.
- Sangal, R. B.; Su, H.; Khidir, H.; Parwani, V.; Liebhardt, B.; Pinker, E. J.; Meng, L.; Venkatesh, A. K.; and Ulrich, A. 2023. Sociodemographic Disparities in Queue Jumping for Emergency Department Care. *JAMA Network Open* 6(7):e2326338.
- Sax, D. R.; Warton, E. M.; Sofrygin, O.; Mark, D. G.; Ballard, D. W.; Kene, M. V.; Vinson, D. R.; and Reed, M. E. 2023. Automated analysis of unstructured clinical assessments improves emergency department triage performance: A retrospective deep learning analysis. *J Am Coll Emerg Physicians Open* 4(4):e13003.
- Sharperson, C.; Hajibonabi, F.; Hanna, T.; Gerard, R.; Gilyard, S.; and Johnson, J. 2023. Are disparities in emergency department imaging exacerbated during high-volume periods? *Clin Imaging.* 96:9–14.
- Shokouh, S.; Mohammadi, K.; and Yaghoubi, M. 2022. Optimization of service process in emergency department using discrete event simulation and machine learning algorithm. *Arch Acad Emerg Med* 10:e44.
- Suamchaiyaphum, K.; Jones, A.; and Markaki, A. 2023. Triage accuracy of emergency nurses: An evidence-based review. *J Emerg Nurs.* 158(1767):00251–9.
- Taylor, A.; Murakami, M.; Kim, S.; Chu, R.; and Riek, L. D. 2022. Hospitals of the future: Designing interactive robotic systems for resilient emergency departments. In *Proceedings of the ACM on Human-Computer Interaction.*
- Terning, G.; Brun, E. C.; and El-Thalji, I. 2022. Modeling patient flow in an emergency department under Covid-19 pandemic conditions: A hybrid modeling approach. *Healthc.* 10(5).
- Thakur, H.; Jain, A.; Vaddamanu, P.; Liang, P. P.; and Morency, L.-P. 2023. Language models get a gender makeover: Mitigating gender bias with few-shot data interventions. In Rogers, A.; Boyd-Graber, J.; and Okazaki, N., eds., *Proceedings of the 61st Annual Meeting of the ACL.*
- Tuominen, J.; Lomio, F.; Oksala, N.; Palomäki, A.; Peltonen, J.; Huttunen, H.; and Roine, A. 2022. Forecasting daily emergency department arrivals using high-dimensional multivariate data: a feature selection approach. *BMC Med Inform Decis Mak.* 22.
- Turner, A.; Francetic, I.; Watkinson, R.; Gillibrand, S.; and Sutton, M. 2022. Socioeconomic inequality in access to timely and appropriate care in emergency departments. *J Health Econ* 85:102668.
- van der Stigchel, B.; van den Bosch, K.; van Diggelen, J.; and P, H. 2023. Intelligent decision support in medical triage: are people robust to biased advice? *J Public Health* 45(3):689–696.
- Vantu, A.; Vasilescu, A.; and Baicoianu, A. 2023. Medical emergency department triage data processing using a machine-learning solution. *Heliyon* 9(8):e18402.
- Verma, S.; Wilson, F.; Wang, H.; Smith, L.; and Tak, H. 2023. Impact of Community Socioeconomic Characteristics on Emergency Medical Service Delays in Responding to Fatal Vehicle Crashes. *AJPM Focus* 2(4):100129.
- Wang, X.; Blumenthal, H.; Hoffman, D.; Benda, N.; Kim, T.; Perry, S.; Franklin, E.; Roth, E.; Hettinger, A.; and Bisantz, A. 2021. Modeling patient-related workload in the emergency department using electronic health record data. *Int J Med Inform.* 150:104451.
- Wu, Y.; Xirasagar, S.; Nan, Z.; Heidari, K.; and Sen, S. 2023. Racial Disparities in Utilization of Emergency Medical Services and Related Impact on Poststroke Disability. *Med Care* 61(11):796–804.
- Yu, J. Y.; Xie, F.; Nan, L.; Yoon, S.; Ong, M. E. H.; Ng, Y. Y.; and Cha, W. C. 2022. An external validation study of the score for emergency risk prediction (SERP), an interpretable machine learning-based triage score for the emergency department. *Sci Rep* 12(1):17466.
- Zhang, X.; Carabello, M.; Hill, T.; Bell, S. A.; Stephenson, R.; and Mahajan, P. 2020a. Trends of racial/ethnic differences in emergency department care outcomes among adults in the united states from 2005 to 2016. *Front Med* 7:300.
- Zhang, Y.; Luo, L.; Zhang, F.; Kong, R.; Yang, J.; Feng, Y.; and Guo, H. 2020b. Emergency patient flow forecasting in the radiology department. *Health Inform J* 26.
- Zhou, J.; Brent, A. J.; Clifton, D. A.; Walker, A. S.; and Eyre, D. W. 2023. Improving patient flow through hospitals with machine learning based discharge prediction. *medRxiv.*