



Malware models for network and service management

Jérôme François, Radu State and Olivier Festor



LORIA, Campus Scientifique - BP 239 - 54506 Vandoeuvre-lès-Nancy, France

Efficient and scalable management plane

- Number of devices to be managed
- Diversity of devices to be managed
- management domain boundaries are not clear
- ► an hostile environment: firewall, addresses translators
 - \rightarrow difficult to reach the devices to be managed



Malware based management

- ▶ the creators of malware faced the same problems
- the botnets
 - compromised machines waiting for instructions from the master
 - IRC network, very useful to send a request to all bots
 - simple communication exchange
 - the applications are various
 - the scalability: huge botnets were already observed (400 000 bots)
- \rightarrow adapt the botnets for network management

How to evaluate the malware benefits ?

- many papers describe the power of malware and above all the botnets
- network management need to know the performances of a such system
- a company need to know the performance of its management plane
 - ▶ probability to reach 90% of the devices
 - time needed to update 95% of the computers
- \blacktriangleright creation of the management botnet \rightarrow choose the right topology

 \rightarrow need to have a mathematical model of a botnet

Our model

- ▶ bots connected randomly and uniformly on the servers → consider only the servers
- N (= 10) servers form a random tree
- the probability to reach a subset of N from a given node at a given distance



- ▶ add parameters like network failures
- observe more metrics like overload or time needed to perform a global management operation
- use these metrics to optimize the management plane
- evaluate a botnet based management framework: an implementation on a realistic testbed