

Space Applications Subject to Optimal Control and Sensitivity Analysis

Sven Weikert

► To cite this version:

Sven Weikert. Space Applications Subject to Optimal Control and Sensitivity Analysis. SADCO Kick off, Mar 2011, Paris, France. inria-00585877

HAL Id: inria-00585877 https://inria.hal.science/inria-00585877

Submitted on 14 Apr 2011

HAL is a multi-disciplinary open access archive for the deposit and dissemination of scientific research documents, whether they are published or not. The documents may come from teaching and research institutions in France or abroad, or from public or private research centers. L'archive ouverte pluridisciplinaire **HAL**, est destinée au dépôt et à la diffusion de documents scientifiques de niveau recherche, publiés ou non, émanant des établissements d'enseignement et de recherche français ou étrangers, des laboratoires publics ou privés.



Space Applications Subject to Optimal Control and Sensitivity Analysis

Sven Weikert SADCO Kick-Off Meeting Paris, March 3-4, 2011

Outline



- 1. Company facts & figures
- 2. ASTOS software
- 3. Optimal control and sensitivity analysis for space applications




Astos Solutions FACTS AND FIGURES


© 2011 Astos Solutions GmbH

SADCO Kick-Off Meeting

Summary of Products & Services



Astos Solutions





Techniques

- Optimisation
- Simulation
- Non-linear identification
- Monte Carlo simulations
- Sensitivity analysis
- Mission analysis
- Safety analysis
- GNC analysis

Astos Solutions History




- 1989 Start of GESOP/ASTOS (former ALTOS) development at MBB (now Astrium ST) and DLR Oberpfaffenhofen.
- 1991 Continuation at new Institute of Flight Mechanics and Flight Control (IFR) at University of Stuttgart as prime under the lead of Prof. Klaus Well.
- 1999 Beginning of commercialization (1st customer Fiat Avio => VEGA launcher)
- 2006 Foundation of Astos Solutions GmbH Registered as SME
- 2009 Located in STEP (STuttgarter
 Engineering Park), Germany
 2010 Enlargement of office to double
 - size including laboratory

© 2011 Astos Solutions GmbH

s°

Company Development





Education



- University of Stuttgart, Faculty of Aerospace and Geodesy
 - Training courses in trajectory optimization with ASTOS in parallel to the lectures at iFR
 - Supervision of students in their master thesis work

iF?

- Worldwide cooperation
 - Lectures and student workshops organized at several universities, especially in USA
 - Software used by app. 30 universities worldwide for master and PhD theses



ASTOS

Aerospace Trajectory Optimization Software

© 2011 Astos Solutions GmbH

SADCO Kick-Off Meeting

ASTOS[®] Key Attributes




AeroSpace Trajectory Optimization Software

- Transcription methods: direct multiple shooting, direct collocation (also hybrid) with linear, constant or B-Spline control discretization
- Several NLP solvers: SNOPT, WORHP, SPRNLP (SOCS), SLLSQP and global methods (Particle Swarm, genetic algorithms)
- Jacobian approximated by finite differences, Hessian by BFGS updates or also by finite differences
- Various propagation methods (RKF45, RKF78, RKN11, RKR15, ODEX2, SGP4)
- Built-in batch processing tool, e.g. for Monte Carlo simulations
- More than 100 predefined constraints and cost functions
- Wide range of vehicle and environment models (no coding required
 © 2011 Astos Solutions GmbH



GESOP/ASTOS Customers







© 2011 Astos Solutions GmbH

ESA projects with ASTOS Launch Vehicles

Ariane 5 MLV **VEGA** VEGA 1st flight **Electrical VEGA** CTV CTV 2 Mars Ascent Vehicle Socrates RLV Demonstrator Heavy Lift Launch Vehicle IXV launch vehicles **Crew Exploration Vehicle**







Optimal Control and Sensitivity Analysis for Space Applications

An Aerospace Mission



Model Definition


- Environment
 - Planet
 - Atmosphere
 - Wind
 - Solar System
- Vehicle Components
- Propulsion Systems
- Aerodynamic Configurations

Mission Definition

- Cost Function
 - Maximum Payload
- Constraints
 - Boundary Constraints
 - Path Constraints

Phase Configuration

- Initial State and Epoch
- Multi-Phase Definition
 - Dynamic System
 - Aerodynamic Configuration
 - Active Propulsions
 - Jettisoned Components
 - Branching
 - Attitude Controls



Typical Optimal Control Applications



These are the typical applications for optimal control in the space segment at Astos Solutions:

- Performance analysis
- Feasibility studies
- Mission design
- Preliminary vehicle design
- Concept verification
- Reference trajectories (guidance)

Challenges of Space Applications



Applying non-linear optimization to space applications is often accompanied by one or more of the following challenges:

- large scale problems (>100,000 variables)
- several local minima
- non-smooth model data
- noise
- complex and/or "black box" models
- users are engineers and not mathematicians

DLR "Blackbox Solver" Research Activity



- Project Goals:
 - -Reduction of user interaction
 - -Reduction of required user expertise
 - -Increase of solver robustness
- Joint project together with Uni. Bremen (C. Büskens)
- Based on the WORHP solver (http://www.worhp.de)
- Automatic analysis of optimization problem
 - -Check for non-smooth functions (f, g_i)
 - -Model formulation errors
- Automatic scaling of variables and constraints
 - -Variable scaling based on parametric sensitivity analysis
- Automatic mesh refinement and generation
- Improved finite differences by means of adaptive variable perturbation




Challenging Space Applications


© 2011 Astos Solutions GmbH

SADCO Kick-Off Meeting

Low-Thrust Orbit Transfer and Low-Thrust Interplanetary Mission







Multidisciplinary Design Optimization (MDO)




- Complex systems and subsystems
- Several disciplines (propulsion, aerodynamics, TPS, structure, dynamics)
- Various MDO techniques: AAO, IDF, BLISS, CO
- Difficulties: computational time, convergence



Multi-Mission Optimization and Design



- Trajectory and stage optimization of a launcher family with different
 - target orbits
 - payloads
 - number of boosters
 - filling ratios (propellant)
- considering
 - mission constraints
 - launch site constraints
 - environmental constr.
- Including
 - engine design
 - stage sizing
 - splash down
 - station visibility
 - load limits



3D Map-Plot Mercartor

Sensitivity Analysis After Design Optimization



- Model uncertainties -> in reality model parameters might be different from the ones assumed in the optimization
- > Not an optimal but a robust solution is required!
- Local sensitivity analysis based on KKT-matrix and/or
- Trust region analysis in the regime of 1 sigma -> Monte Carlo
- Sensitivity analysis with respect to optimizable variables and fixed parameters (e.g. assumed lsp of the engines) is required

Link to SADCO?



Foreseen activities in cooperation with Uni. Bremen and SADCO fellow Sonja Rauski:

- Parametric sensitivity analysis based on KKT-matrix
- Limited memory BFGS (sparse BFGS for large scale problems)

Wrap-Up



- A small set of mathematical approaches (transcription method, NLP solver) is applied to a wide range of optimization problems and applications
- A robust solution is more desired than the real optimal
- Sensitivity analysis is required to get confidence on the robustness of the solution.

Industrial Workshop



Industrial SADCO Workshop at Astos Solutions

- Tentative date: 2-3 February 2012
- Industrial applications
- "Learn about the engineer's perspective"
- Hands-on software trainings
- In direct neighbourhood of the University of Stuttgart
- Global players with optimization demands are located in Stuttgart, e.g.
 - Daimler
 - Bosch
 - Behr
 - Thales ATM
- Chance for further networking



Leadership requires solutions



Thank you!