



HAL
open science

On the Control of an Exploited Population of Fish

Abderrahman Iggidr, Abderrahim Ouahbi, Jean-Claude Vivalda

► **To cite this version:**

Abderrahman Iggidr, Abderrahim Ouahbi, Jean-Claude Vivalda. On the Control of an Exploited Population of Fish. 1999 European Control Conference (ECC), Aug 1999, Karlsruhe, Germany. 10.23919/ECC.1999.7099447 . hal-01862871

HAL Id: hal-01862871

<https://inria.hal.science/hal-01862871>

Submitted on 29 Aug 2018

HAL is a multi-disciplinary open access archive for the deposit and dissemination of scientific research documents, whether they are published or not. The documents may come from teaching and research institutions in France or abroad, or from public or private research centers.

L'archive ouverte pluridisciplinaire **HAL**, est destinée au dépôt et à la diffusion de documents scientifiques de niveau recherche, publiés ou non, émanant des établissements d'enseignement et de recherche français ou étrangers, des laboratoires publics ou privés.

ON THE CONTROL OF AN EXPLOITED POPULATION OF FISH *

A. Iggidr ^{b†} A. Ouahbi[‡] J.C. Vivalda ^b

^bCONGE Project, INRIA Lorraine
 & CNRS UPRES A 7035, Dept. of Mathematics, University of Metz
 I.S.G.M.P. Bat. A, Ile du Saulcy
 57045 Metz cedex 01, FRANCE.
 e-mail: {iggidr, vivalda}@loria.fr fax: +33 3 87 54 72 77

[‡]Laboratoire d'Automatique et d'Etude des Procédés
 Faculté des Sciences-Semlalia, Université Cadi Ayyad, B.P S15
 Marrakesh, MOROCCO.
 fax: +212 4 43 74 09.

Keywords : difference equations, Lyapunov functions, population dynamics, stabilization, Feedback.

Abstract

The aim of this paper is to show how some tools of control theory can be helpful to regulate the exploitation of a population of fish.

1 Introduction

In this paper, we are interested in the stabilization of an exploited population of fish around a non trivial steady state.

The dynamic of the population is supposed to be described by a discrete-time system of the form

$$x(t+1) = F(x(t), u(t)), \quad (1)$$

where $x(t)$ is the state variable at time $k = 0, 1, 2, \dots$ and $u(t)$ is the control (here it is the fishing effort).

The problem addressed here is how to compute the fishing effort (as a feedback control) $u(x)$ in such a way, that for a given state $x^0 \neq 0$, one has

- (i) $F(x^0, u(x^0)) = x^0$ (x^0 is an equilibrium point).
- (ii) x^0 is a globally asymptotically stable equilibrium point for the closed-loop system

$$x(t+1) = F(x(t), u(x(t))).$$

*travail réalisé avec la contribution financière du CNCPRST (Maroc) et du CNRS (France) dans le cadre du PICS n°78.

[†]Corresponding author

More precisely, we consider a density-dependent model of a population of exploited fish which is structured in n age classes [liu, mag, ric] :

$$\begin{cases} x_1(t+1) = f(\sum_{i=1}^n b_i x_i(t)) \\ x_2(t+1) = x_1(t) \exp(-M_1 - q_1 u(t)) \\ x_3(t+1) = x_2(t) \exp(-M_2 - q_2 u(t)) \\ \vdots \\ x_n(t+1) = x_{n-1}(t) \exp(-M_{n-1} - q_{n-1} u(t)) \end{cases} \quad (2)$$

Where:

- $b_i \geq 0$ is the number of individuals produced by individuals of the i^{th} age class.
- $M_i \geq 0$ is the natural mortality of individuals of age i .
- $q_i \geq 0$ is the catchability of individuals of age i .
- $u(t)$ is the fishing effort at time t and is regarded as an input.
- f is the stock-recruitment function. It is a continuous function satisfying $f(0) = 0$.

Several authors have proposed different kind of functions f (see [bev, mag, ric]). We shall use in this paper the expression of f used in Beverton and Holt model [bev]

$$f(x) = \frac{x}{1 + \beta x}, \quad \beta > 0.$$

To construct the stabilizing feedback law, we shall use and adapt a machinery developed in [ben, igg].

2 Main result

For the sake of simplicity we shall give the result for $n = 3$ (the calculus are exactly the same for an arbitrary n but the expression of the feedback is longer). We also suppose that only individuals of age n and over are reproductive ($b_1 = b_2 = 0$). So that, we consider the following system

$$\begin{cases} x_1(t+1) = f(b_3 x_3(t)) \\ x_2(t+1) = x_1(t) \exp(-M_1 - q_1 u(t)) \\ x_3(t+1) = x_2(t) \exp(-M_2 - q_2 u(t)) \end{cases} \quad (3)$$

For a constant fishing effort u^0 , system (3) has a non trivial equilibrium state

$$x_1^0 = \frac{b_3 a_1 a_2 - 1}{\beta b_3 a_1 a_2} = \frac{b_3 x_3^0}{1 + \beta b_3 x_3^0}, \quad x_2^0 = a_1 x_1^0, \quad x_3^0 = a_1 a_2 x_1^0$$

Where $a_i = \exp(-M_i - q_i u^0)$.

This steady state belongs to $\Omega = \mathbb{R}_+^3$ provided that

$$b_3 > \frac{1}{a_1 a_2}.$$

Theorem 2.1 *for any positive constant $\eta \leq u^0$, system (3) is globally asymptotically stabilizable by means of the continuous feedback law*

$$u(x) = u^0 + v(x) \quad (4)$$

which satisfies

$$\|v(x)\| \leq \eta, \quad \forall x \in \Omega.$$

Proof. Let V be the following candidate Lyapunov function

$$V(x) = (x_1 - x_1^0)^2 + \frac{(x_2 - x_2^0)^2}{a_1^2} + \frac{(x_3 - x_3^0)^2}{(a_1 a_2)^2}$$

and define

$$\tilde{F}(x) = F(x, u^0). \quad (5)$$

$\tilde{V} : \Omega \times \mathbb{R} \rightarrow \mathbb{R}$ and

$$\tilde{V}(x, u) = V(F(x, u)), \quad (6)$$

We evaluate the variation of V along the closed-loop system (3-4):

$$\begin{aligned} \Delta V(x) &= V(F(x, u(x))) - V(x) \\ &= \tilde{V}(x, u(x)) - V(x) \\ &= \tilde{V}(x, u^0 + v(x)) - V(x) \\ &= \tilde{V}(x, u^0) - V(x) + \frac{\partial \tilde{V}}{\partial u}(x, u^0) v(x) \\ &\quad + \int_0^1 (1-t) \frac{\partial^2 \tilde{V}}{\partial u^2}(x, u^0 + t v(x)) v^2(x) dt. \end{aligned}$$

Notice that

$$\tilde{V}(x, u^0) = V(F(x, u^0)), \quad (7)$$

and

$$\frac{\partial \tilde{V}}{\partial u}(x, u^0) = \frac{\partial V}{\partial x}(F(x, u^0)) \frac{\partial F}{\partial u}(x, u^0).$$

So,

$$\begin{aligned} \Delta V(x) &= V(F(x, u^0)) - V(x) \\ &\quad + \frac{\partial V}{\partial x}(F(x, u^0)) \frac{\partial F}{\partial u}(x, u^0) v(x) \\ &\quad + \int_0^1 (1-t) \frac{\partial^2 \tilde{V}}{\partial u^2}(x, u^0 + t v(x)) v^2(x) dt. \end{aligned} \quad (8)$$

Now we shall construct a feedback control $v(x)$ in order to get $\Delta V(x) \leq 0$ for all $x \in \Omega$. To this end, we introduce some notations. Let $\varphi : \Omega \times \mathbb{R} \times \mathbb{R} \rightarrow \mathbb{R}$ be the function defined by

$$\varphi(x, v, w) = \int_0^1 (1-t) v^T(x) \frac{\partial^2 \tilde{V}}{\partial u^2}(x, u^0 + t v(x)) w^2(x) dt. \quad (9)$$

For a fixed number η satisfying $0 < \eta < u^0$, let $K_1(x)$ and $K_2(x)$ be any nonnegative continuous real valued functions satisfying $K_1(x) + K_2(x) \neq 0, \quad \forall x \in \Omega$ and

$$K_1(x) \geq \sup_{|v| \leq \eta, |w|=1} |\varphi(x, v, w)|, \quad \forall x \in \Omega. \quad (10)$$

$$K_2(x) \geq \left| \frac{\partial V}{\partial x}(F(x, u^0)) \frac{\partial f}{\partial u}(x, u^0) \right|, \quad \forall x \in \Omega. \quad (11)$$

and set

$$K(x) = \frac{\eta}{\eta K_1(x) + K_2(x)} > 0 \quad \forall x \in \Omega. \quad (12)$$

We construct the feedback control according to the following formula :

$$v(x) = -K(x) \left(\frac{\partial V}{\partial x}(F(x, u^0)) \frac{\partial F}{\partial u}(x, u^0) \right) \quad (13)$$

which satisfies

$$\|v(x)\| \leq \eta, \quad \forall x \in \Omega. \quad (14)$$

Tacking into account (8-13-9), the variation of V along the solutions of the closed-loop system can be written :

$$\begin{aligned} \Delta V(x) &= V(F(x, u^0)) - V(x) \\ &\quad - \frac{1}{K(x)} v^2(x) + \varphi(x, v(x), v(x)). \end{aligned} \quad (15)$$

On the one hand, we have

$$\begin{aligned} V(F(x, u^0)) - V(x) &= (f(b_3 x_3) - x_1^0)^2 - \frac{(x_3 - x_3^0)^2}{(a_1 a_2)^2} \\ &= \left(\frac{b_3 x_3}{1 + \beta b_3 x_3} - x_1^0 \right)^2 - \left(\frac{x_3 - x_3^0}{a_1 a_2} \right)^2 \\ &= \left(\frac{b_3 x_3}{1 + \beta b_3 x_3} - \frac{b_3 x_3^0}{1 + \beta b_3 x_3^0} \right)^2 - \left(\frac{x_3 - x_3^0}{a_1 a_2} \right)^2 \end{aligned}$$

Hence

$$\begin{aligned}
 V(F(x, u^0)) - V(x) &= \\
 &= \left(\frac{b_3(x_3 - x_3^0)}{(1 + \beta b_3 x_3)(1 + \beta b_3 x_3^0)} \right)^2 - \left(\frac{x_3 - x_3^0}{a_1 a_2} \right)^2 \\
 &= \frac{(b_3 a_1 a_2)^2 - (1 + \beta b_3 x_3)^2 (1 + \beta b_3 x_3^0)^2}{(a_1 a_2)^2 (1 + \beta b_3 x_3)^2 (1 + \beta b_3 x_3^0)^2} (x_3 - x_3^0)^2
 \end{aligned}$$

We have $1 + \beta b_3 x_3^0 = 1 + \beta b_3 \frac{b_3 a_1 a_2 - 1}{\beta b_3 a_1 a_2} a_1 a_2 = b_3 a_1 a_2$. This yields,

$$\frac{V(F(x, u^0)) - V(x)}{(1 + \beta b_3 x_3)^2 (1 + \beta b_3 x_3^0)^2} b_3^2 (x_3 - x_3^0)^2 \leq 0 \quad (16)$$

On the other hand, $\varphi(x, v, w)$ being homogeneous of degree 2 with respect to w , we have for all $x \in \Omega$ such that $v(x) \neq 0$:

$$\varphi(x, v(x), v(x)) = v^2(x) \varphi(x, v(x), \frac{v(x)}{|v(x)|})$$

From this and (15-16), we get

$$\Delta V(x) = V(F(x, u^0)) - V(x) \leq 0 \text{ if } v(x) = 0.$$

And for $v(x) \neq 0$,

$$\begin{aligned}
 \Delta V(x) &= V(F(x, u^0)) - V(x) \\
 &= -v^2(x) \left(\frac{1}{K(x)} - \varphi(x, v(x), \frac{v(x)}{|v(x)|}) \right).
 \end{aligned}$$

Thanks to the construction of $v(x)$ and $K(x)$, we have $\frac{1}{K(x)} > \varphi(x, v(x), \frac{v(x)}{|v(x)|})$. This allows to conclude that

$$\Delta V(x) \leq 0 \quad \forall x \in \Omega.$$

The closed-loop system is then Lyapunov stable. On the other hand,

$$\Delta V(x) = 0 \Leftrightarrow x_3 = x_3^0 \text{ and } v(x) = 0.$$

It is easy to show that the largest invariant set contained in

$$\{x \in \Omega \mid \Delta V(x) = V(F(x, u(x))) - V(x) = 0\}$$

is reduced to $\{x^0\}$ so, by Lasalle Invariance Principle [las], the equilibrium x^0 is a globally asymptotically stable equilibrium point for the closed-loop system.

References

[ben] M. Bensoubaya, A. Ferfera and A. Iggidr. Stabilisation de systèmes non linéaires discrets *Comptes Rendus de l'Académie des Sciences Paris*, Série I, t.321, pp 371-374, (1995).

[bev] R.J.H. Beverton and S.J. Holt. *On the dynamics of exploited fish populations*. Chapman & Hall, New York. First edition 1957.

[fis] M. E. Fisher and B. S. Goh. Stability results for delayed-recruitment models in population dynamics. *J. Math. Bio.*, **19**, 147-156, (1984).

[igg] A. Iggidr and M. Bensoubaya. New results on the stability of discrete-time systems and applications to control problems. *Journal of Mathematical Analysis and Applications*, **219**, 392-414, (1998).

[las] J.P. LASALLE. *The stability and control of discret processes*. Springer-Verlag, New York, 1986.

[liu] L. Liu and J. E. Cohen. Equilibrium and local stability in a logistic matrix model for age-structured populations. *J. Math. Bio.*, **25**, 73-88, (1987).

[mag] P. Magal and D. Pelletier. A fixed point theorem with application to a model of population dynamics. *J. Difference Equ. Appl.*, **3**, No.1, 65-87, (1997).

[ric] W. E. Ricker. Stock and recruitment. *J. Fish. Res. Board Can.*, **11**, 559-623, (1954).